

CLASS # 25 DRYWALL SCREWS

These are standard, black oxide drywall screws available in fine thread and coarse thread and are used by drywall and sheet metal contractors. They have the sharp tip and are not to be confused with 'Tek' screws which have the drill bit point. They are flat head Phillips drive. Sold by the box only.



COARSE THREAD

ITEM#:	SIZE:	DESCRIPTION:	QTY:
DWC6100	6 x 1"	COARSE DRYWALL SCREWS	10,000
DWC6118	6 x 1 1/8"	COARSE DRYWALL SCREWS	10,000
DWC6114	6 x 1 1/4"	COARSE DRYWALL SCREWS	8,000
DWC6158	6 x 1 5/8"	COARSE DRYWALL SCREWS	5,000
DWC6200	6 x 2"	COARSE DRYWALL SCREWS	3,500
DWC6214	6 x 2 1/4"	COARSE DRYWALL SCREWS	3,000
DWC8212	8 x 2 1/2"	COARSE DRYWALL SCREWS	2,500
DWC8300	8 x 3"	COARSE DRYWALL SCREWS	2,000



FINE THREAD


ITEM#:	SIZE:	DESCRIPTION:	QTY:
DWF6100	6 x 1"	FINE DRYWALL SCREWS	10,000
DWF6118	6 x 1 1/8"	FINE DRYWALL SCREWS	10,000
DWF6114	6 x 1 1/4"	FINE DRYWALL SCREWS	8,000
DWF6112	6 x 1 1/2"	FINE DRYWALL SCREWS	6,500
DWF6158	6 x 1 5/8"	FINE DRYWALL SCREWS	5,000
DWF6200	6 x 2"	FINE DRYWALL SCREWS	3,500
DWF6214	6 x 2 1/4"	FINE DRYWALL SCREWS	3,000
DWF8300	8 x 3"	FINE DRYWALL SCREWS	2,000

CLASS # 25

HEX WASHER HEAD TEK SCREWS

These are self drilling screws, commonly called 'Tek Screws'. They have a drill bit type tip that starts the hole for the rest of the screw. They will start drilling right where they're placed without dancing.

They have a hex shaped head with an attached washer and are used with a nut driver for attaching on all kinds of metal. Used by sheet metal, duct and electrical contractors. Sold by the box only.



ITEM#:	SIZE:	DESCRIPTION:	QTY:
HWH612	#6 x 1/2"	HWH TEK SCREWS	15,000
HWH812	#8 x 1/2"	HWH TEK SCREWS	10,000
HWH858	#8 x 5/8"	HWH TEK SCREWS	10,000
HWH834	#8 x 3/4"	HWH TEK SCREWS	10,000
HWH8100	#8 x 1"	HWH TEK SCREWS	7,500
HWH8114	#8 x 1-1/4"	HWH TEK SCREWS	5,000
HWH8112	#8 x 1-1/2"	HWH TEK SCREWS	4,000
HWH1012	#10 x 1/2"	HWH TEK SCREWS	8,500
HWH1058	#10 x 5/8"	HWH TEK SCREWS	7,500
HWH1034	#10 x 3/4"	HWH TEK SCREWS	6,500
HWH10100	#10 x 1"	HWH TEK SCREWS	5,000
HWH10114	#10 x 1-1/4"	HWH TEK SCREWS	3,500
HWH10112	#10 x 1-1/2"	HWH TEK SCREWS	3,000
HWH1234	#12 x 3/4"	HWH TEK SCREWS	5,000
HWH12100	#12 x 1"	HWH TEK SCREWS	3,500
HWH12114	#12 x 1-1/4"	HWH TEK SCREWS	3,500
HWH12112	#12 x 1-1/2"	HWH TEK SCREWS	2,500
HWH12200	#12 x 2"	HWH TEK SCREWS	2,000
HWH12300	#12 x 3"	HWH TEK SCREWS	1,500

CLASS # 25 CONCRETE SCREWS

Commonly called 'Tapcons', these blue concrete screws are excellent for attaching items to concrete, brick and block. They feature a unique 'high and low' thread design for excellent 'pull out' resistance and they have a coating that protects them from corrosion.


They are an excellent, high quality concrete screw available with a flat or 'countersunk' Philips head, or a slotted hex head. They are not, however the 'Tapcon[®]' brand and are sold in bulk lots only of 2,000, 1,000, or 100. Refer to the chart for the correct size. The first measurement is the diameter of the screw, the second is the threads-per-inch count, and the third measurement is the length.



Philips Flat Head



Slotted Hex Head



HEX HEAD CONCRETE SCREWS BY 100's



ITEM#:	SIZE:	HEAD:	QTY.
TCHC316114	3/16" x 16 x 1-1/4"	HEX	100
TCHC316134	3/16" x 16 x 1-3/4"	HEX	100
TCHC316214	3/16" x 16 x 2-1/4"	HEX	100
TCHC316234	3/16" x 16 x 2-3/4"	HEX	100
TCHC316314	3/16" x 16 x 3-1/4"	HEX	100
TCHC316334	3/16" x 16 x 3-3/4"	HEX	100
TCHC3164	3/16" x 16 x 4"	HEX	100
TCHC14114	1/4" x 15 x 1-1/4"	HEX	100
TCHC14134	1/4" x 15 x 1-3/4"	HEX	100
TCHC14214	1/4" x 15 x 2-1/4"	HEX	100
TCHC14234	1/4" x 15 x 2-3/4"	HEX	100
TCHC14314	1/4" x 15 x 3-1/4"	HEX	100
TCHC14334	1/4" x 15 x 3-3/4"	HEX	100
TCHC144	1/4" x 15 x 4"	HEX	100

FLAT HEAD CONCRETE SCREWS BY 100's



TCFC316114	3/16" x 16 x 1-1/4"	FLAT	100
TCFC316134	3/16" x 16 x 1-3/4"	FLAT	100
TCFC316214	3/16" x 16 x 2-1/4"	FLAT	100
TCFC316234	3/16" x 16 x 2-3/4"	FLAT	100
TCFC316314	3/16" x 16 x 3-1/4"	FLAT	100
TCFC316334	3/16" x 16 x 3-3/4"	FLAT	100
TCFC3164	3/16" x 16 x 4"	FLAT	100
TCFC14114	1/4" x 15 x 1-1/4"	FLAT	100
TCFC14134	1/4" x 15 x 1-3/4"	FLAT	100
TCFC14214	1/4" x 15 x 2-1/4"	FLAT	100
TCFC14234	1/4" x 15 x 2-3/4"	FLAT	100
TCFC14314	1/4" x 15 x 3-1/4"	FLAT	100
TCFC14334	1/4" x 15 x 3-3/4"	FLAT	100
TCFC144	1/4" x 15 x 4"	FLAT	100

HEX HEAD CONCRETE SCREWS BY BULK



ITEM#:	SIZE:	HEAD:	QTY.
TCH316114	3/16" x 16 x 1-1/4"	HEX	2,000
TCH316134	3/16" x 16 x 1-3/4"	HEX	2,000
TCH316214	3/16" x 16 x 2-1/4"	HEX	2,000
TCH316234	3/16" x 16 x 2-3/4"	HEX	2,000
TCH316314	3/16" x 16 x 3-1/4"	HEX	1,000
TCH316334	3/16" x 16 x 3-3/4"	HEX	1,000
TCH3164	3/16" x 16 x 4"	HEX	1,000
TCH14114	1/4" x 15 x 1-1/4"	HEX	2000
TCH14134	1/4" x 15 x 1-3/4"	HEX	2000
TCH14214	1/4" x 15 x 2-1/4"	HEX	1000
TCH14234	1/4" x 15 x 2-3/4"	HEX	1000
TCH14314	1/4" x 15 x 3-1/4"	HEX	1000
TCH14334	1/4" x 15 x 3-3/4"	HEX	1000
TCH144	1/4" x 15 x 4"	HEX	1000

FLAT HEAD CONCRETE SCREWS BY BULK



TCF316114	3/16" x 16 x 1-1/4"	FLAT	2,000
TCF316134	3/16" x 16 x 1-3/4"	FLAT	2,000
TCF316214	3/16" x 16 x 2-1/4"	FLAT	2,000
TCF316234	3/16" x 16 x 2-3/4"	FLAT	2,000
TCF316314	3/16" x 16 x 3-1/4"	FLAT	1,000
TCF316334	3/16" x 16 x 3-3/4"	FLAT	1,000
TCF3164	3/16" x 16 x 4"	FLAT	1,000
TCF14114	1/4" x 15 x 1-1/4"	FLAT	2,000
TCF14134	1/4" x 15 x 1-3/4"	FLAT	2,000
TCF14214	1/4" x 15 x 2-1/4"	FLAT	1,000
TCF14234	1/4" x 15 x 2-3/4"	FLAT	1,000
TCF14314	1/4" x 15 x 3-1/4"	FLAT	1,000
TCF14334	1/4" x 15 x 3-3/4"	FLAT	1,000
TCF144	1/4" x 15 x 4"	FLAT	1,000

CLASS # 25

TAPCON INSTALLATION KIT

This kit assists in easy installation of Tapcon or Tapcon-type concrete screws. Made from polished chrome vanadium steel and set inside a rugged plastic carrying case, this kit includes the sleeve, drill adapter, two Philips bits and a Philips bit adapter.

Simply place the adapter and sleeve into a masonry drill, add either a 1/4" or 5/16" adapter and place concrete screw into adapter. The tiny magnet inside the adapter will hold screw in place for ease of application.

The carrying case includes a deep, empty section to hold a handful of Tapcon or Tapcon-type concrete screws and drill bits so you will always be ready for any job.



Includes:

- 6-1/2" Sleeve
- 1/4" Masonry drill adapter
- 1/4" Magnetic driver
- 5/16" Magnetic driver
- Philips bit adapter
- #2 x 1" Philips bit
- #3 x 1" Philips bit
- 1/8" Hex key
- Carrying case

ITEM#:

DESCRIPTION:

TCKIT

TAPCON SCREW INSTALLATION KIT

CLASS # 25

#2 x 1" PHILLIPS BIT

These are the common #2 Phillips insert bits that are used for driving all types of Phillips head drywall screws, wood screws, and machine screws.

They are made from heat treated and cold rolled steel, and machined to exacting standards. Sold individually, but packaged 100 in a bag.



ITEM#:

DESCRIPTION:

897

#2 x 1" PHILLIPS INSERT BIT

CLASS # 25

MAGNETIC NUT SETTERS

Chrome Vanadium, magnetic nut setters grasp and hold for easy, one hand tightening of hex nuts or bolts. Available in a 5 pc. SAE set with sizes from 1/4" to 1/2" and an 8 pc. set in metric ranging from 6mm to 13mm. Each nut setter features a 1/4" hex shank and are 2-9/16" (65mm) long. Import.



SAE Sizes:

- 1/4"
- 5/16"
- 3/8"
- 7/16"
- 1/2"

Metric Sizes:

- 6mm
- 7mm
- 8mm
- 9mm
- 10mm
- 11mm
- 12mm
- 13mm



ITEM#:

DESCRIPTION:

NUT5	MAGNETIC NUT SETTERS - 5 PC. SAE SET
NUT8	MAGNETIC NUT SETTERS - 8 PC. METRIC SET

CLASS # 25

MAGNETIC BIT HOLDERS

Designed for insert bits, these magnetic bit holders can be used with socket wrenches or socket adapters. Made of stainless steel and have a 'C'-ring that fits into the retaining ring notch of the insert bit to hold bit securely in place. They have the standard 1/4" shank to fit any drill driver.

They are also available with a screw on retaining cap for use with a power screwdriver. The screw on cap securely holds the insert bit in the holder, not merely relying on the magnetic force to maintain the insert bit retention.

Also available is a 2-3/8" Chrome Vanadium bit holder and a quick change for easy, one handed bit changes. Imported.



ITEM#:	SIZE:	DESCRIPTION:
MBH2	2"	MAGNETIC BIT HOLDER - STAINLESS
MBH238	2-3/8"	MAGNETIC BIT HOLDER - STAINLESS
MBH3	3"	MAGNETIC BIT HOLDER - STAINLESS
MBH6	6"	MAGNETIC BIT HOLDER - STAINLESS
MBH8	8"	MAGNETIC BIT HOLDER - STAINLESS
MBH10	10"	MAGNETIC BIT HOLDER - STAINLESS
MBH12	12"	MAGNETIC BIT HOLDER - STAINLESS
MBHCV3	2-3/8"	MAGNETIC BIT HOLDER - CHROME
MBH3QC	3"	MAGNETIC BIT HOLDER - QUICK CHANGE
MBH3C	3"	MAGNETIC BIT HOLDER - S.S. WITH CAP
MBH6C	6"	MAGNETIC BIT HOLDER - S.S. WITH CAP

CLASS # 25

TWIST ANCHORS

Also called 'Zip-Its', 'Nail-ins', or 'Bats', these anchors are available in both zinc and nylon and are ideal for a range of applications for hanging any heavy item up to 75 Lbs. in drywall or sheetrock.

No drilling is necessary with these anchors; simply tap the pointed end of the anchor into the wall, use a screwdriver to twist it completely into the wall, then insert screw into the anchor and tighten.

Designed for 5/8" and 1/2" drywall and accept #6 or #8 screws. Packed 100 anchors per bag and sold by the bag.



Nylon Twist Anchors



Zinc Twist Anchors



ITEM#:	DESCRIPTION:
TAZ	ZINC TWIST ANCHORS - (100 PACK)
TAN	NYLON TWIST ANCHORS - (100 PACK)