PROLINE PROGRAM

CLASS # 60

3/8” HOLE SHOOTER

For all day drilling and driving in wood, steel, or plastic, there may not be a better tool than this Milwaukee® Magnum hole shooter. Aluminum and Magnesium alloy on the gear case cuts down on the tools weight, and a glass reinforced nylon handle makes it a bit lighter too, but when it comes to great results, this is the same heavy-duty, no-nonsense tool it's always been.

The handle is designed so you can hold it two ways; either pistol grip or with the palm of your hand resting on the top back portion, making the drill an extension of your arm. As a result, you can really get behind it while still easily reaching the trigger with your fingers. The carbon brushes are easy to access and change and this model comes with a convenient and reliable all metal, two-sleeve keyless chuck.

Specifications:

- 120 Volt/AC Only
- 5.5 Amps
- Variable speed: 0 - 2800 RPM
- Removable brush cartridge system
- 3/8” Keyless chuck
- Single gear train
- 8’ fixed power cord
- Length: 10”
- Weight: 4 Lbs

ITEM#:	DESCRIPTION:
PM0233-20	3/8” MILWAUKEE MAGNUM HOLE SHOOTER

PROLINE PROGRAM

CLASS # 60

1/2” HOLE SHOOTER

For all day drilling and driving in wood, steel, or plastic, there may not be a better tool than this Milwaukee® Magnum hole shooter. Aluminum and Magnesium alloy on the gear case cuts down on the tools weight, and a glass reinforced nylon handle makes it a bit lighter too, but when it comes to great results, this is the same heavy-duty, no-nonsense tool it's always been.

This heavy duty drill is built for industrial and construction applications. It features raw power with a Milwaukee® built 5.5 amp motor, trigger speed control, reversing, and a Quik-Lok® cord that can be quickly removed from the drill for storage or service replacement. Use this tool with a variety of accessories to drill into wood, metal, plastics and composites.

Specifications:

- 120 Volt/AC Only
- 5.5 Amps
- Variable speed: 0 - 850 RPM
- Removable brush cartridge system
- Industrial 1/2” Chuck (Keyed)
- Double gear train
- 8’ 3 wire Quik-Lok cord
- Spindle” 1/2”-20
- Trigger lock: On
- Length: 10-1/2”
- Weight: 4.8 Lbs
- Spare brushes inside handle
- Includes side handle for left or right

ITEM#:	DESCRIPTION:
PM0234-6	1/2” MILWAUKEE MAGNUM HOLE SHOOTER

PROLINE PROGRAM

CLASS # 60

12V CORDLESS SCREWDRIVER

Milwaukee's powerful and compact 12 Volt cordless drill/driver features lithium-ion technology which delivers 150 in.-lbs. of torque while operating at 0 - 500 RPM, making it 25% more powerful with 30% more run time than the competition.

A convenient fuel gauge lets you easily see how much battery life is left and the metal gear housing ensures greater durability and longer tool life. A built-in LED light illuminates the work area and the 30 minute charger keeps you working with little to no downtime.

The small compact size gives you the freedom to use a power tool where not normally accessible with other drill/drivers and it has soft grip sides that protect surfaces and give it a comfortable grip.

Specifications:

- **Torque: 150 Inch-lbs.**
- **No Load Speed: 0-500 RPM**
- **Variable Speed Trigger**
- **Spindle Lock**
- **1/4" Hex Quick Change Chuck**
- **Battery Fuel Gauge**
- **Weight: 2.0 Lbs.**
- **Length: 7"**
- **(2) 12Volt Lithium-Ion Batteries**
- **30 Minute Charger**
- **#2 Phillips Bit**
- **Compact Storage Bag**

ITEM#:	DESCRIPTION:
PM2401-22	12 VOLT LITHIUM-ION DRILL/DRIVER

PROLINE PROGRAM

CLASS # 60

DIGITAL INSPECTION CAMERA

With advanced digital imaging technology and a 2.4” high resolution color LCD display, the M-Spector digital inspection camera provides crystal clear pictures of tough to reach places. See inside pipes, drains and equipment and behind walls.

The exclusive image zoom feature and LED brightness control optimizes image quality and the detachable, 3’ water tight and flexible cable protects the M-Spector in any jobsite environment.

With 15 hours of run-time and auto shut-off this powerful video inspection system is extremely portable, letting you discover and diagnose any problem confidently and efficiently.

Specifications:

- **High Resolution Digital Picture**
- **Digital Zoom (Up to 200%)**
- **LCD Display: 2.4”**
- **LED Brightness: (3x) Control**
- **Display Resolution: 320 x 240**
- **3’ Expandable Cable**
- **Auto Shut-Off**
- **Run Time: 15 Hours**
- **(1) Compact Lithium-Ion Battery**
- **30 Minute Charger**
- **Carrying Case**

ITEM#:	DESCRIPTION:
PM2310-21	DIGITAL INSPECTION CAMERA

PROLINE PROGRAM

CLASS # 60

12V MULTIMEDIA CAMERA KIT

The Milwaukee® M-Spector AV M12 cordless multimedia camera kit is the next generation of professional inspection technology. With the addition of picture, audio and video capabilities, professionals can now inspect and document issues, download the information to their computer and then send visual confirmation to a customer or supervisor for review.

Specifications:

- 2 GB Memory Card (Included) Records 90 min. of audio/video or 7,600 photos
- USB Cable For Downloading To Computer (Included)
- Integrated Microphone and Speaker
- Rotate Both Live and Captured Images
- 4X Zoom
- 4X LED Brightness
- Auto Shut Off
- 3.5” LCD Screen
- Display Resolution: 320 x 240
- (1) M12 Lithium-Ion Battery Included
- Charger & Carrying Case Included

ITEM#:	DESCRIPTION:
PM2311-21	MULTIMEDIA CAMERA KIT – M12

PROLINE PROGRAM

CLASS # 60

FORK METER TESTER

The Milwaukee fork meter is a heavy duty true-RMS electrical tester for professional residential, commercial and industrial applications. It's like four tools in one providing current measurement, voltage measurement, voltage detection and task lighting.

In addition, this tool provides a wide 0.63" fork opening, high 200amp current range and a high contrast white-on-black display.

Features:

- Measures up to 200 amps with wide 0.63 jaw opening
- Wide voltage range to 1,000 volts AC/DC
- True RMS for accurate measurement in all applications
- Lo-Z measurement to eliminate ghost voltage
- Built-in voltage detector and LED work light
- High contrast white-on-black display with backlight for easy reading
- Rugged over-molding increases durability and user grip
- CAT IV 600V / CAT III 1,000 V for greater safety
- Includes (2) AA Batteries

ITEM#:	DESCRIPTION:
PM2205-20	FORK METER ELECTRICAL TESTER

PROLINE PROGRAM

CLASS # 60

FORK METER FOR HVAC/R

The Milwaukee alkaline fork meter for HVAC/R is a great multi-use tool for electrical and temperature testing. It's like having five tools in one as it provides measurements for current, temperature, voltage as well as voltage detection, and task lighting.

This fork meter is a true RMS electrical tester that is designed for use in all professional residential, commercial and industrial applications. It has a high-contrast, black-on-white display for easy viewing and a wide 0.63-inch fork opening with high 200 amp current range for high performance.

Features:

- Measures up to 200 amps with wide 0.63 jaw opening
- Wide voltage range to 1,000 volts AC/DC
- True RMS for accurate measurement in all applications
- Lo-Z measurement to eliminate ghost voltage
- Built-in voltage detector and LED work light
- Thermocouple (dual banana) input for contact temperature measurement
- High contrast white-on-black display with backlight for easy reading
- Rugged over-molding increases durability and user grip
- CAT IV 600V / CAT III 1,000 V for greater safety
- Temperature range of -40° to 752° Fahrenheit
- Includes (2) AA Batteries

ITEM#:	DESCRIPTION:
PM2206-20	FORK METER FOR HVAC/R

PROLINE PROGRAM

CLASS # 60

HVAC LASER TEMP GUN

The M12™ cordless Laser Temp Gun thermometer Kit for HVAC/R is a heavy duty pistol grip infrared thermometer for professional commercial and industrial HVAC/R applications.

Powered by a Milwaukee M12 Redlithium™ battery, this tool can safely measure temperatures between -22 to 1472° F (-30 to 800° C) with a 40 to 1 distance to spot ratio for even the most demanding industrial applications. In addition, the M12 Laser Temp-Gun™ Thermometer for was designed with an extra bright LED flood light to increase end user productivity. Covered by the Milwaukee 5-Year Warranty.

Specifications:

- Temperature Range: -22° - 1472° F
- Accuracy: 1.5%
- Distance To Spot: 40 - 1
- K-Type Thermocoupler Input: Yes
- Display Resolution: 0.1C (0.1F)
- Response Time: <500ms
- Emissivity: Adjustable 0.10 - 1.00 by 0.01
- Alarm: Yes
- Locking Trigger: Yes
- 12V Lithium-Ion Battery & Charger Included

ITEM#:	DESCRIPTION:
PM2277-21	M12 LASER TEMP GUN FOR HVAC/R

PROLINE PROGRAM

CLASS # 60

CLAMP METER

The Milwaukee clamp meter is a heavy duty true-RMS electrical current tester for professional residential, commercial, and industrial applications. It is the perfect tool for the professional electrician, providing a wide 1.3” jaw opening to easily handle large conductors, a thin jaw profile for access to tight spaces and a high contrast white-on-black display for clearer readings.

In addition, this tool was designed with embedded non-contact voltage detection and an LED work light to increase end user productivity. Covered by Milwaukee 5-Year Warranty.

Specifications:

- Voltage Range: 600V AC/DC
- Safety Category Rating: CATIII 600V
- TRMS: Yes
- AC/DC Amps: 600
- Ohms: 6 kohms
- Switch Type: Dial
- LED Worklight
- (2) AA Batteries Included

ITEM#:	DESCRIPTION:
PM2237-20	CLAMP METER

PROLINE PROGRAM

CLASS # 60

12V SUB-SCANNER DETECTION KIT

The Sub-Scanner M12 cordless detection tool is a heavy duty pistol grip tool for professional commercial and industrial applications. Powered by the Milwaukee® M12 Lithium-Ion battery, it can detect rebar up to 6” deep in concrete, as well as the location and depth of materials beneath gypsum, ceramic tile and marble.

The M12 Sub-Scanner detection tool was designed with a four wheel design for durability and smooth, accurate measurement. Includes (1) Lithium-Ion battery, (1) 30 minute charger and carrying case.

- Measures depth and location of rebar up to 6” in concrete
- Detects location of wood, PEX, PVC and metal
- Differentiates between steel and copper or aluminum
- Easy read high contrast display

Specifications:

- Volts: 12
- Wood & Metal Stud Depth: 1-1/2”
- Plastic Depth: 3”
- Non Ferrous Metal Depth: 6”
- Ferrous Metal Depth: 6”
- Displays all depths
- Includes (1) M12 Battery, Charger & Case

ITEM#:	DESCRIPTION:
PM2290-21	M12 SUB-SCANNER DETECTION TOOL

PROLINE PROGRAM

CLASS # 60

12 VOLT HACKZALL™

The M-12 Hackzall™ reciprocating saw puts versatility in the palm of your hand. With a lightweight compact design, it cuts in more spaces and it offers personal portability.

The 12 Volt, Lithium-Ion battery gives you the power to cut up to 80 pieces of 1-1/2" PVC with a single charge and the Quik-Lok® keyless blade change system accepts both Hackzall™ and Sawzall® blades.

Specifications:

- **Voltage: 12 Volt**
- **Speed: 0-3000 SPM**
- **Stroke Length: 1/2"**
- **Battery Fuel Gauge**
- **Variable Speed Trigger**
- **All Metal Gear Case**
- **Built In LED Light**
- **Weight: 2.6 Lbs.**
- **Length: 11"**
- **(2) 12V Lithium-Ion Batteries**
- **30 Minute Charger**
- **2 Hackzall Blades**
- **Carrying Case**

ITEM#:	DESCRIPTION:
PM2420-22	HACKZALL™ 12 VOLT RECIP SAW

PROLINE PROGRAM

CLASS # 60

COPPER TUBING CUTTER

A close quarter rotating cutter head cuts installed tubing with as little as 1-1/2” of clearance, and automatically adjusts from 3/8” to 1” diameter. At 500 RPM it cuts up to ten times faster than conventional cutters and makes up to 200 cuts on a single charge.

It’s corrosion and rust resistant, sealed for water protection and features uni-body construction for exceptional durability and overload protection for long life.

Specifications:

- **Speed: 500 RPM**
- **Weight: 3.2 Lbs.**
- **Size: 14”**
- **Built-In LED Light**
- **Battery Fuel Gauge**
- **Close Quarter Rotating Head**
- **Water Resistant Gear Case**
- **(1) 12V Lithium-Ion Battery**
- **30 Minute Charger**
- **Carrying Case**

ITEM#:	DESCRIPTION:
PM2471-21	12 VOLT COPPER TUBING CUTTER

PROLINE PROGRAM

CLASS # 60

12V PVC/PEX SHEAR KIT

Cutting faster, cleaner and closer than traditional methods, the new M12 cordless PVC shear utilizes a super sharp stainless steel blade for burr-free cuts, slices through 2" PVC in as fast as 3 seconds, and offers an offset blade to cut PVC mounted to a stud or close to a wall.

Powered by the Milwaukee® M12 Lithium-Ion battery, the new PVC shear is able to cut over 200 times on a single charge.

Specifications:

- Cuts up to 2” schedule 40 PVC in 3 seconds
- Ultra sharp blade with pierce point – no burrs or shavings to remove
- Offset blade cuts PVC/PEX in-wall, in-ground or close to wall
- Quick return blade
- All metal planetary drive
- 200 cuts per charge
- Stainless steel blade and aluminum jaw
- Impact and water resistant
- Variable speed trigger
- On board fuel gauge
- (1) M12 Lithium-Ion battery included
- Charger & carrying case included

ITEM#:	DESCRIPTION:
PM2470-21	M12 – CORDLESS PVC/PEX SHEAR KIT

PROLINE PROGRAM

CLASS # 60

DUAL TEMPERATURE HEAT GUN

This professional heat gun has ergonomic style and powerful heating elements. With stay cool handles and heat shields, you can use this gun all day and still stay cool. It features 570° and 1000° temperature ranges and it only weighs 1.6 lbs.

Specifications:

- Dual temperature: 570° and 1,000 ° F
- 120 Volt
- 11.6 Amp
- Air volume: 14.8 cu. ft./min
- Length: 10-1/8”
- Unique impact resistant heating element
- Efficient soft air velocity increases surface temperature much faster than conventional hot air heat guns
- 3 position rocker switch: off, high and low

ITEM#:	DESCRIPTION:
PM8975-6	DUAL TEMPERATURE HEAT GUN

PROLINE PROGRAM

CLASS # 60

1/4” HEX IMPACT DRIVER

Delivering a best-in-class 850 in-lbs. of torque in a compact, lightweight package weighing less than 2-1/2 lbs, this Milwaukee 1/4” hex impact driver is powerful enough to drive fasteners up to 75% faster with up to two times longer run-time.

The compact size and weight allows access to tighter areas and reduces user fatigue. A 12 volt Lithium-Ion battery and 0-3,000 IPM provide longer run time and more impacts per minute for optimum performance.

Other features include a battery fuel gauge that displays the remaining run time and a built-in LED light that illuminates the work surface.

Specifications:

- **Torque: 850 Inch-Lbs.**
- **Weight: 2.3 Lbs.**
- **Size: 6-1/2”**
- **Built-In LED Light**
- **Battery Fuel Gauge**
- **RPM: 0-2,000**
- **IPM: 0-3,000**
- **Variable Speed Trigger**
- **(2) 12V Lithium-Ion Batteries**
- **30 Minute Charger**
- **Carrying Case**

ITEM#:	DESCRIPTION:
PM2450-22	12 VOLT 1/4” HEX IMPACT DRIVER

PROLINE PROGRAM

CLASS # 60

12V CORDLESS 3/8” DRILL/DRIVER

The M12 Cordless 3/8” drill/driver delivers 250 inch pounds of torque in a compact, lightweight design. It is the only tool in its class with an all-metal locking chuck, and it fastens up to 35% faster than the competition.

The on-board fuel gauge displays remaining run-time, and a built in LED illuminates the work surface. Includes two M12 Lithium-Ion batteries, one 30 minute charger and carrying case.

Specifications:

- 2 speeds (0 - 1,500 & 0 – 400)
- All metal gear box
- 250 in. lbs. torque
- 3/8” single sleeve ratcheting metal chuck
- Weight: 2.5 lbs.
- Length: 7-3/8”
- Integrated LED and fuel gauge

ITEM#:	DESCRIPTION:
PM2410-22	12V CORDLESS 3/8” DRILL DRIVER

CLASS # 60

CORDLESS 1/4” RATCHET

This 1/4” cordless ratchet is the ideal tool for auto mechanics, maintenance and repair professionals looking for maximum performance and productivity in a subcompact cordless tool.

It utilizes a powerful 12-volt motor to produce up to 30 ft-lbs of torque and 250 rpm, giving users the power and speed of a pneumatic ratchet without a cumbersome airhose.

Specifications:

- Volts: 12V
- Peak Torque: 30 ft/lbs
- No Load Speed: 0 – 250 RPM
- Tool Length: 10-3/4”
- Tool Weight: 1.9 lbs.
- Includes: (1) 12V RedLithium Battery, (1) Battery Charger & Carrying Case

ITEM#:	DESCRIPTION:
PM2456-21	M12 CORDLESS 1/4” RATCHET KIT
PM2456-20	M12 CORDLESS 1/4” RATCHET (BARE TOOL)

CLASS # 60

40 PC. SCREW DRIVING SET

The Milwaukee 40 piece screw driving set offers best in class performance and versatility. It includes driver bits for every job no matter what the trade. Electrical, plumbing, HVAC or general maintenance, this set has a solution to the most common driving needs.

It features a high quality assortment of screwdriver bits, nut drivers, Torx bits and more. Made from premium grade S2 tool steel, and comes stored in a durable, plastic case.

Includes:

Magnetic Nut Setters: 1/4” & 5/16”
Magnetic Drive Guide
Carrying Case

1” Insert Bits:

P1 (3), P2 (8), P3 (4)

Sq #1 (1), Sq #2 (3), Sq #3 (1)

Slotted 6-8 (1), Slotted 8-10 (1)

Torx #15(1), Torx #20(1), Torx #25(1)

2” Insert Bits:

P1 (1), P2 (3), P3 (1)

Sq #1 (1), Sq #2 (2), Sq #3 (1)

Torx #15(1), Torx #20(1), Torx #25(1)

ITEM#:	DESCRIPTION:
48-32-1505	MILWAUKEE 40 PC. SCREW DRIVING SET

CLASS # 60

29 PC. IMPACT DRIVER BIT SET

The Milwaukee® Shockwave impact bit set is manufactured with custom engineered steel and heat treated for high shock resistance. The compression forged tips provide an ideal fit and reduce breakage.

The ‘shock zone geometry’ of these bits is designed to flex with spring-like action and reduce stress on the tips. Comes in a convenient storage case with snap-in slots to keep bits in place.

Includes:

(1) #1 Phillips Bit 1"
(7) #2 Phillips Bit 1"
(2) #3 Phillips Bit 1"
(2) #2 Phillips Power Bit 2"
(1) #3 Phillips Power Bit 2"
(1) #1 Square Recess Bit 1"
(4) #2 Square Recess Bit 1"
(1) #3 Square Recess Bit 1"
(2) #2 Square Recess Power Bit 2"
(1) T15 Torx Bit 1"
(1) T20 Torx Bit 1"
(1) T25 Torx Bit 1"
(1) T25 Torx Power Bit 2"
(1) 1/4" Hex Red Magnetic Nut Driver
(1) 5/16" Hex Amber Magnetic Nut Driver
(1) 3/8" Hex Blue Magnetic Nut Driver
(1) Magnetic Bit Holder
(1) Case with Bulk Storage Container

ITEM#:	DESCRIPTION:
48-32-4401	MILWAUKEE® 29 PC. IMPACT DRIVER BITS

PROLINE PROGRAM

CLASS # 60

HAMMER DRILL & IMPACT KIT

At only 9-1/4” long and 5.3 Lbs., the Milwaukee® 1/2” high performance hammer drill/driver is the most powerful and compact drill/driver available. The 4-pole frameless motor generates a best-in-class 650 inch-lbs. of torque and its high capacity battery delivers up to 65% more holes per single charge to tackle the toughest jobs.

Included with this package is the Milwaukee® 1/4” hex compact impact driver which delivers 1,400 inch-Lbs. of torque and up to 3,200 IPM making it one of the most productive and heavy duty drivers you’ll find anywhere.

Drill/Driver Specifications:

- **Torque: 650 Inch-Lbs.**
- **Weight: 5.3 Lbs.**
- **Size: 9-1/4”**
- **Built-In LED Light**
- **1/2” Single Sleeve Metal Chuck**
- **High Speed RPM: 0-1,800**
- **Low Speed RPM: 0-450**
- **BPM: 0-28,000**

Impact Driver Specifications:

- **Torque: 1,400 Inch-Lbs.**
- **Weight: 4.1 Lbs.**
- **Size: 5-3/4”**
- **Built-In LED Light**
- **Tool Belt Clip**

Kit Includes:

- **(2) 18 Volt Lithium-Ion Batteries**
- **1 Hour Charger**
- **Carrying Case**

ITEM#:	DESCRIPTION:
PM2611-24P	18 VOLT DRILL/DRIVER & IMPACT KIT

PROLINE PROGRAM

CLASS # 60

HACKZALL & DRILL/DRIVER KIT

The M-12 Hackzall™ reciprocating saw puts versatility right in the palm of your hand. With a lightweight compact design, it cuts in more spaces and it offers personal portability.

The powerful and compact 12 Volt cordless drill/driver delivers 100 in.-lbs. of torque while operating at 0 - 500 RPM, making it 25% more powerful with 30% more run time than the competition.

Hackzall Specifications:

- **Speed: 0-3000 SPM**
- **Stroke Length: 1/2”**
- **Battery Fuel Gauge**
- **Built-In LED Light**
- **Weight: 2.6 Lbs.**
- **Variable Speed Trigger**

Drill/Driver Specifications:

- **Torque: 150 Inch-lbs.**
- **No Load Speed: 0-500 RPM**
- **Variable Speed Trigger**
- **Battery Fuel Gauge**
- **Spindle Lock**

Kit Includes:

- **(2) 12 Volt Lithium-Ion Batteries**
- **30 Minute Charger**
- **(2) Hackzall Blades**
- **Contractor Bag**

ITEM#:	DESCRIPTION:
PM2490-22	12 VOLT HACKZALL & DRILL DRIVER KIT

PROLINE PROGRAM

CLASS # 60

18 VOLT 2-TOOL COMBO KIT

This 18 Volt Milwaukee® tool kit includes two of their popular M18™ Lithium-Ion powered tools. Includes the 1/2" compact drill/driver with 400 in. lbs. of torque and the compact impact driver with 1400 in. lbs. of torque, the highest torque rating in its class.

The compact drill has a 22 position clutch setting and a single sleeve ratcheting chuck to ensure a secure bit grip. The impact driver is lightweight and balanced and 75% faster than its competition.

Both tools have a built in LED light for added visibility and the M18 Lithium-Ion battery delivers longer life and run time with fade-free power. The batteries also feature a built in fuel gauge that displays the remaining run time.

Includes:

- 1/2" Compact Drill/Driver w/ 22 position clutch
- Compact Impact Driver w/ 1/4" hex chuck
- 30 Minute Battery Charger
- (2) 18 Volt Li-Ion Batteries w/ on-board fuel gauge
- (2) Belt Clips
- Impact Resistant Carrying Case

ITEM#:	DESCRIPTION:
PM2691-22	CORDLESS 18V LI-ION 2-TOOL COMBO KIT

PROLINE PROGRAM

CLASS # 60

4 TOOL COMBO KIT

This 18 Volt Milwaukee® tool kit includes 4 popular M18™ items and comes in a handy carrying bag. The 1/2” hammer drill /driver features the 4-pole frameless Milwaukee motor that delivers 550 in-lbs of peak torque, 0-4,500/0-1,700 RPM & 29,000 BPM.

The M18 cordless Sawzall® features a patented gear protecting clutch, counter balance mechanism and 0-3,200 SPM. The M18 cordless 6-1/2” saw delivers 3,500 RPM with magnesium upper and lower guards for maximum durability.

Lastly, the M18™ cordless work light provides a fold-away hook for hands free use and a 135° rotating head to direct light to the work area. This kit also includes two M18 XC high capacity lithium-ion batteries, a 1-hour charger, and the Milwaukee® carrying bag.

ITEM#:	DESCRIPTION:
PM2694-24	M18™ LI-ION 4 CORDLESS TOOL KIT

PROLINE PROGRAM

CLASS # 60

M12 LI-ION 4-TOOL KIT

When it comes to power, speed and portability in a small package, nothing beats the new M12 system of cordless tools from Milwaukee®. This innovative system of cordless tools is precisely scaled to deliver the power, speed or torque required for professional applications, and they all fit easily into the tool bag.

All M12 tools are powered by 12V Lithium-Ion batteries which offer longer run-time, weigh less, and are environmentally friendly. More portable, more productive and more power.

Kit Includes:
Work Light, Screwdriver, Copper Tubing Cutter, Hackzall Reciprocating Saw,
(2) Li-Ion Batteries, 30 Minute Charger & Carrying Bag

ITEM#:	DESCRIPTION:
PM2490-24	M12 LITHIUM-ION 4-TOOL COMBO KIT

PROLINE PROGRAM

CLASS # 60

M18 2 TOOL COMBO KIT

This Milwaukee® 2-tool combo kit includes a 1/2” hammer drill driver and 5-3/8" metal cutting saw. The M18™ cordless system features patented technology, electronics, innovative motor design, and superior ergonomics to provide the most efficient blend of power, weight and performance in the industry.

Powered by the Red Lithium™ M18 cordless system which delivers more torque, more power and longer run time than the competition. The kit includes (2) M18 Red Lithium™ batteries, 1-hour charger, Metal Tech™ 30 tooth carbide tipped blade, blade wrench and contractor bag.

ITEM#:	DESCRIPTION:
PM2698-22	M18 2-TOOL COMBO KIT

CLASS # 60
MILWAUKEE ½" HOLE HAWG

This is Milwaukee's famous ½" hole hawg, a friend to contractors for years. It has all the power and torque you'll need in a compact design, so you can drill between joists and studs with little efforts: (the clearence from front to back of this drill is only 6 ½"). The spade handle has three different positions: from the rear of the drill to the top of the drill. The triple reduction gearing allows you to use the self-feed bits all the way up to 4 $^{5}/_{8}$". It also has a 2-position pipe handle. It's powered by a 7 ½ amp motor with a 2-speed gear shift from 1,200 rpm's to 300 rpm's. In addition to the compact design, the power to weight ratio is the best in the business—the drill only weighs 11 ½ lbs.

SPEC BOX

120 VOLT A/C ONLY
7.5 AMPS
300/1200 RPM
LENGTH: 6 ½"
WEIGHT: 11 ½ LBS
USA MADE
NO CARRYING CASE

ITEM#	DESCRIPTION:
PM1675-6	**MILWAUKEE ½" HOLE HAWG**

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
MILWAUKEE ½" RIGHT ANGLE "D" HANDLE HOLE SHOOTER

The right angle "hole-shooter" will get into tight places—like between studs and joists—with just 5 ½" of clearance. This drill is well-equipped with top features like Milwaukee's tough ½" chuck, variable speed trigger control from 0–750 rpm's, and the power of a 7 amp motor. You get the sure grip "d" handle on the back, and the front handle rotates 360 degrees and locks in any position. The whole drive unit will also rotate 360 degrees, so that all drilling positions are possible. The right angle hole-shooter has helical cut, case hardened gears in a quadruple gear train for maximum power transfer. This tool solves a lot of problems and still has the power for self-feed bits all the way up to 4 $^{5}/_{8}$". Also included are all the wrenches, the chuck key, the holder, and the red steel carrying case.

SPEC BOX

120 VOLTS AC ONLY
7.0 AMPS
VARIABLE SPEED
0-335 RPM - LOW
0-750 RPM – HIGH
QUAGRUPLE GEAR TRAIN
WEIGHT: 21 ½ LBS

ITEM#	DESCRIPTION:
PM3107-6	**MILWAUKEE ½" RIGHT ANGLE DRILL KIT**

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
MILWAUKEE 1 1/8” ROTARY HAMMER

This is Milwaukee’s powerful 7.6 amp rotary hammer that uses SDS bits up to 1 1/8”. It includes three different operation modes: rotation with a hammer drive, hammer action only, and drill rotation only. This drill can be used for heavy duty hammer drilling, for chiseling, and for straight drilling. The high tech planetary gears make this drill compact and provides maximum power transfer. The variable speed trigger gives you 0–999 rpm’s and 0–4,400 blows per minute. The “d” handle allows for maximum pressure and the cushioned handle grip absorbs the vibration and reduces fatigue.

This drill will do any job that you’ve got all the way to 1 1/8” in hardened concrete, 5/8” in steel, and up to 1 1/2” in wood…and it’ll even take core bits all the way up to 3 1/2”. Also included with this drill is the depth gauge, quicklock bit system, and Milwaukee’s rugged, red steel carrying case.

SPEC BOX

120 VOLT AC ONLY
7.6 AMPS
0-999 RPM
0-4,400 BPM
LENGTH: 15”
WEIGHT: 10.1 LBS
USA MADE
CARRYING CASE

ITEM#	DESCRIPTION:
PM5303-20	**MILWAUKEE 1 1/8” ROTARY HAMMER DRILL**

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
MILWAUKEE ¾” ROTARY HAMMER
“FALCON” SDS-PLUS

This Milwaukee ¾” rotary hammer uses SDS bits for easy bit changes without using extra tools. This drill is 15 inches long with a “D” handle in the rear and a fully adjustable side handle that can be rotated 360 degrees and lock into position. It has a powerful 6 amp motor with a variable speed trigger from 0–1,100 rpm’s and 0–5,000 blows per minute in the hammer mode. You get up to ¾” capacity with solid bits and up to 1 ¾” capacity with core bits. This heavy duty rotary drill also has Milwaukee’s 3-wire quicklock cord set for easy detachment, tangle free carring, and quick field repair. Also included is a depth gauge and a red steel carrying case.

SPEC BOX

120 VOLT AC ONLY
6.5 AMPS
0-1,100 RPM
0-5,000 BPM
LENGTH: 13”
WEIGHT: 4.8 LBS
USA MADE
CARRYING CASE

ITEM#	DESCRIPTION:
PM5368-6	**MILWAUKEE ¾” ROTARY HAMMER USA**

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
MILWAUKEE ½" HAMMER DRILL

Milwaukee's ½" hammer drill is one of the best values in heavy duty hammer drills on the market for all purpose work. It is a pistol grip hammer drill that drills in concrete or masonry up to $^{7}/_{8}$" holes or drill in steel up to ½" and in wood up to 1 ½". The 6.5 amp ball bearing motor will gives 0–1,350 rpm's in the low setting or 0–3,200 rpm's in the high setting, and when using the hammer drill setting, this drill will gives 0–52,000 blows per minute in the high setting. Also included is the side handle and depth gauge.

SPEC BOX

120 VOLT AC ONLY
6.5 AMPS
0-1,350 RPM LOW 0-3,200 RPM HIGH
0-22,00 BPM LOW 0-52,00 BPM HIGH
LENGTH: 13"
WEIGHT: 4.8 LBS
NO CARRYING CASE

ITEM#	DESCRIPTION:
PM5378-20	**MILWAUKEE ½" HAMMER DRILL**

CALL TOLL FREE: 1-(800) 223-3129

PROLINE PROGRAM

CLASS # 60

CORDLESS SCREWDRIVER

The Milwaukee® 2.4 volt, 2-speed screwdriver has an adjustable 6 position clutch and two speed ranges: 0-200rpm and 0-400rpm. This lightweight, 14 ounce screwdriver is ideal for electricians, installers, assembly line workers, auto mechanics, and general home maintenance.

For comfort and convenience in tight locations, this tool has a 2 position handle, and is compact enough to fit into a pocket or contractor belt pouch. It has a switch for both forward and reverse and includes a 2.4 volt battery and a one hour charger.

Specifications:

- 2.4 Volt
- Reversible
- Length: 9-3/4”
- Weight: 2.8Lbs.
- 2 Speeds: 0-200 RPM & 0-400 RPM
- Torque: 3.5 to 26 Inch Lbs.
- Includes 2.4 Volt Charger and 1 Hour Charger

ITEM#:	DESCRIPTION:
PM6546-6	2.4 VOLT CORDLESS SCREWDRIVER

CLASS # 60
MILWAUKEE DRYWALL SCREW SHOOTER

This drill is a heavy duty, top of the line drill made by Milwaukee. It has variable speed from 0–4,000 rpm. It is double insulated and lightweight. It has a triple sealed output spindle and the profile on the nose locator is very slim, so the desired depth is kept when removing and re-attaching the nose. Also, it has a very quiet fan design, and it comes with a heavy duty belt clip.

SPEC BOX

2.4 VOLTS DC
SPEED:
0-200 RPM – LOW
0-400 RPM – HIGH
LENGTH: 9 3/8”
WEIGHT: 7/8 LBS
DIAMETER: ¼”
NO CARRYING CASE

ITEM#	DESCRIPTION:
PM6758-6	DRYWALL SCREW-SHOOTER

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
14” CUTOFF SAW

User-friendly and extremely stable, Milwaukee's 14-inch Abrasive Cut-Off Machine gets the job done fast. It's the only machine on the market that requires no tools for adjusting the back fence or for changing abrasive wheels.

It’s equipped with a beefy, 5.4 HP motor which provides ample power for the tougher jobs and it has a heavy-duty, cast aluminum base with a 1/4” reinforcing plate, which means more stability and optimal support. The vise and back fence are made of 3/8” cast iron for solid guidance and straighter cuts.

Featuring the largest cutting capacity in its class, Milwaukee equipped this cutoff saw with a horizontal ‘D’-handle that feels good in hand whether the tool is on the ground or on a bench. Your purchase is covered by a 5-year warranty.

Specifications:

- **120V AC/DC-15 Amp**
- **5.4 HP - 3,900 RPM**
- **45° Bevel Capacity**
- **5 3/8” in Pipe**
- **5” in Square Stock**
- **8” Max. Opening**
- **Length: 19 1/4”**
- **Weight: 49.5 Lbs.**



ITEM#:	DESCRIPTION:
PM6180-20	MILWAUKEE 14” CUT-OFF SAW

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
MILWAUKEE PORTABLE BANDSAW

Milwaukee's electric, portable band saw can quickly cut any length material. This saw weighs 16 lbs., and easily handles round stock, like pipe and conduit; and tubing like pvc, to a full 3 ½". With rectangular stock, the capacity is 3 ½ x 4 ½. It has a powerful 6 ½ amp motor that powers the blade at two speeds: 200 and 250 surface feet per minute.

An all ball bearing blade guide for precision cuts without "twisting" the blade. The gear drive is lubricated for life. No oiling required! It is equipped with a t-handle in the front for maximum control. Milwaukee's portable bandsaw is heavy duty and versatile.

SPEC BOX

120 VOLT AC ONLY
200/250SFM
6.5 AMP
CAPACITY:
ROUND – 3 ½
RECTANULAR 3 ½ X 4 ½
LENGTH: 20"
WEIGHT: 16 LBS
MADE IN USA
NO CARRYING CASE

ITEM#	DESCRIPTION:
PM6225	MILWAUKEE PORTABLE BANDSAW

CALL TOLL FREE: 1-(800) 223-3129

PROLINE PROGRAM

CLASS # 60

PORTABLE BAND SAW

The Milwaukee® compact, portable band saw is 45% lighter than the deep cut band saw and at just 9.5 lbs. it is perfect for overhead and tight spaces. It has a 3-1/4" cutting capacity for cutting the most common materials used by electricians, plumbers and other mechanical applications.

It will make a single pass cut on 3" copper, 3" angle iron, 2-1/2" conduit and has a variable speed dial to adjust the speed for more accurate cuts or for harder materials.

This saw also features a tool-free adjustable material shoe to adjust for a flush cut when working with installed materials against walls and ceilings and a built in LED work light illuminates the cut line in tight spaces and any dark areas.

Specifications:

- Voltage: 120 (AC only)
- Amps: 7.0
- SFPM: 200-360
- Max Capacity: 3-1/4" x 3-1/4"
- Blade length: 35-3/8"
- Cord length: 8'
- Weight: 9.5 lbs.
- Length: 16"
- Includes: 1 blade & carrying case

ITEM#:	DESCRIPTION:
PM6242-6	MILWAUKEE® COMPACT BAND SAW

CLASS # 60
18 VOLT CORDLESS SAWSALL
"THE HATCHET"

These Milwaukee sawsalls are called "The Hatchet" because they'll power through almost any material with ease. The handle pivots down in six different positions…so, it can be used straight on like a regular corded sawsall, or it can ratchet and lock it into 6 positions—including the "pistol grip" position. These positions enable access to super tight areas where a regular sawsall won't go.

It has the same ¾" stroke length with orbital action and it is counter-balanced for smooth operation. It has variable speed from zero to 2,700 strokes per minute. It has a "soft-grip" handle to reduce fatigue and the hand. The hold area behind the blade is specially rubberized to reduce vibration.

One 18 volt reversible battery, the patented one-hour quick charger, and Milwaukee's heavy duty "quik-lok" blade clamp that allows you to interchange blades quickly without additional tools is included with this sawsall. It also comes with a red plastic carrying case and two axe blades!

ITEM #	DESCRIPTION:
PM6514-21	18 VOLT CORDLESS SAWSALL

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
MILWAUKEE JIG-SAW

Milwaukee's new jigsaw packs more power and featurs to makes your job easier. This jigsaw now has a 5.7 amp motor instead of a 3.5 amp motor. It has four adjustment levels with an orbital action for faster cutting. Milwaukee's "quick-lok" blade change system requires no tools. No more fumbling around looking for hex keys in the tool box! It comes with a full 1" stroke on the blade and variable speed from 450 to 3,100 strokes per minute. It also has a tilting shoe for angle cuts to 45 degrees. This jigsaw uses the t-shank blades for wood or metal and it comes with Milwaukee's red carrying case.

(Note: this unit has a dust collection port,
but <u>does not</u> include a vacuum bag)

SPEC BOX

120 VOLT AC ONLY
5.7 AMP MOTOR
VARIABLE 450 – 3,100 SPM
LENGTH: 11 ¾"
WIDTH: 3"
HEIGHT: 9 ¼"
WEIGHT: 5 1/3 LBS

ITEM#	DESCRIPTION:
PM6266-21	**MILWAUKEE JIG SAW**

CLASS # 60
MILWAUKEE 7 ¼" CIRCULAR SAW

These Milwaukee circular saws have a full 15 amp motor, and will get up to 3¼ horse power. These are "workhorse" saws that cut fast and accuratley—without bogging down. They cut like butter in any kind of situation: knotty old lumber, dense material like plywood, and it glides through "green" or wet lumber.

These Milwaukee saws have a magnesium shoe that's lightweight and extra wide for stability. They even give the shoe a special coating so it reduces the friction.

The best feature is the extra bevel stop at 50 degrees—most saws only have the 45 and 90 degree stops. It's great for working with roof rafters, joists, and trusses. You get quick and accurate depth adjustments with oversized knobs and a positive locking lever, and the rip scale is cast right into the shoe for accurate measurements from the blade to either side of the saw.

Milwaukee's circular saw is center-balanced for better control and less fatigue. And, no more looking for the blade wrench—it locks into it's own compartment right on the shoe.

SPEC BOX

120 VOLT AC/DC
15 AMP
3 ¼" H.P.
5,800 RPMS
5/8" ARBOR
WEIGHT: 11.5 LBS
NO CARRYING CASE

ITEM#	DESCRIPTION:
PM6375-20	MILWAUKEE H.D. 7 ¼" CIRCULAR SAW

PROLINE PROGRAM

CLASS # 60

WORM DRIVE SAW

The hardened steel worm gearing of this Milwaukee circular saw provides maximum torque in the toughest applications. The powerful, 2.6 HP motor is designed for maximum cutting performance without bogging down, and the Magnesium construction makes this saw extremely durable and lightweight.

Features a composite shoe which will not warp, bend or kick up burrs and a folding rafter hook which allows for quick, convenient storage on a rafter, joist or nail.

Highly visible depth and bevel scales can be seen from behind saw body allowing for accurate adjustments and an oil site gauge lets the user instantly gauge oil levels.

Specifications:

- **15 Amp *Milwaukee* Motor**
- **Operates at - 0 - 4,400 RPM**
- **120 Volts**
- **2.6 Horsepower**
- **7-1/4” Diameter**
- **Bevel Capacity: 0-51.5**
- **12’ Cord Length**
- **Weight: 14.3 Lbs.**
- **24 T Carbide Blade Included**
- **Blade Wrench Included**



ITEM#:	DESCRIPTION:
PM6477-20	MILWAUKEE WORM DRIVE 7-1/4” SAW

PROLINE PROGRAM

CLASS # 60

TILT-LOK CIRCULAR SAW

Whether you're in the market for your first 7-1/4” circular saw or looking to replace an old one, this saw is worth a look. Powered by a 15amp, 3.25 hp motor, this saw starts smoothly, cuts evenly, and will handle virtually any material with ease.

The lightest-weight saw in its class, it’s definitely built with the user in mind. The Milwaukee exclusive, eight-position Tilt-Lok handle provides optimized comfort and control in a wide variety of applications. A one-touch spindle lock button makes blade changes a snap. Features easy access depth and bevel adjustments, a full 50° bevel capacity, and a clear line of sight to make it easy to get an accurate cut every time.

Specifications:

- Volts: 120
- Amps: 15
- Blade Size: 7-1/4”
- Horsepower: 3.25
- No Load Speed: 5,800
- Depth of cut at 90°: 2-7/16”
- Depth of cut at 50°: 1-11/16”
- Depth of cut at 45°: 1-13/16”
- Includes: Carbide Blade, Hex Wrench, Impact Resistant Carrying Case (PM6390-21 only)

ITEM#:	DESCRIPTION:
PM6390-21	MILWAUKEE TILT-LOK 7-1/4” SAW W/ CASE
PM6390-20	MILWAUKEE TILT-LOK 7-1/4” SAW (NO CASE)

PROLINE PROGRAM

CLASS # 60

LEFT BLADE CIRCULAR SAW

This Milwaukee® circular saw features a patented adjustable main handle that provides users with maximum control and comfort. The handle position can be moved to eight different positions for the best ergonomic grip. Both front and rear handles have cushioned grips.

It has superior cut visibility for right hand users with the blade mounted on the left side of the saw. At 10.4 lbs and featuring a powerful Milwaukee built 15 amp motor, this saw provides a maximum 3.25 horsepower.

The aircraft aluminum shoe resists bending and easy to reach depth and bevel adjustment knobs allow bevels to 50°, exceeding the bevel capacity of worm drive saws by 5°.

Specifications:

- Volts: 120
- Amps: 15
- Blade Size: 7-1/4”
- Arbor Size: 5/8”
- Horsepower: 3.25
- No Load Speed: 5,800
- Depth of cut at 90°: 2-7/16”
- Depth of cut at 50°: 1-11/16”
- Depth of cut at 45°: 1-13/16”
- Includes: Carbide Blade, Hex Wrench, Impact Resistant Carrying Case (PM6390-21 only)

ITEM#:	DESCRIPTION:
PM6391-21	MILWAUKEE 7-1/4” SAW W/ LEFT BLADE

CLASS # 60
MILWAUKEE 10” COMPOUND MITER SAW

Milwaukee’s “magnum” compound miter saw has all the power and features needed in the shop or in the field. A powerful 15 amp motor delivers 4,800 rpms with an electric brake that’ll save time *and* provide safety.

This saw can cut miter angles from 51 degrees left to 59 degrees right, with positive stops at 0, 15, 22.5, 30, and 45 degrees (both left and right). Bevel cuts can be made from 50 degrees left to A 3 degrees right. There’s a non-slip locking system with the miter table evenly rotating on steel ball bearings, in pre-stressed metal base. It has a clearence of 3 1/2” x 3 7/8”, and can cut 4 x 4’s at 90 degrees and at 45 degrees. The capacity is 3 ½”x 2 3/4”. And, the capacity at 45 degrees by 45 degrees compound is 2 ¾” x 2 ¼”.

The clear lower guard retracts automatically as you lower the blade onto the material. It comes with a base extension on the left side for more work support, and the scales are easy to read. You also get a 10” carbide tipped saw blade and the blade wrench.

SPEC BOX

120 VOLTS AC ONLY
15 AMPS
4,800 RPMS
5/8” ARBOR
WEIGHT: 37.5 LBS
MADE IN USA

ITEM#	DESCRIPTION:
PM6494-6	**MILWAUKEE 10” COMPOUND MITER SAW**

CLASS # 60
MILWAUKEE 10” SLIDE COMPOUND MITER SAW

Milwaukee’s sliding compoud miter saw combines the versatility of larger cutting capacities as well as wider miter angles. It can cross cut material 12” wide and 3 ½” thick at a 45 degree miter. And, at a full 45 degree by 45 degree compound, it can cut all the way up to 8 ¾” wide and 2 1/8” deep.

The accuracy of this saw is dependable. It has dual, hardened steel, guide tubs. It’s all ball bearings, and has a non-slip, locking system for the saw and the rotating miter table.

It is well equipped with a powerful 15 amp motor with an electric brake that eliminates free blade spin. It has an extra tall flip fence and easy to read scales. There’s a unique override mechanism that allows for fine tune adjustments near the pre-set miter angles. The miter angles go up to 59 degrees right and 51 degrees left. There are positive stops at 0, 15, 22.5, 30 and 45 degrees, and bevel angle from 3 degrees right to 45 degrees left.

SPEC BOX

120 VOLTS AC ONLY
15 AMPS
4,800 RPMS
5/8” ARBOR
WEIGHT: 52 LBS
MADE IN USA

ITEM #	DESCRIPTION:
PM6496-6	MILWAUKEE 10” SLIDE COMPOUND MITER SAW

CLASS # 60
MILWAUKEE ELECTRIC SAWZALL

This Milwaukee sawzall was manufactured by Milwaukee Electric in Wisconsin. They are the company that invented the Sawzall®. This popular model features the 5.5 amp motor and it is variable speed 0 to 2,400 strokes per minute with a 3/4" stroke.

The pivot shoe is adjustable for versatility and the blade clamp has the exclusive 'Quik-Lok' system for quick blade changes. It features all ball and roller bearings for a long service life and has an 8" power cord positioned to allow easier plunge cuts in the work surface without getting in the way.

This is the ideal tool for contractors, electricians and plumbers. There is no need to drill a starting hole for plunge cuts into flooring or walls. The red, steel case, two blades, blade clamp and hex key are included. Made in the USA.

ITEM#:	DESCRIPTION:
PM6509-6	**MILWAUKEE SAWZALL®**

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60
SUPER SAWZALL

Milwaukee's new Orbital 'Super Sawzall' has a high-powered 13 amp Milwaukee built motor for a fast orbital cutting action and the variable speed trigger provides 0–3,000 strokes per minute with a 1 1/4" stroke.

The Super Sawzall is counter-balanced for a much smoother operation with less vibration and the gear protecting clutch allows the saw to withstand impacts, lengthening the life of the tool.

The Quik-Lok blade clamp provides fast and easy blade changes, and an impact resistant carrying case provides enough room to store a variety of accessories. 'Sawzall®' is a registered trademark of Milwaukee.

Specifications:

- **13 Amp Milwaukee Motor**
- **Orbital Cutting Action**
- **Variable Speed - 0 - 3,000**
- **1-1/4" Stroke**
- **Counter-Balanced**
- **Gear Protection**
- **Quik-Lok™ Blade Clamp**
- **Carrying case Included**
- **2 Sawzall Blades Included**

ITEM#:	DESCRIPTION:
PM6536-21	MILWAUKEE SUPER SAWSALL

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60

4-1/2” ANGLE GRINDER

The Milwaukee® 10.0 Amp trigger grip grinder with lock on delivers top performance, durability and an ease-of-use feature for industrial users. The trigger grip handle with lock on increases productivity by providing optimal control, reach and leverage for a variety of applications.

The 10 Amp, 1250 MWO motor provides high overload protection and power for the toughest jobs. Milwaukee's built in advanced airflow system, including debris baffles and multi-port exhaust, extends tool life and the 3-position soft grip handle gives the user flexibility when performing different applications.

The top handle position is ideal for cutting. The tool free burst resistant guard allows the user to quickly adjust the guard without the use of a tool. External brush doors reduce service time.

Specifications:

- Wheel diameter: 4-1/2”
- Switch type: Trigger w/lock-on
- RPM: 10,000
- Max watts out: 1250 MWO
- Amps: 10
- Multi port exhaust system
- Spiral bevel gears
- Cord: 8’ x 2 wire
- Weight: 5.6 lbs
- Length: 16”
- Includes: Side handle, Type 27 guard, spanner wrench & flanges

ITEM#:	DESCRIPTION:
PM6122-30	MILWAUKEE 4-1/2” ELECTRIC GRINDER

CLASS # 60

4-1/2”/5” ANGLE GRINDER

This 12.0 Amp small angle grinder with lock-on delivers performance, durability and ease-of-use features for industrial users. The X-large paddle switch increases comfort when operating in various positions and a 12 Amp, 1490 MWO motor provides high overload protection and power for even the toughest jobs.

Milwaukee's advanced electronics provide the highest performance with features like electronic shutoff, overload limit protection and constant power technology. A built in advanced airflow system, including debris baffles and multi-port exhaust, extends tool life and the tool-free, burst resistant guard allows the user to quickly adjust the guard without the use of a tool.

Specifications:

- Wheel diameter: 4-1/2” or 5”
- Switch type: Paddle w/ lock-on
- RPM: 10,000
- Max watts out: 1490 MWO
- Amps: 12
- Multi port exhaust system
- Spiral bevel gears
- Cord: 8’ x 2 wire
- Weight: 5.7 lbs
- Length: 12.6”
- Includes: Side handle, 4-1/2” & 5” Type 27 guard, spanner wrench & flanges

ITEM#:	DESCRIPTION:
PM6116-30	MILWAUKEE 4-1/2” / 5” ELECTRIC GRINDER

PROLINE PROGRAM

CLASS # 60

7”/9” ELECTRIC GRINDERS

These 15.0 amp large angle grinders deliver performance and durability for the most difficult grinding jobs. A 4.2 HP motor provides high overload protection and power and the tool-free burst resistant guard allows the user to quickly adjust the guard without the use of a tool. Both a 7" and 9" Type 27 grinding guard are included for greater productivity.

Debris baffles protect the internal components by deflecting damaging debris out of the airflow at the intake vents and external brush doors reduce service time by providing easy access to brushes. The soft-grip main handle provides better control and comfort. This grinder is available with or without ‘lock-on’ which keeps the power switch on for less user fatigue.

Specifications:

- Wheel Diameter: 7” or 9”
- Voltage: 120 AC/DC
- Amperage: 15 Amp
- Max Horse Power: 4.2 HP
- No Load RPM: 6,000
- Gears: Spiral Bevel
- Exhaust System: Multi-Port
- Cord Length: 8’
- Length: 21”
- Weight: 13.7
- Spindle: 5/8”-11 Thread
- Includes: 7” & 9” Guards, Side Handle, Spanner Wrench & Flanges

ITEM#:	DESCRIPTION:
PM6088-30	**7”/9” ELECTRIC GRINDER WITH LOCK-ON**
PM6088-31	**7”/9” ELECTRIC GRINDER NO LOCK-ON**

CLASS # 60
MILWAUKEE 7” POLISHER/BUFFER

Milwaukee put power and balance in a lightweight, industrial polisher. Special features include the exclusive electronic speed control from 0–2,800 rpm, a 11 amp motor, and an all ball bearing. This buffer has all helical gearing in a lightweight aluminum gear housing with protective urethane bumpers.

It has a spring loaded spindle lock, a self-stopping brush system to prevent bur-out, and Milwaukee’s quick-lok 10’ cord that detaches from the polisher at the base for tangle-free carring and storage.

The Milwaukee polisher is great for any application and is built for professional use with speed standard liquid machine polishes.

SPEC BOX

120 VOLT AC
11 AMPS
0-2,800 RPMS
LENGTH: 16 ½”
WEIGHT: 8 ¾
NO CARRING CASE

ITEM#	DESCRIPTION:
PM5540	MILWAUKEE 7” POLISHER/BUFFER

CALL TOLL FREE: 1-(800) 223-3129

CLASS # 60

V28™ SAWZALL® RECIP SAW

Unlike NiCad batteries, the Milwaukee® V28™ Li-ion batteries maintain their power level throughout their entire discharge cycle. The last cut or hole drilled is as powerful as the first. This means more productivity per battery.

The 28 Volt, 3.0 Amp-Hr. battery has up to two times the run time of a comparable 18 Volt, 2.4 Amp-Hr NiCad pack and it is lighter in weight than 18 Volt NiCad and NiMH packs. They can be recharged at any time without creating a memory effect, regardless of the current charge level of the pack.

The V28 Milwaukee Sawzall® has 28 Volt power at the same weight as an 18 Volt Ni-Cad powered saw. It features a 1-1/8" stroke, 0/2,000 to 0/3,000 SPM for extremely fast cutting and it feels and cuts like a corded saw.

The tool free, adjustable shoe quickly adjusts the blade depth, and it has a rugged, metal Quik-Lok™ blade clamp for fast, tool-free blade changes.

A comfortable non-slip, soft-grip handle reduces vibration and user fatigue and it also features a two finger variable speed trigger and a high / low speed selector switch with lock.

Accepts all standard 1/2" shank Sawzall® blades.

ITEM#:	DESCRIPTION:
PM0719-22	V28™ 1-1/8" SAWZALL RECIP SAW

Super Sawzall Blades, (2) Lithium-Ion Battery Packs, One Hour Lithium-Ion Charger, and Impact Resistant Carrying Case.

PROLINE PROGRAM

CLASS # 60

V28™ 1/2” RIGHT ANGLE DRILL

Unlike NiCad batteries, the Milwaukee® V28™ Li-ion batteries maintain their power level throughout their entire discharge cycle. The last cut or hole drilled is as powerful as the first. This means more productivity per battery.

The 28 Volt, 3.0 Amp-Hr. battery has up to two times the run time of a comparable 18 Volt, 2.4 Amp-Hr NiCad pack and it is lighter in weight than 18 Volt NiCad and NiMH packs. They can be recharged at any time without creating a memory effect, regardless of the current charge level of the pack.

The Milwaukee 1/2” right angle drill features a 360° swivel head that can be easily locked tight in any position.

It has a comfortable, non-slip, soft-grip handle which reduces vibration and fatigue as well as the two-finger, variable speed trigger with an easy to reach reversing lever.

The powerful 28Volt motor delivers 1,081 inch pounds of maximum torque in low gear, which will drill up to a 2-9/16” hole in a 2 x 4 with a self feed bit. And, with the new V28 power pack, every hole drilled feels as powerful as the first.

ITEM#:	DESCRIPTION:
PM0721-21	V28™ 1/2” RIGHT ANGLE DRILL

Includes: Side Handle, Chuck Key, (2) Lithium-Ion Battery Packs, One-Hour Lithium-Ion Charger, Impact Resistant Carrying Case.

PROLINE PROGRAM

4-1/2” GRINDER/CUT-OFF TOOL

The newest addition to the Milwaukee® V28 line of cordless power tools is this robust, 4-1/2” grinder and cutter. The powerful 28 volt motor delivers 8,000 rpm for faster cutting and grinding than any other cordless grinder and with Milwaukee’s new V28™ Li-Ion battery, it will deliver about 3 times as many cuts.

The over load protection feature combined with the soft start mechanism helps extend the overall tool life, ensuring a more durable tool. It is compact and lightweight allowing you to work longer between rests as well as access into areas unheard of with traditional grinders.

A large spindle lock makes wheel replacement quick and easy and a five position, tool-free guard makes guard adjustments a snap. With all the other features such as a built in fuel gauge to see when the batteries need charging it is easy to see why this cordless angle grinder will soon be the leader in it's class.

Specifications:

- **Voltage: 28V DC**
- **No Load Speed: 8,000 RPM**
- **Spindle Size: 5/8” x 11**
- **Switch Type: Slide On**
- **Weight: 6.8 Lbs.**
- **Length: 14”**

Includes:
Tool, Grinding Guard, Grinding Wheel, Cut-Off Guard, Cut-Off Wheel, Wrench, Flanges, V28 Li-Ion Battery Pack, Charger, Contractor Bag

ITEM#:	DESCRIPTION:
PM0725-21	MILWAUKEE V28 GRINDER/CUT-OFF TOOL

PROLINE PROGRAM

CLASS # 60

12V & 18V BATTERIES

Lithium-ion batteries deliver longer life and run-time with fade-free power. They are ergonomic, compact and have a lightweight design for comfort. For use with Milwaukee 12-volt and 18-volt tools and accessories.

	12 VOLT LITHIUM-ION BATTERY • 1.4 amp hour • Lightweight. 65% lighter than NiCd batteries • Compact. 50% smaller than NiCd batteries • Lithium-Ion delivers longer life and run time • Fade Free Power **ITEM#: PM48-11-2401**
	M12 XC LI-ION BATTERY PACK • For Milwaukee M12 cordless tools • High current discharge for increased power • Rubber over molded base to prevent marring • Lithium-Ion delivers longer life and run time • Fade Free Power **ITEM#: PM48-11-2402**
	18 VOLT LITHIUM-ION BATTERY • 1.4 amp hour • Digital power management • Discharge protection • Lithium-Ion delivers longer life and run time • Fade Free Power **ITEM#: PM48-11-1815**
	18 V HIGH CAPACITY BATTERY PACK • For Milwaukee M18 cordless tools • High current discharge for increased power • Discharge protection • Lithium-Ion delivers longer life and run time • Fade Free Power **ITEM#: PM48-11-1828**

CLASS # 60

V28™ PORTABLE BAND SAW

Unlike NiCad batteries, the Milwaukee® V28™ Li-ion batteries maintain their power level throughout their entire discharge cycle. The last cut or hole drilled is as powerful as the first. This means more productivity per battery.

The 28 Volt, 3.0 Amp-Hr. battery has up to two times the run time of a comparable 18 Volt, 2.4 Amp-Hr NiCad pack and it is lighter in weight than 18 Volt NiCad and NiMH packs. They can be recharged at any time without creating a memory effect, regardless of the current charge level of the pack.

The V28™ Milwaukee® portable band saw cuts and feels like a corded saw and with the V28™ power pack, even the last cut is as powerful as the first.

This deep cut saw has a 4-3/4" by 4-3/4" cutting capacity and will make over 200 cuts of 1" conduit with each battery charge.

The blade tightening lever with a long life cam provides quick and easy blade changes and the LED light aids cutting visibility.

Features high/low speed selector with lock, two finger trigger for speed control and, as with all V28™ cordless tools the non-slip, soft-grip handle for reduced vibration and more comfort.

ITEM#:	DESCRIPTION:
PM0729-21	V28™ PORTABLE CORDLESS BAND SAW

Includes: 14 TPI Milwaukee Band Saw Blade, (1) 28V Lithium-Ion Battery Pack, One Hour Lithium-Ion Charger and Impact Resistant Carrying Case.

PROLINE PROGRAM

CLASS # 60

DEEP CUT BAND SAW

The Milwaukee M18 cordless band saw features a Powerstate™ brushless motor for increased cutting speed through even the toughest applications. It also features Jobsite Armor Technology™ composite material and crush zone barriers for long lasting rugged protection.

All metal direct drive delivers maximum tool life with less servicing than a chain drive and the Redlithium™ XC 4.0 battery provides superior pack construction, more work per charge and more work over the life of the pack than competitive batteries.

Specifications:

- Voltage: 18V
- Length: 21”
- Weight: 15 Lbs.
- Capacity: 5” x 5”
- Band Saw Blades: **PB44811**
- Includes: (2) M18 Redlithium Compact Batteries M18/M12 Multi-Voltage Charger Battery Charger & Carrying Case

ITEM#:	DESCRIPTION:
PM2729-21	M18 CORDLESS DEEP CUT BAND SAW

PROLINE PROGRAM

CLASS # 60

M18 & M12 MULTI CHARGER

Always be ready for your next job with this cross-system charger. The M18 & M12 multi-voltage charger accepts all M18 and M12 batteries, so you'll always be prepared and productive, especially on jobs that require a mix of M12 and M18 Milwaukee cordless power tools.

This versatile unit charges batteries sequentially, reducing your time to manage charge cycles. It communicates directly with the battery pack to monitor cell voltage, temperature and charge status to ensure a full charge. Power up your Milwaukee compact batteries in 30 minutes and extended capacity batteries in 60 minutes, without the need for extra chargers on the jobsite.

ITEM#:	DESCRIPTION:
PM48-59-1812	M18 & M12 MULTI VOLTAGE CHARGER

CLASS # 60

V28™ 6-1/2” CIRCULAR SAW

Unlike NiCad batteries, the Milwaukee® V28™ Li-ion batteries maintain their power level throughout their entire discharge cycle. The last cut or hole drilled is as powerful as the first. This means more productivity per battery.

The 28 Volt, 3.0 Amp-Hr. battery has up to two times the run time of a comparable 18 Volt, 2.4 Amp-Hr NiCad pack and it is lighter in weight than 18 Volt NiCad and NiMH packs. They can be recharged at any time without creating a memory effect, regardless of the current charge level of the pack.

The V28™ Milwaukee® cordless 6-1/2” circular saw feels and cuts like a corded saw with more power than a 24V saw, yet is lighter in weight.

The powerful 28V motor delivers 4,200 RPM for fastest cutting and the electric brake stops blade in less than 2 seconds for fast repetitive cuts.

Both upper and lower guards are made of lightweight magnesium for a high resistance to impact and the 50° bevel capacity easily adjusts for wider range of cuts.

The lightweight aluminum shoe reduces fatigue yet is rugged enough for the job site and as with all V28™ cordless tools, it has the soft-grip and non-slip handle for reduced vibration and greater comfort.

ITEM#:	DESCRIPTION:
PM0730-22	V28™ 6-1/2” CORDLESS CIRCULAR SAW

Includes: 24 T Carbide Blade, Wrench, Rip Fence, (2) Lithium-Ion Battery Packs, One Hour Lithium-Ion Charger, and Impact Resistant Carrying Case.

CLASS # 60

V28™ 6-7/8” METAL CUTTING SAW

Unlike NiCad batteries, the Milwaukee® V28™ Li-ion batteries maintain their power level throughout their entire discharge cycle. The last cut or hole drilled is as powerful as the first. This means more productivity per battery.

The 28 Volt, 3.0 Amp-Hr. battery has up to two times the run time of a comparable 18 Volt, 2.4 Amp-Hr NiCad pack and it is lighter in weight than 18 Volt NiCad and NiMH packs. They can be recharged at any time without creating a memory effect, regardless of the current charge level of the pack.

The V28™ Milwaukee® cordless 6-7/8” circular saw feels and cuts like a corded saw with more power than a 24V saw, yet is lighter in weight.

The powerful 28V motor delivers 3,200 RPM for fastest cutting and the electric brake stops blade in less than 2 seconds for fast repetitive cuts.

The upper blade guard is made of lightweight magnesium and features a large, impact resistant window for an unobstructed line of sight and there is also an LED light for better visibility.

The lightweight, all steel shoe is heavy duty enough for any job and as with all the V28™ cordless tools, this saw has the soft-grip, non-slip handle for less vibration and greater comfort.

ITEM#:	DESCRIPTION:
PM0740-22	V28™ 6-1/2” CORDLESS CIRCULAR SAW

Includes: 36 T Carbide Blade, Wrench, Safety Glasses, (2) Lithium-Ion Battery Packs, One Hour Lithium-Ion Charger, and Impact Resistant Carrying Case.

CLASS # 60

V28™ 1” COMPACT ROTO HAMMER

Unlike NiCad batteries, the Milwaukee® V28™ Li-ion batteries maintain their power level throughout their entire discharge cycle. The last cut or hole drilled is as powerful as the first. This means more productivity per battery.

The 28 Volt, 3.0 Amp-Hr. battery has up to two times the run time of a comparable 18 Volt, 2.4 Amp-Hr NiCad pack and it is lighter in weight than 18 Volt NiCad and NiMH packs. They can be recharged at any time without creating a memory effect, regardless of the current charge level of the pack.

The V28™ Milwaukee® compact 1” cordless SDS rotary hammer feels and performs like a corded tool.

The powerful 28V motor delivers 4,700 BPM for fast drilling, and super powerful chipping with 2.1 ft. pounds of energy.

The compact and lightweight ‘L’ shape design weighs just 9.6 Lbs. and measures just 11-1/8” from the grip to the chuck which provides easy access to tight spaces and extended comfort.

Has a heavy duty metal gear box, block construction for precise bearing and gear seating, and the keyless SDS chuck for fast, tool free bit changes.

ITEM#:	DESCRIPTION:
PM0756-22	V28™ 1” COMPACT SDS ROTARY HAMMER

Includes: Side Handle, Depth Gauge, (2) Lithium-Ion Battery Packs, One Hour Lithium-Ion Charger, and Impact Resistant Carrying Case.

PROLINE PROGRAM

CLASS # 60

SDS MAX ROTARY HAMMER

The Milwaukee® 1-3/4" SDS-Max combination hammer features a 14 amp, 1,300 MWO Milwaukee® motor that provides the best in class for power and overload protection.

8.8 ft/lbs of impact energy combined with 450 RPM and 2,840 BPM, this hammer delivers fast drilling and hard hitting performance. Features such as an AVS anti-vibration system, mechanical clutch, and advanced electronics, this tool provides ease of use, overall long term durability and optimal power for the toughest concrete and demolition jobs.

Specifications:

- 14Amp, 1,300 MWO Motor
- 8.8 ft/lbs Impact Energy
- 450 RPM
- 2,840 BPM
- 2 Speed Impact Mode
- Constant Power Technology - maintains drilling speed when tool is under load
- Mechanical Clutch - protects gears and provides added control
- AVS: Anti Vibration System

ITEM#:	DESCRIPTION:
PM5426-21	1-3/4” SDS MAX COMBINATION HAMMER

PROLINE PROGRAM

CLASS # 60

DEMOLITION HAMMERS

These large electric demo hammers are used for breaking concrete and asphalt, bushing, driving ground rods, scraping floors, digging, and tamping. These heavy-duty tools have an in-line design, making them more comfortable when working on floors. An excellent system of vibration absorption and reduction reduces operator fatigue.

The included side handle can be attached to the rear switch handle which helps minimize bending over. Other features include a service reminder light, soft-grip handles, and easy access for maintenance.

SDS MAX DEMOLITION HAMMER

Specifications:

- High Blow Energy: 19.9 ft.-lbs.
- Volts: 120 AC
- Amps: 14
- BPM: 975 – 1,950
- Chuck Type: SDS-Max
- Cord Type: 10’ Fixed
- Switch Type: Trigger
- Electronic Feedback
- Length: 27-1/2”
- Weight: 24.2 lbs.
- 2 Auxiliary Handles
- Carrying Case

ITEM#: PM5339-21

3/4” HEX DEMOLITION HAMMER

Specifications:

- High Blow Energy: 19.9 ft.-lbs.
- Volts: 120 AC
- Amps: 14
- BPM: 975 – 1,950
- Chuck Type: 3/4” Hex
- Cord Type: 10’ Fixed
- Switch Type: Trigger
- Electronic Feedback
- Length: 27-1/2”
- Weight: 24.2 lbs.
- 2 Auxiliary Handles
- Carrying Case

ITEM#: PM5337-21

CLASS # 60

V28™ 1/2” IMPACT WRENCH

Unlike NiCad batteries, the Milwaukee® V28™ Li-ion batteries maintain their power level throughout their entire discharge cycle. The last cut or hole drilled is as powerful as the first. This means more productivity per battery.

The 28 Volt, 3.0 Amp-Hr. battery has up to two times the run time of a comparable 18 Volt, 2.4 Amp-Hr NiCad pack and it is lighter in weight than 18 Volt NiCad and NiMH packs. They can be recharged at any time without creating a memory effect, regardless of the current charge level of the pack.

The Milwaukee® 1/2” drive impact wrench has the new V28™ high power motor that delivers 325 ft. lbs of torque at 0-1,450 RPM and 0-2,450 IPM.

It features a flat head detent pin and round head pin for secure socket retention and magnesium gear case for added durability and lighter weight.

There is a hanger bracket with a solid steel ring and the battery pack is reversible which allows user to change the tool balance for overhead work or to fit into tight areas.

As with all Milwaukee® V28™ cordless tools, this rugged, yet lightweight impact wrench features the soft-grip, non-slip handle which reduces fatigue and vibration.

ITEM#:	DESCRIPTION:
PM0779-22	V28™ 1/2” CORDLESS IMPACT WRENCH

Includes: Hanger Bracket with Steel Ring, Round Head Detent Pin Accessory, (2) Lithium-Ion Battery Packs, One Hour Lithium-Ion Charger, and Impact Resistant Carrying Case.

PROLINE PROGRAM

CLASS # 60

M18 1/2” IMPACT WRENCH

The M18 Milwaukee® cordless 1/2” high torque impact wrench provides industry leading power in a compact size. It is built with a 4-pole motor and a powerful impact mechanism that delivers 450 ft.-lbs. of torque.

A variable speed trigger provides speed control between 0 to 1,900 RPM and 0 to 2,200 IPM and it has a 1/2” anvil with detent pin to achieve superior socket retention.

Specifications:

- Torque: 450 ft. lbs.
- Weight: 6.7 Lbs.
- Size: 8-7/8”
- Battery Type: M18 Li-Ion
- RPM: 0-1,900
- IPM: 0-2,200

Kit Includes:

- (2) 18 Volt M-18V XC Li-Ion Batteries
- 1 Hour Charger
- Carrying Case

ITEM#:	DESCRIPTION:
PM2662-22	M18 1/2” HIGH TORQUE IMPACT WRENCH

PROLINE PROGRAM

CLASS # 60

18 VOLT 1/2” DRILL

The heavy duty, 2 speed metal gear box in this Milwaukee 1/2” drill is not only durable, but also offers speeds from 0 to 350 RPM in low and from 0 to 1,400 RPM in high as well as a high torque of 400 inch lbs.

The remarkable, new Lithium Ion battery allows the drill to maintain even speed and power throughout the length of a charge and features a fuel gauge that lets you easily see how much battery life is left, and a 30 minute charger keeps you working with little to no downtime.

Specifications:

- **1/2” Single Sleeve Ratcheting Chuck**
- **18 Volt Lithium Ion Battery Technology**
- **Compact Length For Tight Areas (7-3/4”)**
- **400 In-Lbs Torque**
- **2 - Speed Metal Gear Box**
- **Built In LED Light Illuminates Working Surfaces**

Includes:

- **(2) 18 Volt Lithium Ion Batteries**
- **(1) 30 Minute Charger**
- **(1) Screwdriver Bit**
- **(1) Bit Holder**
- **(1) Belt Hook**
- **(1) Blow Mold Carrying Case**

ITEM#:	DESCRIPTION:
PM2601-22	18 VOLT CORDLESS 1/2” DRILL

PROLINE PROGRAM

CLASS # 60

ROUND HEAD FRAMING NAILER

Milwaukee's heavy-duty, round head framing nailer with its ergonomic magnesium housing is the lightest full round head framer in its class. Its easy select trigger lets you move quickly from a single nail placement to contact actuation for maximum control and application versatility.

Load 22° full round head plastic nails 2" to 3-1/2" length and diameters .113" to .148". The easy to read and tool free depth of drive lets you quickly adjust the depth setting without having to reset air line pressure.

A self cleaning air filter extends life by preventing dirt and debris from entering the tool and an adjustable air deflector with muffler directs exhaust away from the work area and holds down the noise.

Specifications:

- **70-120 PSI Operating Pressure**
- **22° Collation Angle**
- **.16 CFM Air Consumption @ 100PSI**
- **3/8" NPT Air Inlet**
- **64-72 Nails Magazine capacity**
- **Removable and Adjustable Rafter Hook**
- **Reload Indicator**

ITEM#:	DESCRIPTION:
PM7100-20	ROUND HEAD FRAMING NAILER

Kit Includes: Safety Glasses, 2 Oz. Oil, 4mm Hex Wrench & 5mm Hex Wrench.

CLASS # 60

NARROW CROWN STAPLER

Milwaukee's® air powered stapler has a lightweight, Magnesium housing for minimal fatigue and the compact size offers greater maneuverability.

Features include a self-cleaning air filter which keeps the tool free of job site contamination, an adjustable air deflector with muffler which directs the exhaust away from work area, and a tool-free depth of drive adjustment that protects against overdriving nails.

The PM7155-21 has a 101 staple magazine capacity, a 1/4" air inlet and a reload indicator which extends the motor life and prevents missing fasteners in nailing patterns. Unit also features an oil free motor and selectable trigger setting for easy setting of sequential or contact actuation.

The operating pressure is 70 PSI to 120 PSI max and the air consumption is .03 ft^3/cycles at 100 PSI. Takes 1/4" wide x 3/8" to 1-1/2" long, 18 gauge narrow crown staples.

ITEM#:	DESCRIPTION:
PM7155-21	PNEUMATIC NARROW CROWN STAPLER

Kit Includes: Safety Glasses, 3mm and 5mm Hex Wrenches, Carrying Case and 1 Box (1,000) 18 ga. Narrow Crown Staples

PROLINE PROGRAM

CLASS # 60

1/4-SHEET PALM SANDER

Milwaukee's 1/4-sheet palm sander produces a fine, swirl-free finish. The 3 amp permanent magnet motor with 14,000 OPM produces dependable speed and power.

It is designed for comfort with a tactile rubber top and body grip surface as well as a narrow sander body. The integrated vacuum ports fit 1-1/4” or 2-1/4” hoses for efficient dust removal and the in-line dust port with flexible collection bag captures the maximum amount of dust without compromising site line. Large paper clamp tabs allow for effortless paper changes.

Specifications:

- Amps: 3.0
- Volts: 120 AC
- Pad Size: 4-1/4” x 4”
- No Load OPM: 14,000
- Orbit Diameter: 1/16”
- Cord: 12’ Fixed
- Length: 5-1/2”
- Tool Weight: 3.3 lbs.
- Includes 3 pc. 1/4” Sheet Sandpaper, Dust Bag & Carrying Case

ITEM#:	DESCRIPTION:
PM6020-21	1/4 – SHEET ORBITAL PALM SANDER

PROLINE PROGRAM

CLASS # 60

5” RANDOM ORBIT PALM SANDER

Milwaukee's 5" random orbital palm sander produces a fine, swirl-free finish. The 3.0 amp permanent magnet motor produces dependable speed and power and features electronic soft start and a variable speed dial.

This sander is designed for comfort with its tactile rubber top and body grip surface and a narrow sander body. The integrated vacuum ports fit 1-1/4” or 2-1/4” hoses for efficient dust removal.

Specifications:

- Amps: 3.0
- Volts: 120 AC
- Pad Size: 5”
- No Load OPM: 7,000 – 12,000
- Orbit Diameter: 3/32”
- Double Insulated
- Cord: 12’ Fixed
- Length: 5-1/2”
- Tool Weight: 3.3 lbs.
- Includes Dust Bag & Carrying Case

ITEM#:	DESCRIPTION:
PM6021-21	5” RANDOM ORBITAL PALM SANDER

PROLINE PROGRAM

CLASS # 60

5.5 AMP BANDFILE

The Milwaukee® 5.5 amp bandfile is the perfect tool for grinding, deburring, and sanding metal pipe, angle iron, fiberglass, and wood. The 1/2” x 18” contact arm of the bandfile is great for getting into awkward and tight areas.

The head of the file can be adjusted 180° and the convenient user interface has a single on/off paddle switch and a 3 position side handle. Includes (1) 240 grit belt.

Specifications:

- Amps: 5.5
- 180° Adjustable Head
- Volts: 120 AC/DC
- Capacity: 1/2” x 18”
- No Load SFPM: 2,300
- Cord: 8’ Fixed
- Length: 18-1/2”
- Tool Weight: 6 lbs.

ITEM#:	DESCRIPTION:
PM6101-6	5.5 AMP 18” BANDFILE

PROLINE PROGRAM

CLASS # 60

CORDLESS 2 SPEED GREASE GUN

The M18 cordless 2-speed grease gun delivers maximum pressure and unmatched versatility, offering an industry leading 10,000 psi max operating pressure and a patent pending pre-set grease counter that allows service and maintenance professionals to dispense precise amounts of grease.

This tool's 2-speed design offers users the ability to select between max pressure and max flow rate. Other unique features include an on-board LED light, a lock-on/lock-off trigger, and a plunger rod with markings to gauge how much grease is left in the barrel.

It also features a stand up design and shoulder strap capability for user convenience, while limiting fatigue and the 48" flexible hose offers greater accessibility when greasing hard to reach fittings.

Specifications:

- Voltage: 18V
- Length: 15"
- Weight: 8.5 Lbs.
- PSI: 10,000
- Hose Length: 48"
- Flow Rate: 10 oz. per minute
- Includes: (1) M18 Redlithium Compact Battery, M18/M12 Multi-Voltage Charger Battery Charger, High Pressure Grease Coupler, Shoulder Strap, Hard Carrying Case

ITEM#:	DESCRIPTION:
PM2646-20	M18 CORDLESS 2-SPEED GREASE GUN

PROLINE PROGRAM

3.2 HP 14” CUTOFF SAW

The PM6176-20 cut-off machine has a powerful 15 amp motor designed for maximum cutting efficiency, performance and durability allowing for fast cutting of drywall track in bundles, angle iron, conduit, pipe, channels, tubing, and rebar up to a 5" maximum capacity.

A quick set-up, quick release locking device holds material being cut securely during the cutting process. Material can be angle cut up to 45 degrees. Arm locks down for easy portability when moving this tool to the jobsite.

Specifications:

- **120V-15 Amp**
- **2,400 Watts**
- **3.2 HP - 3,900 RPM**
- **45° Bevel Capacity**
- **5” in Pipe**
- **3-5/8” in Bar Stock**
- **9” Max. Opening**
- **Arbor Size: 1”**
- **Length: 19 1/4”**
- **Weight: 51.25 Lbs.**



ITEM#:	DESCRIPTION:
PM6176-20	*MILWAUKEE* 14” CUT-OFF SAW

PROLINE PROGRAM

CLASS # 60

BOSCH BREAKER HAMMER

The Bosch Brute™ breaker hammer is a ‘plug in anywhere’ demolition hammer. An air compressor is not needed to power this monster machine as it operates off of 115 Volt AC/DC, 15 amp outlet or a 2,500 watt generator.

Service Minder™ brush system shuts off the Brute Breaker when brush replacement, lubrication, or preventative maintenance is needed and a grease packed gearbox as well as the hammer mechanism eliminates the uncertainty of job site lubrication.

Shock mounted handles absorb vibration to reduce operator fatigue and the unit delivers a hammering output of 1,340 blows per minute. The 2-way tool retainer accepts any standard 1-1/8” hex air tool steel with the retaining collar or the Bosch® internal locking system.

Specifications:

- 120 Volts AC/DC
- 15 Amps
- 1,400 no load BPM
- 43 ft. lbs impact energy
- Cord 12’
- 29-3/4” length
- 64 lbs

ITEM#:	DESCRIPTION:
PB11304	BOSCH® BREAKER HAMMER

PROLINE PROGRAM

CLASS # 60

Husqvarna

14” GAS CUTOFF SAW

Partner® was the first on the market with hand held cutters in 1958. After extensive usage and updates, this 14” portable cutoff saw is the one used by emergency crews and masonry contractors all over the world. Now merged with Husqvarna®, this is the best demolition saw on the market.

This saw features a 4.8 HP air cooled, 2 cycle 71 cc engine and it weighs just 20 lbs. A patented air filtration system gives it 3 to 5 times the filter life and works in combination with the carburetor to ensure power stability even as the filter starts to fill with dust.

It has a 5” depth of cut and an easily adjustable blade guard. The sealed starter, special cord, and reduced starter compression guarantee 50% easier starting. It has a self lubricating clutch for long life, and you can reverse the cutting arm so you can get closer to walls and the ground. The water kit is standard and you can adjust the flow during operation. Made in Sweden.

Features:

- **Active air filtration system**
- **SmartCarb™**
- **Easy start Dura Starter**
- **Automatically lubricated clutch bearing**
- **Reversible cutting arm**
- **Wet cutting kit with easy adjust water flow**
- **Enclosed transmission**
- **Fuel indicator**
- **Fuel filter with increased filtration capacity**



ITEM#:	DESCRIPTION:
PPK700	HUSQVARNA® 14” GAS CUTOFF SAW

PROLINE PROGRAM

CLASS # 60

HEATED CAMOUFLAGE JACKETS

These innovative cordless heated jackets are great for outdoor use; hiking, camping, hunting, fishing, and various other outside activities. Perfect for ground, rocks, deadfalls and open areas.

They are multi-layered soft shell jackets that are heated with the same M12 Red Lithium battery used to power Milwaukee M12 power tools. The battery sits in a pocket on the back and the temperature is adjusted by an easy touch controller on the chest of the jacket.

These jackets are wind and water resistant and have two hand pockets and a chest pocket as well as a hood with drawstring. They provide 6 hours of warmth on a single charge and distribute heat to 3 body zones. Includes (1) M12 battery and (1) M12 quick charger. Hand wash recommended (with battery removed).

Specifications:

- Realtree Xtra™ Camouflage
- 5 Carbon Fiber Heating Elements
- Special Polyester Fabric Blend
- Water & Wind Resistant
- Concealed Heat Controller
- Durable Back Patch
- USB Controller W/ Fuel Gauge Charges Portable Electronic Devices

ITEM#:	DESCRIPTION:
PM2343M	M12 HEATED JACKET - CAMO - MEDIUM
PM2343L	M12 HEATED JACKET - CAMO - LARGE
PM2343XL	M12 HEATED JACKET - CAMO - XLARGE
PM2343XXL	M12 HEATED JACKET - CAMO - XXLARGE
PM2343XXXL	M12 HEATED JACKET - CAMO - XXXLARGE

PROLINE PROGRAM

CLASS # 60

HEATED RED JACKETS

These innovative cordless heated jackets are great for outdoor use; jobsite, hiking, camping, hunting, fishing, and other outside activities. Perfect for ground, rocks, deadfalls and open areas.

They are multi-layered soft shell jackets that are heated with the same M12 Red Lithium battery used to power Milwaukee M12 power tools. The battery sits in a pocket on the back and the temperature is adjusted by an easy touch controller on the chest of the jacket.

These jackets are wind and water resistant and have two hand pockets and a chest pocket as well as a hood with drawstring. They provide 6 hours of warmth on a single charge and distribute heat to 3 body zones. Includes (1) M12 battery and (1) M12 quick charger. Hand wash recommended (with battery removed).

Specifications:

- 5 Carbon Fiber Heating Elements
- Water & Wind Resistant
- Concealed Heat Controller
- Durable Back Patch
- USB Controller W/ Fuel Gauge Charges Portable Electronic Devices

ITEM#:	DESCRIPTION:
PM2341M	M12 HEATED JACKET - RED - MEDIUM
PM2341L	M12 HEATED JACKET - RED - LARGE
PM2341XL	M12 HEATED JACKET - RED - XLARGE
PM2341XXL	M12 HEATED JACKET - RED - XXLARGE
PM2341XXXL	M12 HEATED JACKET - RED - XXXLARGE

PROLINE PROGRAM

CLASS # 60

HEATED HI-VIS JACKETS

These innovative cordless heated jackets are great for outdoor use on the jobsite, roadside construction, hiking, camping, hunting, fishing, and various other outside activities.

They are multi-layered soft shell jackets that are heated with the same M12 Red Lithium battery used to power Milwaukee M12 power tools. The battery sits in a pocket on the back and the temperature is adjusted by an easy touch controller on the chest of the jacket.

These jackets are wind and water resistant and have two hand pockets and a chest pocket as well as a hood with drawstring. They provide 6 hours of warmth on a single charge and distribute heat to 3 body zones. Includes (1) M12 battery and (1) M12 quick charger. Hand wash recommended (with battery removed).

Specifications:

- 3M Scotchlite™ Reflective Material
- ANSI/ISEA 107-2010 Class III Compliant
- 300-Denier, 100% Polyester Outer Shell
- Water & Wind Resistant
- Concealed Heat Controller
- Hidden Inside Pocket

3M Scotchlite™ Reflective Material

ITEM#:	DESCRIPTION:
PM2347M	M12 HEATED JACKET -HI-VIS - MEDIUM
PM2347L	M12 HEATED JACKET -HI-VIS - LARGE
PM2347XL	M12 HEATED JACKET -HI-VIS - XLARGE
PM2347XXL	M12 HEATED JACKET -HI-VIS - XXLARGE
PM2347XXXL	M12 HEATED JACKET -HI-VIS - XXXLARGE

PROLINE PROGRAM

CLASS # 60

BOSCH 12 VOLT HEATED JACKETS

These innovative cordless heated jackets are great for outdoor use on the jobsite, sports events, hiking, camping hunting fishing, concerts and various other outside activities.

These soft shell jackets are heated with a 12 volt rechargeable Lithium-Ion battery for up to 6 hours of heated runtime on low. They have three quick warming zones: two chest zones and one back zone and will heat up in just minutes.

They are wind and water resistant and adjustable for maximum comfort, fit and warmth. There are five large convenient pockets: two hand pockets, one cell phone chest pocket, one large document pocket, and one battery holster/controller storage pocket. Power electronic devices with the USB battery backup power access on the battery.

ITEM#:	DESCRIPTION:
PBHJM	BOSCH HEATED JACKET - MEDIUM
PBHJL	BOSCH HEATED JACKET - LARGE
PBHJXL	BOSCH HEATED JACKET - X-LARGE
PBHJXXL	BOSCH HEATED JACKET - XX-LARGE
PBHJXXXL	BOSCH HEATED JACKET - XXX-LARGE