

## CLASS # 19

# 5 SPEED WOOD TURNING LATHE

This is a completely, self contained wood lathe so there is no maintenance at all. It is manufactured to the highest quality standards and is designed to handle all your wood turning needs.

It comes complete with a heavy duty, 3/4 H.P. sealed ball bearing motor, which means it never needs oiling. It has five speeds ranging from 980 rpm to 3000 rpm and there is a full 40" between centers to handle even the big jobs.

This unit will do everything from center turning, face plate turning as well as high speed polishing and sanding of finished wood. Comes complete with all the accessories needed; adjustable tool rests, tail stock, steady rest and the face plates. You'll be able to make anything from decorative table and chair legs to baseball bats and decorative wood carvings. Import.



ITEM#:	DESCRIPTION:
226	40" BENCH MODEL WOOD LATHE

## CLASS # 19

# ANALOG MULTITESTER

Manufactured by Sunwa Scientific Instrument Ltd. one of the worlds largest manufacturers of test instruments. The multitester is used to measure electric and electronic components for testing and servicing. This multitester will accurately test AC voltage, and DC voltage.

They are DC amperage, transistors & diodes and used by almost any contractor, repairman or industrial tool buyer. The unit is fuse and diode protected for a long service life. This means if you accidentally try to measure micro amps or volts and the amperage or voltage is greater than the selected range, the unit will pop the fuse instead of burning out the meter. This safety feature is found on the more expensive brands of multitesters.



**ANALOG MULTITESTER**

**ITEM#: 228**

### THE SPECIFICATIONS ARE AS FOLLOWS;

DC VOLTAGE - 0.1 TO 1000 VOLTS ,+/- 3 AT FULL SCALE DEFLECTION
--

AC VOLTAGE - 10 TO 1000 VOLTS ,+/- 4 AT FULL SCALE DEFLECTION
---

DC CURRENT - 50 MICRO AMP TO .25 AMP AT FULL SCALE DEFLECTION
---

RESISTANCE - .2 TO 20 MEG OHM AT FULL SCALE DEFLECTION
--

TRANSISTOR CURRENT LEAKAGE - 150 MICRO AMP TO 150 MILLIAMP
--

TRANSISTOR DC AMPLIFICATION TEST - 0 TO 1000 MICRO AMPS
---

***UNIT COMES COMPLETE WITH BATTERIES AND THE TEST PROBES.***

## CLASS # 19

# ELECTRIC SOLDERING GUN

This handy soldering gun is all you need to make quick electrical and connector repairs, either on the job or just around the house.

This is a high powered, 100 watt unit that gives you instant heat when you pull the trigger. It includes an extra solder tip and one tube of resin-core solder. There's even a handy work light built right into the front of the gun that let's you see while you're working. **IMPORTED**



**ITEM #:**

**DESCRIPTION:**

**235**

**ELECTRIC SOLDERING GUN**

## CLASS # 19

# 1/2" ACE ELECTRIC IMPACT WRENCH

These are heavy duty *electric* impact wrenches that you can take with you anywhere you can plug in a cord. You don't need an air compressor to quick change your tires or do some of the heavy mechanical work on your vehicles.

These wrenches will give you up to 235 ft. Lbs. of adjustable torque and deliver 2,700 blows per minute. They have double insulated 6' cords and are ergonomically balanced to fit in your hand and reduce fatigue. They have 7 amp motors and are 120 volt, so they can plug into any electrical outlet, at home or in the shop. **IMPORTED**



**ITEM#:**

**DESCRIPTION:**

**AE106**

**ACE 1/2" ELECTRIC IMPACT WRENCH**

## CLASS # 19

# 40 GAL. ELECTRIC PARTS WASHER

This is a 40 gallon electric parts washer constructed of heavy duty welded steel with the corrosion resistant finish. Its' fully enclosed electric pump will re-circulate 20 Liters of solvent per minute.

It comes with a heavy duty steel stand complete with a storage shelf and a built in drain. It has a small parts basket and chrome steel flexible spigot and an easy 'on/off' switch.

The tank is 44-1/2" x 21-1/2" x 12-1/2", and the overall dimensions are 45 1/4"W x 22"D x 35 1/2"H. This washer is large enough to fit cylinder heads, cam shafts, and CV joints.

It has a 6 gallon tub with a 40 gallon working capacity. The self latching, fused-linked fire cover automatically closes when the temperature reaches 155°. IMPORTED



**ITEM#:**

**DESCRIPTION:**

**781**

**40 GALLON ELECTRIC PARTS WASHER**

## CLASS # 19

# 20 GAL. ELECTRIC PARTS WASHER

This is a 20 gallon electric parts washer constructed of heavy duty welded steel with the corrosion resistant finish. Its' fully enclosed electric pump will re-circulate 50 gallons of solvent per hour.

It comes with a heavy duty steel stand complete with a storage shelf and a built in drain. It has a small parts basket and chrome steel flexible spigot and an easy 'on/off' switch.

The tank is 44-1/2" x 21-1/2" x 12-1/2", and the overall dimensions are 45 1/4"W x 22"D x 35 1/2"H and it weighs 62 lbs.

The self latching, fused-linked fire cover automatically closes the instant the temperature reaches 155 degrees. IMPORTED



ITEM#:

DESCRIPTION:

780

20 GALLON ELECTRIC PARTS WASHER



## CLASS # 19

# 165 AMP AC ARC WELDER

This is a 165 Amp, industrial AC ARC Welder from the NEIKO PRO 'BLUELINE' series. This is a very rugged, pro-model welder and available at a very affordable price. Lightweight yet durable, it has all the power you need for welding projects in your shop or at home. Comes complete with all the accessories needed to begin working right out of the box.

ONE YEAR WARRANTY. IMPORTED

### SPECS:

- 110V ~ 60Hz
- No Load Voltage: 48V
- Current Range: 55-165A
- Rate Duty Cycle: 10%
- Input capacity @ 60%: 2.5KVA
- Class of Insulation: F
- Weight 37 lbs.
- Accessories Included: Electrode Holder w/ Cord, Earth Clamp, Power Supply Cord, Hammer, & Brush
- IMPORTED



### ITEM#:

10911

### DESCRIPTION:

165 AMP AC ARC WELDER

## CLASS # 19

# 160 AMP TIG WELDER

This is a professional quality portable welder for TIG, (Tungsten Inert Gas), welding that produces cleaner welds on stainless steel, steel, copper, titanium, and nickel than MIG welding. It's quick start with high open voltage and 1/4" welding capacity and an easy to use anti-stick circuit for work on rutile, stainless steel, cast iron and basic electrodes.

Use as either high accuracy TIG or thick weld MMA arc welder, torches for both are included. The turbo fan cooling system prevents overheating and it is easy to carry, and can be used with a home electrical supply.

### Specifications:

- 220 VAC 25-Amp input
- Maximum welding capacity: 1/4"
- 160 Amp
- Arc: 120 Amp
- TIG output: 20% duty cycle, fan cooled
- Measurements: 15"L x 5"W x 7"H
- Weight: 15 Lbs.
- Shoulder strap included



**ITEM#:**

**DESCRIPTION:**

**TIG**

**160 AMP TIG WELDING MACHINE**



## CLASS # 19

# **JEPSON 3/4 HP ROUTER**

This is a compact, 3/4 HP router that will make clean, fast cuts on any project. It is lightweight and equipped with a high torque, (23,000 RPM), heavy duty motor for easy routing in any direction. It features contoured handles for comfort and control, and the all ball bearing construction ensures long life and smooth operation.

The collet capacity is 3/8" (10mm), the base diameter is 5-7/8"; height 7-1/4"; weight 5.26lbs.



**ITEM#:**

**DESCRIPTION:**

**231**

**3/4 HP ROUTER BY JEPSON**

## **CLASS # 19**

# **3/8" 'ACE' REVERSIBLE ELECTRIC DRILL**

Our new 3/8" drill is like an old friend, you'll have it around for a long time and it's always dependable.

You get a powerful 4.2 AMP, double insulated, all ball bearing motor. The heavy duty trigger has an easy on-off lock for continuous drilling and there's a built in belt clip right on the top of the drill housing.

**IMPORTED**



### **Specifications:**

- **500 Watts**
- **120V~60Hz**
- **0-3000 RPM**
- **Chuck Capacity 3/8"**
- **High Impact Housing**
- **Fan Cooled Motor**
- **Lock On Trigger Button**

### **ITEM#:**

### **DESCRIPTION:**

<b>AC38D</b>	<b>3/8" 'ACE' REVERSIBLE ELECTRIC DRILL</b>
--------------	---

## CLASS # 19

# **BOSCH** 3/8" VARIABLE SPEED DRILL

The Bosch® 3/8" drill features a best-in-class power-to-weight ratio, which means you get the maximum amount of power with the minimum amount of weight. The 3/8" Jacobs ratcheting chuck holds drill bits exceptionally well for minimal slipping.

It has an improved lock-on switch design that prevents accidental lock-on by recessing the switch into the handle and the new soft grip handle provides added comfort.



### Specifications:

- 6.6 amp motor
- 120 volt
- Ergonomic handle for comfort
- Jacobs 3/8" keyed chuck
- Double Insulated
- Cord Length: 8'
- Weight: 3.4 Lbs.

### ITEM#:

### DESCRIPTION:

1006VSR	3/8" BOSCH VARIABLE SPEED DRILL
---------	---------------------------------

**\*\*This replaces ITEM#: 1005VSR\*\***



## **BOSCH DRYWALL SCREWGUN**

### **CLASS # 19**

This factory reconditioned Bosch® drywall screwgun features a compact design for increased comfort and control for all day use. The contoured grip is designed to maximize comfort and minimize fatigue.

The Posi-Lok™ nose piece retains depth setting when removed and also eliminates time consuming depth readjustments, while a powerful 101 inch pounds of torque is the best torque ratio in its class.

#### **Specifications:**

- 4,500 RPM
- 101 in. lbs. Torque
- One hand adjustable and removable nose piece
- Metal gear housing
- Unique trigger design for user comfort
- Variable speed trigger with forward and reverse lever
- Belt clip
- Lock-On button
- Strong bit tip magnet
- Factory reconditioned
- One year warranty

**ITEM#:****BSG45M****DESCRIPTION:****BOSCH® DRYWALL SCREWGUN**

## CLASS # 19

# INDUSTRIAL BENCH GRINDERS

These new and improved industrial bench grinders are from 'NEIKO' and they are sure to get you excited about your grinding jobs again. Not only do they look great...but they act great, too.

Packed with power and convenience, these grinders will rest on your bench like some ominous creature from another planet, but once you flip the switch and power them up... they're ready to go, with a full 3/4 horsepower on the 8", and 1/2 HP on the 6"!

Now get this; these grinders won't leave you in the dark because they are fully equipped with adjustable work lights; two independently adjustable lights on the 8" and one adjustable light on the 6", so you've got a completely bright work area while you grind away.

They are also equipped with clear eye shields, spark guards, adjustable tool rests and they sit on a heavy duty, cast iron base. The only other thing you could ask for would be someone to do the work for you... but you'll be glad you're the one doing it with these innovative grinders!! UL/CUL APPROVED. IMPORTED



### SPECS.

- 115/120v ~ 60Hz. ~ 2.5 Amp
- 3550 RPM
- 1/2 HP. Motor
- 1/2" arbor
- 26lbs.
- 1 40 Grit & 1 60 Grit Wheel Included



### SPECS.

- 115/120v ~ 60Hz. ~ 5 Amp
- 3550 RPM
- 3/4 HP. Motor
- 5/8" arbor
- 32lbs
- 1 40 Grit & 1 60 Grit Wheel Included

### ITEM#:

### DESCRIPTION:

250	6" x 1/2 HP. SINGLE LIGHT BENCH GRINDER
251	8" x 3/4 HP. DOUBLE LIGHT BENCH GRINDER

## CLASS # 19

# 3" BENCH GRINDER W/ FLEX SHAFT

This 3" mini bench grinder is a must for any work bench or hobbyist and features a rugged 110Volt, 60Hz motor that powers up to speed quickly with variable speeds from 0 to 10,000 rpm.

It has a built in 31" flex shaft die grinder with an 1/8" mounted grinding stone bit and comes equipped with a 3" grinder stone, a 3" fiber wheel and wrenches. Import.

### Specifications:

- Motor: 110 V, 60 Hz.
- Variable Speed: 0~10,000 RPM
- Speed Control Switch
- Wheel Arbor: 10mm
- Flex Shaft Colett: 1/8"
- Includes: 3"Grinding Stone, 3" Fiber Wheel, 31" Flex Shaft and Wrenches.



ITEM#:

DESCRIPTION:

N176

3" MINI BENCH GRINDER W/ FLEX SHAFT



## **CLASS # 19**

# **4 1/2" HORIZONTAL METAL BAND SAW**

This economical, portable, and easy to use, three speed band saw is an excellent choice for small or large projects when you need to cut a variety of metals, plastics, or wood. When the vertical cutting attachment is installed, the saw is able to make vertical cuts for your unique cutting requirements.

### **Specifications:**

- **Motor: 3/4 HP, 110V, 1,725 RPM**
- **All Ball Bearing with Automatic Shutoff**
- **Maximum cut (round stock) 4-1/2"**
- **Maximum cut (rectangular stock): 4" x 6"**
- **3 Blade speeds: 78 FPM @ 40 RPM, 108 FPM @ 60 RPM, 180 FPM @ 80 RPM**
- **Built in material clamps and vertical cutting attachment included**
- **Blade size: 1/2" x 1/40" x 64-1/2" – Blade Included**
- **Footprint: Stand is 31" x 11" (without wheels). Comes with handle and wheels**
- **Approximate shipping weight: 139 lbs.**
- **Imported**



**4 1/2" HORIZONTAL METAL  
BANDSAW**

**ITEM#: 224**



***(DON'T FORGET EXTRA BLADES)***

## CLASS # 19

# **BOSCH** 4 1/2" ELECTRIC DISC GRINDER

This grinder is industrial rated, meets all OSHA requirements, and it sets the standard for compact, powerful grinding in the workplace. It features the **BOSCH** top of the line 7 amp motor that develops 11,000 RPM's.

The side switch operates with either hand and the side handle mounts on the left or the right for user convenience. There is also a push button spindle lock for quick and easy wheel changes.

Includes the wheel guard, the side handle, lock nut, flange and a spanner wrench. This grinder will deliver years of quality service. Import



### SPECS:

- ⇒ 7 AMP motor
- ⇒ 11,000 RPM
- ⇒ Max wheel diameter - 4 1/2"
- ⇒ Max wire wheel - 4"
- ⇒ Max cup brush - 3"
- ⇒ Spindle thread 5/8"- 11 thread
- ⇒ 6' cord
- ⇒ 1 yr warranty
- ⇒ Import

ITEM#:

DESCRIPTION:

BOS45G

**BOSCH** 4 1/2" ELECTRIC DISC GRINDER

## CLASS # 19

# 5" ANGLE GRINDER

This powerful 10 amp angle grinder has a 5" grinding wheel capacity and a no-load speed of 10,500 rpm. The soft grip auxiliary handle can be used on the left or right side as well as the top of the grinder to adjust for any angle.

Includes 1 hex wrench, 1 flange wrench, auxiliary handle, and two extra carbon brushes. Import. UL/CUL approved.



### Specifications:

- 120 Volt/60 Hz
- 10 Amp
- 10,500 RPM (No-Load)
- 5" Capacity
- Spindle Lock
- 3 Position, Soft Grip Handle

**ITEM#:**

**DESCRIPTION:**

**N182**

**5" ANGLE GRINDER – 10 AMP.**

## CLASS # 19

# 7" ELECTRIC POLISHER

This 7" polisher features adjustable speed control and all the power needed for tough buffing and polishing jobs on cars, trucks, boats and other vehicles like jet skis, and ATV's.

It has a tough 11 amp motor that spins from 1,000 to 3,000 RPM and an auxiliary side handle for good grip and control. Includes a 7" polisher disc and a 7" wool bonnet. Import.



### Specifications:

- 115/120V~60Hz
- 11 Amp
- 1,000 - 3,000 RPM
- Dial speed control
- Lock on trigger button
- 5/8" arbor
- Auxiliary front handle
- Spanner lock
- 7" polisher disc
- 7" wool bonnet
- 8.8 Lbs.



*(Extra buffing and polishing pads also available)*

### ITEM#:

### DESCRIPTION:

<b>N179</b>	<b>7" ELECTRIC POLISHER W/ WOOL BONNET</b>
<b>53772</b>	<b>7" PRO BUFFING PAD</b>
<b>53773</b>	<b>7" PRO POLISHING PAD</b>

## CLASS # 19

# CORDLESS RANDOM ORBITAL SANDER

Now you can buff and polish your vehicle without the inconvenience of power cords or air hoses with this 24 volt cordless, random orbital polisher. This powerful cordless tool applies a swirl-free polish to any car, truck, boat or recreation vehicle.

Features a top handle for better grip and control, 2800 no load rpm, and 7" hook and loop pad. Includes an 8" SM Arnold™ buffing pad, a 3.5 hour charger, one 1300 mAh Ni-Cd battery and a nylon carry case. Import.



ITEM#:

DESCRIPTION:

AE149

24V CORDLESS RANDOM ORBITAL POLISHER

## CLASS # 19

# **SKIL** 1/2" ELECTRIC DRILL

This factory reconditioned Skil® drill features a powerful 7.0 amp motor for tough applications as well as a horizontal bubble level for precise drilling and driving.

The 1/2" keyed chuck accepts large diameter drill bits that are designed for woodworking or cutting and the variable speed trigger lets user control the drilling speed. Includes chuck key and side handle.



### Specifications:

- 7.0 Amp Motor
- No Load RPM: 0 - 950
- Voltage: 120V
- Chuck Size: 1/2"
- Variable Speed Trigger
- Bubble Level for accurate drilling
- 2 Finger Trigger with Lock On
- Factory reconditioned
- One year warranty

**ITEM#:**

**DESCRIPTION:**

**SB6335**

**SKIL® 1/2" DRILL WITH BUBBLE LEVEL**



## CLASS # 19

# 24 VOLT CORDLESS DRILL

This powerful 24 volt cordless drill features dual laser guides for accurate drilling and a heavy duty keyless, 1/2" chuck. It is reversible with 24 torque settings and a no load, variable speed of 0 to 400 rpm on low and 0 to 1,050 rpm on high.

Charging time is 3 to 5 hours for the included 24 volt, 1300 mAH battery and there is bubble level at the top of the drill to assist in accurate drilling.

Includes 6 screwdriver bits, 6 drill bits, 2 double end screwdriver bits, 1 magnetic bit holder and a heavy duty tote bag. Import.



**ITEM#:**

**DESCRIPTION:**

**N098**

**24 VOLT 1/2" CORDLESS DRILL**

## **CLASS # 19**

### **1/2" HAMMER DRILL**

This 1/2" hammer drill features a full size 1/2" chuck and variable speeds from 0 to 3,000 RPM, with adjustable speed hammer blows for drilling into concrete or other masonry.

The powerful 600 watt 4.7 amp motor is reversible and the action switch changes easily from hammer drilling to standard drilling. Features include a side assist handle and a depth gauge. Chuck key is included. UL/CUL



**ITEM#:**

**DESCRIPTION:**

**230**

**1/2" VARIABLE SPEED HAMMER DRILL**

## CLASS # 19



## **BOSCH** 1/2" HAMMER DRILL

This factory reconditioned Bosch® single speed, 1/2" drive hammer drill has a lightweight design which is perfect for small diameter drilling jobs. Its 7 amp motor provides the highest performance to weight ratio in its class.

It has a 360° auxiliary handle with a built-in quick release depth gauge for a wide range of movement and consistent drilling depth. The two-mode selector easily converts from rotation only to hammer drill and the powerful motor outperforms the competition.



### Specifications:

- 1/2" Drive
- Voltage: 120V
- Amps: 7
- No load RPM: 0 - 3,000
- No load BPM: 0 - 48,000
- Spindle size: 1/2"-20
- Max. capacity concrete: 5/8"
- Max. capacity steel: 1/2"
- Max. capacity wood: 1-1/2"
- Length: 11"
- Weight: 4.2 lbs.
- Includes: Chuck key and carrying case
- Factory reconditioned
- One year warranty

### ITEM#:

### DESCRIPTION:

**B1191**

**BOSCH® SINGLE SPEED 1/2" HAMMER DRILL**

## CLASS # 19



## **BOSCH** 1/2" HAMMER DRILL

This factory reconditioned Bosch® 1/2" drive hammer drill features an 8.5 amp dual torque motor that can be easily switched between rotation only for 0-3,000 RPM and hammer drill mode for 0-48,000 BPM.

It has a 360° auxiliary handle with a built-in quick release depth gauge for a wide range of movement and consistent drilling depth. A patented rotating brush plate extends brush life and provides equal power in reverse.

### Specifications:

- Chuck: 1/2" x 3 Jaw
- Voltage: 120V
- Amps: 8.5
- No load RPM: 0 - 3,000
- No load BPM: 0 - 48,000
- Spindle size: 1/2" x 20
- Max. capacity concrete: 3/4"
- Max. capacity steel: 1/2"
- Max. capacity wood: 1-1/2"
- Length: 11"
- Weight: 6 lbs.
- Cord length: 12' on 35° pivot
- Includes: Chuck key, depth gauge & auxiliary handle
- Factory reconditioned
- One year warranty



**ITEM#:**

**DESCRIPTION:**

**B1199**

**BOSCH® DUAL TORQUE 1/2" HAMMER DRILL**

## CLASS # 19

### **BOSCH** 1/2" 2 SPEED HAMMER DRILL

This drill features a Bosch-built high output 8.5 Amp variable speed motor and a 1/2" 3-jaw chuck for rugged hammer drilling applications. 2-speeds will handle both wood and metal drilling and the dual selector allows for easy conversion from rotation only mode to hammer drill mode.

The patented rotating brush plate provides equal power in reverse to easily back out bound-up bits and double brush life. The pistol grip handle is very compact and ergonomically designed with a soft grip. Together with the 360° auxiliary handle with built-in depth gauge, this drill allows for a wide range of movement along with consistent drilling depth.



#### Specifications:

- Amperage: 8.5
- RPM: 0 - 1,000/0-3,000
- BPM: 0-17,000/0-51,000
- Chuck Type: Keyed
- Volts: 120
- Length: 13.4"
- Weight: 6.2 Lbs.
- Factory Reconditioned

#### ITEM#:

#### DESCRIPTION:

**BHD192**

**BOSCH 1/2" 2-SPEED HAMMER DRILL**

## CLASS # 19

# SDS 1" HAMMER DRILL

The Neiko® SDS hammer drill delivers outstanding drilling performance in concrete, brick, block, stucco, drywall and other masonry materials. It has a powerful 6.7 amp motor with a hammer frequency of 0 to 5,800 BPM.

Features an SDS (slotted drive system) chuck and three working modes: drill, hammer, and drill with hammer. It is equipped with a depth gauge and an auxiliary front handle and the on/off switch locks on to prevent fatigue.

Includes 3 SDS bits, 2 SDS chisels, the auxiliary front handle and comes in a convenient blow mold carrying case. Import.



### Specifications:

- 120V / 60 Hz.
- 6.7 Amps
- 0 - 5,800 BPM
- 0 - 1,100 RPM
- Reversible
- Lock-on trigger button
- 1" Capacity
- SDS Chuck
- Depth gauge
- Auxiliary front handle
- Includes: 3 SDS bits, 1 flat & 1 pointed chisel, chuck key, blow mold case
- UL/CUL



**ITEM#:**

**N127**

**DESCRIPTION:**

**1" SDS ELECTRIC HAMMER DRILL**





## **BOSCH** CLASS # 19 **SDS CONCRETE DRILL**

This factory reconditioned Bosch® concrete drill offers fast and smooth drilling of small diameter holes into concrete and with its compact and light-weight design it is perfect for drilling applications in hard to reach spaces.

The 2 mode selector easily converts from rotary hammer to drill only. An integral clutch helps minimize torque reaction and the trigger is variable speed for accurate bit starting as well as for removing fasteners or bound bits from concrete.



### Specifications:

- 5/8" capacity
- 4.8 Amps / 120 Volt
- 1.4 Ft. Lbs. of impact energy
- Length: 11-4/5"
- Weight: 4.8 Lbs.
- SDS-Plus® bit system for tool free bit changes
- Automatic bit locking
- 2 mode selector for rotary hammer or drill only
- Variable speed trigger
- 360° auxiliary handle with quick release depth gauge
- Service minder brushes eliminate guesswork and stop the tool when preventative maintenance is required
- Includes carrying case
- Factory reconditioned
- One year warranty

### ITEM#:

### DESCRIPTION:

**B1125**

**BOSCH® 5/8" SDS-PLUS® CONCRETE DRILL**

## CLASS # 19

### **BOSCH** 1/2" 2 SPEED HAMMER DRILL

This drill features a Bosch-built high output 8.5 Amp variable speed motor and a 1/2" 3-jaw chuck for rugged hammer drilling applications. 2-speeds will handle both wood and metal drilling and the dual selector allows for easy conversion from rotation only mode to hammer drill mode.

The patented rotating brush plate provides equal power in reverse to easily back out bound-up bits and double brush life. The pistol grip handle is very compact and ergonomically designed with a soft grip. Together with the 360° auxiliary handle with built-in depth gauge, this drill allows for a wide range of movement along with consistent drilling depth.



#### Specifications:

- Amperage: 8.5
- RPM: 0 - 1,000/0-3,000
- BPM: 0-17,000/0-51,000
- Chuck Type: Keyed
- Volts: 120
- Length: 13.4"
- Weight: 6.2 Lbs.
- Factory Reconditioned

**ITEM#:**

**DESCRIPTION:**

**BHD192**

**BOSCH 1/2" 2-SPEED HAMMER DRILL**

## CLASS # 19

# 16 SPEED DRILL PRESS W/ LASER

This is a heavy duty floor model drill press that measures 63" high and features a powerful, 3/4 HP, 120 Volt/550 Watt all ball bearing motor. There are 16 speeds from 210 to 3,670 RPM.

The table turns tilts and is fully adjustable up or down. It has a spindle stroke of 3-1/8" and a 1/2" chuck. The spindle is a Morse taper JT-33 that is fully supported by ball bearings.

This drill press also features a handy laser guide which takes the guess work out of drill bit placement. This is the perfect machine for drilling steel, cast iron, aluminum, brass, wood or plastic.



### Specifications:

- 16 Speed: 210 RPM to 3,600 RPM
- Motor: 120 Volt - 3/4 HP - 550 Watt
- Belt Drive
- Table: 7.8" x 7.8" - Tilt: 360°
- Column: 1-7/8"
- Base: 11" x 7"
- Height: 63"
- Weight: 135 Lbs.
- Chuck: 1/2" MT2a Taper
- Spindle Stroke: 3-1/8"
- Includes Depth Gauge, assembly tools, and chuck key
- CSA/CUS Approved

### ITEM#:

### DESCRIPTION:

234

16 SPEED FLOOR MODEL DRILL PRESS

## CLASS # 19

# 5 SPEED DRILL PRESS W/ LASER GUIDE

This is a heavy duty bench top version of the essential drill press and is the safest most reliable way to get precision drilling results.

It features a powerful, 1/3 HP, 120 Volt/300 Watt motor for consistent spindle speeds and easy change gearing for variable speeds of 620 to 3,100 RPM. The maximum stroke is 2" and a depth gauge is included.

The spindle is a Morse taper JT-33 supported by ball bearings with 1/2" chuck and a handy laser guide ends the guesswork in drill bit placement. The table tilts 360° and measures 6.5" x 6.5" and is fully adjustable up or down.



### Specifications:

- 5 Speed: 620 RPM to 3,100 RPM
- Motor: 120 Volt - 1/3 HP - 300 Watt
- Belt Drive
- Table: 6.5 x 6.5 - Tilt: 360°
- Column: 1-7/8"
- Base: 11" x 7"
- Height: 24"
- Weight: 45 Lbs.
- Chuck: 1/2" MT2a Taper
- Spindle Stroke: 2"
- Includes Depth Gauge, and assembly tools
- CSA/CUS Approved

### ITEM#:

239

### DESCRIPTION:

5 SPEED BENCH TOP DRILL PRESS

## CLASS # 19

# CORDLESS 4-1/2" GRINDER

This 24 volt cordless grinder features a high output quick charge battery that reaches full charge in just one hour. It holds any 4-1/2" grinding disc or cutoff wheel and has 7,000 no load RPM, so it's great for any job.

Includes one grinding wheel, one cutoff wheel, an auxiliary side handle that can be attached for either left or right hand use, a 1-hour quick charger, a 16 amp, 24 volt Ni-cad battery, and a carrying bag. Import.



**ITEM#:**

**DESCRIPTION:**

**N073**

**24 VOLT CORDLESS 4-1/2" GRINDER**

## CLASS # 19



# 14" PORTABLE CHOP SAW

The hefty 15 amp motor in this Hitachi® 14" chop saw produces a no-load speed of 3,800 RPM for greater cutting efficiency. It is portable, rugged and the lightest in its class at only 36.4 lbs and made to withstand daily transport between trucks and jobsites.

The adjustable fence is easy to use and miter 45° to the right or left for versatile applications and the chute on back of the saw diverts sparks and can be angled to suit the workplace. The elastomer coated D-handle absorbs vibration, adds comfort and prevents slippage while making cuts. Includes 14" cut-off wheel and 8mm hex bar wrench.

### Specifications:

- Blade Diameter: 14"
- Arbor Size: 1"
- Amps: 15
- Power Input: 2000W
- No Load Speed: 3,800 RPM
- Max Vise Width: 9-29/64"
- Miter Angle: 45° R/L
- Max Cut Round Pipe: 4-47/64"
- Max Cut Square Stock: 4-43/64"
- Max Cut Rectangular Stock: 9-1/4" x 2-49/64"
- Overall Length: 23-3/4"
- Weight: 36.4 lbs.
- Includes: 14" Blade & Hex Wrench



### ITEM#:

### DESCRIPTION:

HCS14

HITACHI 14" 15 AMP PORTABLE CHOP SAW



## **CLASS # 19**

# **10" BENCH GRINDER**

This bench grinder has a permanently lubricated, shielded ball bearing motor. The motor and wheels are dynamically balanced to assure even rotation. It has oval end bells and a streamlined motor housing for greater grinding clearance. Die cast aluminum housing and heavy gauge steel construction ensure many years of service.

It comes equipped with adjustable eye shields, adjustable spark deflectors, dust chutes, adjustable tool rests, and pull on / push off switch, rubber feet, one coarse and one fine stone. Meets UL requirements.



### **SPECS:**

- **1 HP Motor**
- **2 10"x 1" x 1" Wheels**
- **110 Volts~60Hz**
- **1725 RPMs**
- **14 Amp**
- **150 lbs.**

### **ITEM#:**

**252**

### **DESCRIPTION:**

**10" INDUSTRIAL BENCH GRINDER**

## CLASS # 19

### **BOSCH** 12 VOLT CORDLESS DRILL KIT

**BOSCH** makes it right! These drills have all steel planetary gears, in two variable speed modes: 0 to 400 RPM's and 1 to 1200 RPM's. You get *two battery packs* with 1.4 amp hours of running time. With those and the quick charger, you'll never run out of power. You get their exclusive "single sleeve" keyless chuck, for fast changes of bits, and there's even a slot right on the base of the handle to hold the reversible slotted Phillips bit that's included.

This is the most compact cordless drill on the market; it only weighs 3.4 lbs., but delivers a whopping *200 inch pounds of torque* and, there are six torque settings for any type of material application the drill, charger, and both battery packs fit easily in a compact, but very rugged carrying case.



ITEM#:

DESCRIPTION:

B3305K

**BOSCH** 12 VOLT CORDLESS DRILL KIT

## CLASS # 19

# **SKIL** 14.4 VOLT CORDLESS HAMMER DRILL / DRIVER

These cordless hammer drills by **SKIL** are U.S. made. They come with *two 14.4 volt batteries* and a quick *one hour charger* all enclosed in a very rugged, sure-lock carrying case. This package will really do a big job and take a lot of abuse.

The drill is ergonomically designed to feel right in your hand and cut fatigue. It is equipped with a soft cushion grip, and sturdy handle you can attach to either side. There are *6 power settings*, plus the *hammer action*.

It has a 3/8" ratchet action *keyless chuck* that makes drill changes quick and secure and two *variable speed* ranges from 0 to 1400 RPM's and from 0 to 350 RPM's for heavy drilling.

The drill action is fully reversible, and there is a built in holder right on the gun for the double ended driver bit that is included.



ITEM#:

DESCRIPTION:

2585-RT

**SKIL** CORDLESS HAMMER DRILL/DRIVER

## CLASS # 19

# **SKIL® 18V 1/2" CORDLESS DRILL**

This factory reconditioned Skil® cordless drill will handle the toughest applications. It features an all metal gear train that delivers 400 in-lbs. torque plus the Skil® PowerPlus™ system with Lithium-Ion technology and a 20 +1 position clutch for precise drilling.

The keyless chuck allows for easy bit changes and it is variable speed for maximum efficiency. Also features an Energy Star qualified charger for a better environment. Comes with one 18 volt lithium-ion battery, charger, 2 double ended bits and a carrying bag.

### Specifications:

- 18 Volts
- 400 in-lbs torque
- No Load RPM: 0-450, 0 - 1,400/min
- 1/2" Keyless chuck
- Variable speed
- Battery Amp Hour: 1.3 Amps
- Weight: 2.86 lbs.
- Includes: One 18 volt Li-Ion battery, one charger, 2 double-end drill bits, & carrying bag.
- Reconditioned



### ITEM#:

### DESCRIPTION:

<b>SB2895</b>	<b>SKIL® 18 VOLT 1/2" CORDLESS DRILL</b>
---------------	--

## CLASS # 19

# **SKIL** 18V 4 TOOL COMBO KIT

This 18v Lithium Ion tool kit from Skil® features 4 popular cordless tools in one convenient carrying bag. Lithium Ion batteries hold a charge 4 times longer than other batteries so they're ready whenever you need them.

These powerful tools are lighter in weight to reduce user fatigue and the kit comes with two batteries so you're always ready for any application. All tools in this kit are factory reconditioned kit and feature a one year warranty.

Includes:

- 1/2" x 2 Speed Drill/Driver
- 5-3/8" Cordless Skilsaw
- Cordless Reciprocating Saw
- Pivoting Head Flashlight
- 2 Lithium Ion 18V Batteries
- Charger
- Side Assist Handle for Drill
- 1- 5-3/8" x 18 Tooth Sawblade
- Carrying Bag



**ITEM#:**

**DESCRIPTION:**

**SB2800KIT**

**SKIL 18 VOLT LITHIUM ION 4 TOOL KIT**



## CLASS # 19

# ELECTRIC SAWZALL

This is the '*Milwaukee*' Sawzall model # 6507-21. This saw is made by '*Milwaukee*' Electric in Wisconsin. They are the company that invented the 'Sawzall'. This model features the 6.5 amp, 450 watt *Milwaukee* electric motor.

The motor speed is variable, 0 to 2600 strokes per minute and the stroke measure a full 3/4". The shoe is adjustable for versatility and the blade clamp has direct access for quick blade changes. The unit features all ball and roller bearings for a long service life and the 8' power cord is positioned to allow easier plunge cuts in the work surface without getting in the way.

The Sawzall will cut any type of material with the appropriate blade installed. No starting hole is needed for plunge cuts into flooring or walls and the saw comes in a 20 gauge red steel tool box, which is synonymous with *Milwaukee* tools.

**PLEASE NOTE: THIS IS *NOT* A "SUPER SAWZALL" AND IT IS *NOT* A TWO SPEED SAW.**



ITEM#:	DESCRIPTION:
6507-21	<i>MILWAUKEE</i> VARIABLE SPEED SAWZALL



## CLASS # 19

# **JEPSON 10" MITER SAW**

This is the Jepson 10" miter saw which is ideal for cutting plastic, metal bar and channel, and non-ferrous metals such as aluminum and copper. It features all ball bearing construction and hardened steel gears for durability.

It has a brand new, lighter design, a smart new look and a great new feel. Jepson has added more positive stops in the miter and a much more efficient clamp system. It has a clear, automatic retracting lower guard for visibility and safety. This miter saw cuts from 0 to 45° left or right angle.

The saw comes with 1 blade the dust bag and a hex wrench.  
**1 YEAR WARRANTY THROUGH JEPSON**



### **SPECS:**

- 15 Amp 115 V
- 10" Blade Diameter, 5/8" Arbor
- Max. Cutting Capacity @ 45° - 2-1/4"x 3 1/2"
- Max. Cutting Capacity @ 90° - 3-1/2"x 4 1/8"
- 4,500 RPM
- 31 Lbs

### **ITEM#:**

**237**

### **DESCRIPTION:**

**10" JEPSON MITER SAW**

## CLASS # 19



# VARIABLE SPEED JIGSAW

This is from the new heavy duty line of power tools from **SKIL**. It is a 5.0 Amp, variable speed Jigsaw that is capable of tackling the most rigorous cuts. It features easy, secure blade change with tool-less blade clamp and will take all standard 'U- shank' jigsaw blades.

It features a UL listed, double insulated, 5.0 Amp motor, versatile, 4-position orbital cut control, and a built in work light. This jigsaw will rip through most material with a no load speed of 800 to 3200 strokes per minute.

It also features an 'open foot' design for better visibility, ergonomically designed, soft grip for unmatched comfort and control where you need it, a 'two finger' trigger with lock-on, and tool-less foot adjustment so you can easily cut angles.

There is a 2-year, home use warranty serviced through **SKIL** and meets all OSHA requirements. Includes 3 blades, a blade storage tray, and a heavy duty carrying case.



### Specifications

Cutting Capacity - Hard Wood	1-3/8"
Cutting Capacity - Aluminum	1/2"
Cutting Capacity - Mild Steel	1/4"
Cutting Capacity - Soft Wood	2 1/4"
Voltage	120 V
Max. Bevel Cut	45°
Amperage	5.0 Amp Motor
Weight	5.7 lbs.
Cord Length	6'
No Load SPM	800-3,200 SPM
Certifications	cULus
Shipping weight	8.00 lbs.

ITEM#:

DESCRIPTION:

HD4390

**SKIL** VARIABLE SPEED ORBITAL JIGSAW

## CLASS # 19

# **SKIL** 7 1/4" CIRCULAR SAW

Anyone who uses tools knows what a '**SKIL**' saw is because they're the standard in the industry: known for exceptional cutting accuracy, and smooth power that won't "bog down" under a heavy load, regardless of the kind of wood; 'green' or 'kiln dried'.

These are powerful 13 amp saws with 2.4 horsepower, all ball bearing motors. They'll cut 2 1/2" deep at 90° and 2" at 45°. It has a convenient front depth adjustment knob and a rear depth adjustment, heavy duty safety switch with lock-on feature, and an auxiliary handle built right into the motor housing.

The foot, or base, of the saw is heavy duty, heat treated steel that will not warp, even under intense heat. The blade wrench has its own storage area in the base and the bevel adjustment is calibrated and is locked in place with a wing nut.

These have the **SKIL** "Accu-Sight" feature built in to the base to keep your cut on line. They also have a lower, anti-snap guard design to reduce snags when making narrow cuts. **RECONDITIONED**



### Specifications:

Weight	11.9 lbs
Voltage	120 V
Rating	13 Amp
Motor H.P.	2.4
No Load RPM	4,600 / min
Depth of cut at 45°	1.9 "
Depth of cut at 90°	2.4"
Arbor Size	5/8"
Cord Length	6'
Blade Diameter	7 1/4"
Certifications	cULus
Country of Origin	USA

ITEM#:

DESCRIPTION:

HD5500

**SKIL** 7 1/4" CIRCULAR SAW

# CLASS # 19

## **SKIL® 7-1/4" CIRCULAR SAW**

This Skil® circular saw features a 2-point line of sight which increases visibility allowing user to cut straighter lines with ease. The safety lock on the trigger minimizes accidental starts and the anti-snag lower guard allows for smooth operation.

A rear level depth adjustment quickly assures accurate cutting depth in material and the durable ball bearing motor gives this saw a longer life. The foot is 20% larger than previous versions providing more stability, and more control during cutting. This saw is new, not reconditioned.



### Specifications:

Weight	11.8 lbs
Voltage	120 V
Rating	13 Amp
Motor H.P.	2.3
No Load RPM	5,000 / min
Depth of cut at 45°	1-15/16"
Depth of cut at 90°	2-7/16"
Arbor Size	5/8"
Cord Length	6'
Blade Diameter	7-1/4"
Includes	20 Tooth Saw Blade
Condition	New (Not Recon)

**ITEM#:**

**DESCRIPTION:**

**SB5480**

**SKIL® 7-1/4" CIRCULAR SAW**

## CLASS # 19

# **JEPSON FINISHING SANDER**

This rugged finishing sander is ideal for an assortment of industrial applications including cabinet and automotive finish sanding. It features all steel ball bearing construction for extra smooth operation and special recessed paper clamps to permit flush sanding on all four sides.

It has a comfortable palm grip and a finger touch on/off switch for easier and more efficient sanding and uses just a 1/4 sheet of standard sandpaper. Also has a convenient dust bag to make cleanup easier.



### **Specifications:**

- Power Input: 1.8 Amp /115 V/210W
- Sanding Pad Size: 4 3/8" x 4"
- Round Pad: 6"
- Sanding Orbit/Min.: 13,000
- Power Cord: 8.2'
- Weight: 3.0 lbs
- Dust Bag Included

**1 YEAR WARRANTY SERVICED THROUGH JEPSON.**

**ITEM#:**

**DESCRIPTION:**

**J6246**

**JEPSON 4" ELECTRIC FINISHING SANDER**

## CLASS # 19

# **SKIL®** OCTO MULTI SANDER

This factory reconditioned Skil® multi finish sander has advanced features to get the job done. Includes 8 detail attachments for finishing hard to reach surfaces with various contours.

Includes built in work light to increase visibility in dark corners and three position nose detail to maximize use of abrasives when sanding in corners. It comes with a professional Skil® carrying bag.

### Specifications:

- 8 detail attachments for various contours
- Finger
- Slot
- Convex
- Outside corner
- Inside corner
- Attachment support plate
- Delta extension
- 3-Position Delta Pad (on tool)
- 3-Position nose detail
- Built in work light
- Dust sealed switch extends tool life
- Includes carrying bag
- Paper not included
- Factory reconditioned
- One year warranty



**ITEM#:**

**DESCRIPTION:**

**SB7300**

**SKIL® OCTO MULTI-FINISH SANDER**



## CLASS # 19

# **SKIL® SHEET PALM SANDER**

This factory reconditioned Skil® palm sander features pressure control technology with a 4 level LED display which alerts the user when excessive pressure is applied that may reduce the level of professional results.

A micro filtration system captures and contains fine particulates that may pass through the weaving of a traditional bag filter and the clear dust canister removes the guess work of when to empty the dust container.

A built in vacuum adaptor maximizes dust collection and fits standard 1-1/4" vacuum hoses. The dust sealed switch extends the life of the tool.

### Specifications:

- 2.0 Amp Motor
- Speed: 0 - 14,000 OPM
- Dust sealed switch extends tool life
- Pressure control technology with 4 level LED display
- Micro filtration system
- Clear view dust canister
- Built in vacuum adapter fits 1-1/4" vacuum hose
- Factory reconditioned
- One year warranty



ITEM#:	DESCRIPTION:
SB7292	SKIL® SHEET PALM SANDER

## CLASS # 19

### **BOSCH** 3 1/4" ELECTRIC PLANER

These are perfect for planing those troublesome doors and one of the handiest tools in the wood shop for quick stock removal and smooth finish on almost any size project.

They have a 5Amp motor that turns 18,000 RPM and an electronically counter-balanced single blade system that automatically positions blade at the most effective cutting angle. This eliminates uneven planing caused by misaligned blades.

The ratcheting depth knob allows setting of depth increments from 0" to 1/16" within one revolution without the need to re-zero the depth. The chip ejection switch directs shavings left or right and the edge guide fence will ensure consistent planing through the entire workpiece. There is also a protective shield that covers the section of blade not in use.



Includes: 2 **BOSCH** Woodrazor™ blades, guide fence, blade wrench, and chip bag. UL Listed and meets OSHA requirements.

**RECONDITIONED – 1 YEAR WARRANTY**

**ITEM#:**

**DESCRIPTION:**

**SB3365**

**BOSCH 3 1/4" ELECTRIC PLANER**

# CLASS # 19

## CENTURY BATTERY CHARGERS



### MODEL 87102

This is the ideal compact battery charger for 6 and 12 volt maintenance free and conventional batteries that are used in cars, trucks, farm equipment, RV and marine vehicles. The 10 Amp setting for the larger vehicles will charge batteries up in 3 to 5 hours while the 2 amp setting is ideal for 12 volt motorcycle or lawn mower batteries.

The large, heavy duty clamps are color-coded, easy to use, and give you reliable, solid connections, even in freezing weather conditions.

### MODEL 87106

This is the same as the economical 10/2 Amp charger, but it has the added features of a reverse connection warning light, and a “complete charge” indicator light. There is also has a 55 amp engine start to help crank over stubborn motors.

It has the same 3 to 5 hour charge time for almost any 12 Volt battery, conventional or “maintenance free”. It also has the 10 amp high rate charge and the 2 amp low rate charge. There is an automatic off-on feature that shuts the charger off when it is fully charged up; and, resumes charging if the battery becomes discharged.



ITEM#:

DESCRIPTION :

87102	10/2 AMP AUTO BATTERY CHARGER
87106	10/2 AMP BATTERY CHARGER W/BOOST

## CLASS # 19

# 12 & 24 VOLT ROLL-AROUND CHARGER

This roll around battery charger has a 600 Amp starter current and an adjustable timer for quick charge, set & forget. It runs on standard 110 Volt household current and has sturdy, rubber wheels.

This heavy duty 'Monster' battery charger will work with 12V and 24V batteries and is perfect for cars, boats, trailers and RV's.



ITEM#:

DESCRIPTION:

87422

12V & 24V ROLL AROUND BATTERY CHARGER

# CLASS # 19

## CENTURY FLEET BATTERY CHARGER



These battery chargers are USA made by Century. These are the fleet type, the ones on roll around wheels for cars, trucks, and tractors. They can re-charge 6 volt, 12 volt, and 24 volt batteries. They have a big 235 amp starting charge with a timer and automatic shut off.

You get a big, easy to read, color coded meter, and automatic resetting circuit breakers to prevent overload. The clamps are rugged, top or side post clamping, and the pull along handle adjusts to three positions. It runs on 115 volt household current and there is also a charge level ampmeter and voltmeter.

These Fleet Chargers have a two year warranty and exceed standards set by UL, OSHA, and ANSI. USA made.



**ITEM#:**

**DESCRIPTION:**

**87603**

**FLEET 6/12/24 V CHARGER W/ STARTER**



## CLASS # 19

# JUMP STARTER W/ AIR COMPRESSOR

This 12 volt, self-contained booster pack delivers 900 Amps of peak power and 400 amps of starting power for instant jump starting of a dead battery. They also have a built-in, 260 PSI air compressor for flat tires, air mattresses, inner-tubes, rafts, and balls.

This is a perfect take-along supply of jump start power and air power. It has copper, rubber insulated, 4 gauge, 400 Amp jump-start cables that store neatly on the sides of the housing. There is also a 12 V/DC cigarette lighter output, and an automatic charge cutoff.

This unit also features a built in worklight, a built-in volt meter, battery condition display and rechargeable battery. Imported.



### Specifications:

- **Battery:** Sealed, lead-acid, rechargeable.
- **400 Amps Start / 900 Amps Peak**
- **17 Amp-Hours - 12V/DC**
- **Hi Impact Resistant ABS Housing**
- **260 PSI Air Compressor**
- **Safety Switch**
- **Overload Protection**
- **Automatic Charge Cutoff (14.5 V-15.5 V)**
- **AC/DC Power Pack**
- **400 Amp Colored Battery Cables**
- **Inflating Needle and Air Raft Tips**
- **Weighs 18 Lbs.**

**ITEM#:**

**DESCRIPTION:**

**243**

**JUMP STARTER W/ AIR COMPRESSOR**



## CLASS # 19

# LITTLE GIANT JUMP STARTER

This is the most effective jump starter ever marketed! By compensating for the 'lost voltage' in a 'dead' battery, the Little Giant doesn't need a powerful or large battery to jump start a vehicle. Simply put, when the Little Giant is attached to a battery it increases the voltage just high enough to get current flowing through the cables so it can start the car.

Unlike conventional jump starters that have to pass high current in order to start a car, the Little Giant adds to the voltage already present in the battery, no matter how low the voltage has dropped, bringing it up automatically to a full 12 volts. It also eliminates the danger of hooking up a battery with high current which can explode causing acid burns and fire.

The Little Giant is smaller and lighter in weight than a conventional starter and features a flexible, LED light that will burn brightly for 11 days without re-charging.



### Little Giant Features:

- Low Battery Indicator
- Jumps Up To 24 Batteries Without Re-Charging
- Permanent, Built In Battery Charger
- 9 Amp Hour Battery Provides 1,500 Peak Amps
- Automatic Circuit Breaker Protects Vehicle's Electronics if Cables Are Accidentally Reverse Connected
- Stable, Compact, Non-Tip Design
- Patented Micro-Processing Voltage Enhancer
- Built In, Flexible LED Light
- Protective Impact Bumper
- Easy To Use And Handle
- Weighs 8.8 Lbs.



ITEM#:

244

DESCRIPTION:

LITTLE GIANT JUMP STARTER

## **CLASS # 19**

# **BATTERY TESTER**

This is a handy item for any shop, even your home garage. It's a quick clamp battery tester that will accurately read the charge on any 6 volt or 12 volt battery for auto or trucks. It tests the start cranking charge for excessive current draw and tests the charging system to see if the battery will hold a charge, all with a simple 30 second test.

The positive and negative clamps are heavy duty and insulated. The meter is color coded, easy to read, and reads from 1 to 16 Volt. It has a ventilated steel case, a 50 amp load and a heavy duty on/off switch.

**IMPORTED**



<b>ITEM#:</b>	<b>DESCRIPTION:</b>
<b>AE101</b>	<b>BATTERY TESTER</b>

## **CLASS # 19**

# **5" x 6" H.D. METAL BAND SAW**

This is the “**SHOP FOX**” - 176 lbs. of big band saw cutting power with a **5" capacity in round stock** and a **5" x 6" capacity for rectangular stock**. The 110V/220V motor is 1 horsepower, single phase that delivers 2000 RPM and it is all ball bearing. It has an automatic shut-off and all ball bearing blade guide as well as three different blade speeds: 80, 120, & 200 FPM (feet per minute). Round stock capacity at 45° is 4" and when cutting a rectangle at 45°, capacity is 2 15/16" x 3 3/4". The blade IS 64-1/2" x 1/2" and included with the saw.

The overall height is 42-1/2" Horizontal, and, 54-3/4" Vertical. The table height is 29" from the floor. This unit comes with large rubber wheels and a handle to move it around easily.

### **‘SHOP FOX’ 5" x 6" METAL BAND SAW**

**ITEM #: 229**

**TWO YEAR WARRANTY**



## CLASS # 19

# **SKIL® BAND SAW WITH LIGHT**

This factory reconditioned Skil® band saw features a laser cutline guide for accurate cuts every time. The articulating LED worklight ensures that the work piece is clearly lit.

EZ view blade tracking makes blade alignment very simple and a quick change blade system provides fast and easy blade changes. It has a rack and pinion table adjustment for quick angle and height adjustments as well as a rip fence for straight, accurate cuts.

This saw also features a miter gauge to guide work pieces when making rip cuts and a bump-off switch for added safety.



### Specifications:

- 2-Speed motor for wood or metal based materials
- Height: 30"
- Dust port accepts standard shop-vac hose
- Laser cutline guide
- 9" capacity
- Rack and pinion table
- Rip fence
- Includes 6-TPI blade
- Factory reconditioned
- One year warranty

**ITEM#:**

**SB3385**

**DESCRIPTION:**

**SKIL® 9" CAPACITY BAND SAW W/LIGHT**

## CLASS# 19

# 12 VOLT CORDLESS CAULKING GUN

This is a 12 Volt Cordless Caulking gun that will really save time and elbow grease on your kitchen, bath, windows or any other caulking project. It takes standard sized 10 Oz. caulk tubes, and works with most caulking compounds including urethane.

It is variable speed from 0 to 270 mm per minute which puts you in control and reduces wasted 'over-caulking'. It has a 1-hour, fast charge 1300mAH Ni-Cad battery which will handle several tubes of caulking or sealant per charge. Comes with an aluminum caulk holder, battery charger and heavy duty carrying case.



**ITEM#: DESCRIPTION:**

<b>AE103</b>	<b>12 VOLT CORDLESS CAULKING GUN</b>
--------------	--------------------------------------


## CLASS # 19

# ACE 10" TABLE SAW

These 10" table saws are the ideal answer for cross-cutting, ripping, angle and miter cuts in both hard and soft woods. They come with a 10" x 40 tooth carbide tipped blade with a depth of cut that is adjustable up to 3" at 90°.

The blade tilts for bevel cutting to 45° and it has a built in miter gauge for angle cutting to 60°. It has an adjustable rip fence that locks in both the front and rear for precision accuracy and the table is a heavy duty, 1" thick, cast aluminum that measures 27 1/2" by 18".

The 1 HP motor is 1500 watts, 120 volt/60 Hz. The blade speed is 4800 RPM. It also has a "see through" blade guard for safety, as well as overload protection with a reset button. The base is fully enclosed with dust extraction facility. **IMPORTED**



**ITEM#:**

**AE104**

**DESCRIPTION:**

**ACE ELECTRIC 10" TABLE SAW**



## CLASS # 19

# **SKIL®** 10" TABLE SAW

This factory reconditioned Skil® 10" table saw features a 15 Amp, 5000 RPM motor for cutting through treated lumber. With the integrated handles, it is easily transported from site to site.

It has a large die cast aluminum table and self aligning rip fence with EZ View measurement system for accurate settings and measurements. A miter gauge guides the work pieces when making rip cuts and the soft-grip control handles add increased comfort and less fatigue.



### Specifications:

- 15 Amp / 120V motor
- Hertz: 60Hz
- Bevel: 0° - 45°
- Dado capacity: 1/2"
- No load speed: 5,000 RPM
- Depth of cut @ 90° - 3"
- Depth of cut @ 45° - 2-1/2"
- Table top dimensions: 16-1/4" x 26"
- Includes 1 carbide blade, 2 blade wrenches, and self aligning rip fence
- Factory reconditioned
- One year warranty

### ITEM#:

**SB3305**

### DESCRIPTION:

**SKIL® 10" TABLE SAW**

## CLASS # 19

# **SKIL® WET TILE SAW**

This factory reconditioned Skil® wet cutting tile saw features a stainless steel tabletop that is resistant to corrosion. It has an adjustable rip fence with miter gauge for accurate straight and miter cuts and 0-45° bevel for a wide range of cuts.

The water reservoir keeps the blade cool and minimizes dust and debris. Uses a 7" diamond blade, (one blade is included.) Factory reconditioned.

### Specifications:

- 4.2 Amp
- 120V
- Bevel: 0° - 45°
- Blade Diameter: 7"
- 3,600 RPM
- Weight: 18 lbs.
- Blade Guard Included
- Blade Wrench Included
- 7" Diamond Blade
- Factory reconditioned
- One year warranty



ITEM#:	DESCRIPTION:
SB3540	SKIL® 7" WET CUTTING TILE SAW

## CLASS # 19


# 18 VOLT CORDLESS CIRCULAR SAW

These cordless circular saws have a 5-3/8" blade and 18 volts of battery power. The no load speed is 2400 RPM, so it won't bog down on tough cuts. It has an adjustable cutting plate and rip fence and set up just like a standard, corded saw.

They bevel cut to 50° to give you more versatility and have a maximum cutting depth of 1-1/2" at 90° and 1-1/8" at 45°. They're easy to handle with an ergonomically balanced design which reduces hand and arm fatigue.

Included with the saw is a 5-3/8" blade, battery charger, and one battery pack in a convenient, heavy duty ABS carrying case. These saws are perfect for those quick jobs in the field where there is no electricity, or just around the shop when you don't want to search for an extension cord and outlet.

IMPORTED



ITEM#:	DESCRIPTION:
AE112	18 VOLT CORDLESS CIRCULAR SAW

## CLASS # 19

# ROTOZIP SAW BITS

This is a pack of 10 bits with a 1/8" shank and both fit in the collets of any manufacturer's zip saw but are genuine Bosch® RotoZip® bits.



ITEM#:

DESCRIPTION:

AEBIT

SAW BITS FOR SPIRAL ZIP SAW

## CLASS # 19

# 7" ELECTRIC CUT-OFF SAW

This 7" cut off saw is just like the big 14" model, but without all the bulk and size. You can easily move it around with one hand like a circular saw. It weighs just 11 lbs. with the built in base yet it has a powerful 5 amp motor that turns at a maximum 8,300 RPMS.

The heavy duty trigger can be locked 'on' for continuous cutting, and the built-in spindle lock and 7/8" arbor makes changing wheels a snap. You can even make bevel cuts by adjusting the base. Includes a quick release vise to hold most materials up to 4" thick. Import.



ITEM#:

AE117

DESCRIPTION:

7" ELECTRIC CUT-OFF SAW

***(DON'T FORGET EXTRA CUT-OFF WHEELS!)***





## CLASS # 19

# 7" BENCH TOP TILE CUTTER

This powerful, bench top tile cutting saw will cut tile up to 12" wide and 1" high. The heavy duty, chrome plated table is 15" x 15" and tilts to 45° for bevel cuts.

It features a 1-1/2" wide locking fence and a 'V' block for stabilizing the piece being cut and is powered by a single phase, 110 volt, 3/4 hp motor.

This saw will cut wet or dry and includes a PVC tub underneath the table for the water or coolant bath. It has a 1" arbor and turns at 3,600 RPM.

Includes a 7" diamond blade and blade guard for wet cutting. Imported.



ITEM #:

DESCRIPTION:

AE129

7" ELECTRIC TILE CUTTING SAW



## CLASS # 19

# GAS POWERED PRESSURE WASHER

This is a 2,000 PSI, gas powered pressure washer, an essential tool for painters, mechanics, homeowners, and professional cleaners. It features a 2.4 hp. easy start, four stroke commercial engine and it will run for hours on just 1.6 liter of unleaded fuel.

It includes a commercial grade, high pressure hose and spray gun, and four quick change nozzles to vary the spray pattern and intensity. This unit rests inside a rugged steel-framed cart and rolls easily on its' two pneumatic wheels. IMPORT



### Specifications:

- ✓ Quiet, efficient EPA/CARB-approved 2.4 HP OHV easy-start four-stroke commercial engine
- ✓ 2000 maximum PSI , 1400 working PSI , 1.85 GPM
- ✓ Low-oil shutdown, thermal protection, low-pressure detergent injection.
- ✓ Includes 25' high-pressure hose, heavy-duty spray wand, and four nozzles for versatility.
- ✓ Weighs just 55 lbs; easy-roll cart with pneumatic wheels, hose hangers.
- ✓ Maintenance free metal pump.
- ✓ EPA/CARB Approved gas engine.
- ✓ Speed: 3,600 RPM
- ✓ Fuel type: Unleaded gasoline

### ITEM#:

### DESCRIPTION:

937	2,000 PSI GAS POWERED PRESSURE WASHER
-----	---------------------------------------

## CLASS # 19

# 1,800 PSI ELECTRIC POWER WASHER

The Campbell Hausfeld electric pressure washer is ideal for decks, driveways, fencing, siding, vehicles and other equipment. It has a heavy duty universal motor and a turbo lance that boosts PSI to 1,900.

The fan lance is adjustable from 0° to 60° and it is equipped with a hose reel for easy storage and mobility as well as a 35' GFCI power cord for safety. It's also equipped with an on-board rear detergent tank and large wheels for easy transport.



### Specifications:

- Operating Pressure: 1,800 PSI
- Flow Rate: 1.5 GPM
- Cleaning Power: 2,700 (PSI x GPM)
- Voltage: 120V
- Amps: 14
- Power Cord: 35' GFCI
- Wheels: Plastic
- Pump Type: Wobble
- High Pressure Hose: 25'
- Temperature: Cold Water
- Detergent Tank Capacity: 1.5 Liters
- Weight: 30 Lbs.
- Size: 22"H x 11-1/2"W x 15"D



ITEM#:	DESCRIPTION:
PW1835	1,800 PSI ELECTRIC PRESSURE WASHER

## CLASS # 19

# DIGITAL AC/DC MULTIMETER

This compact, digital, 3-1/2 digits multimeter is used for measuring both AC (alternating current) and DC (direct current) voltage, current, resistance, diode, transistor, battery and continuity.

They feature polarity indication, data hold, over range indication, and an auto power off. They are easy to operate and ideal for use in the field, work shop, laboratory, or home applications. Includes the test leads, a cradle with a folding stand and a 9V battery. Import.



### Specifications:

- Display: LCD, 1,999 counts
- Sampling Rate: 2-3 times/sec
- Over range Indication: "1" shown on LED
- Polarity indication: "-" showed automatically
- Operating temperature: 0° C~40°C, <75% RH
- Storage temperature: -10°C~50°C <85% RH
- Input impedance: 10MΩ
- Accuracy:  $\pm (0.5\% + 5)$  DC Voltage
- Accuracy:  $\pm (1.2\% + 5)$  AC Voltage
- Overload protection: 200mV range: 220Vrms



**ITEM#:**

**DESCRIPTION:**

**AE100**

**DIGITAL AC/DC MULTIMETER**

## **CLASS # 19**

### **2 PC. 16" SDS DEMOLITION CHISELS**

This is a 2 piece set of demolition hammer chisels that fit the demolition hammer # AE133. They have the SDS 1-1/8" shanks and are made of heavy gauge steel.

There is one 16" bull point and one 16" flat chisel in this set and they are packed in separate, plastic tubes. Each chisel weighs approximately 4 lbs.



<b>ITEM#:</b>	<b>DESCRIPTION:</b>
<b>AE133CH</b>	<b>2 PC. SDS DEMOLITION CHISEL SET</b>

# **CLASS # 19**

## **ELECTRIC DEMOLITION**

### **JACKHAMMER WITH 2 CHISELS**

This Demolition Hammer is a Monster!! It weighs in at a whopping 53 lbs. and comes complete with two huge chisels and everything you need to start busting into that hard concrete or asphalt you have to remove. You even get a pair of cotton gloves in the mix.

It is electric, 110 volt ~ 60 Hz. 1240 watts and a no load speed of 1400 RPM's. It has a 360° swivel side handle with rubber grips and the heavy duty metal housing is rust resistant.

It comes in a heavy duty metal carrying case that measures 27" long, 12" wide and 6" deep. The kit includes a 16" bull-point chisel, a 16" cold chisel, an oil feeder and a tube of oil, 2 hex keys, a hex wrench, and a pair of cotton gloves. Oh, did I mention it weighs 53 lbs.?

'NEIKO' BRAND - IMPORTED



**ITEM#:**

**DESCRIPTION:**

**AE133**

**ELECTRIC DEMO HAMMER WITH CHISELS**

## CLASS # 19



This Industrial, electric demolition hammer is a beast!! 1700 Watts of mean, busting, breaking machine!! It packs 1,000 to 2,100 BPM for the most brutal busting of concrete, asphalt, or anything else that gets in its' way!

Features a padded rear handle and a sure grip, padded side handle for user comfort, and comes with 2 monster SDS chisels and a heavy duty, blow mold carrying case with two rugged wheels on one end and a grab handle on the other so the unit can be easily rolled from job site to job site.

110 Volt, 60 Hz, 16Amp with a 16' cord. Weighs 55 Lbs. Carrying case measures 28" x 10" x 6". Imported.



**ITEM#:**

**DESCRIPTION:**

**AE137**

**'THE DEMOLISHER' ELECTRIC DEMO HAMMER**



## CLASS # 19


# 115 VOLT PORTABLE SPOT WELDER

Spot welding is a type of resistance welding used to weld various sheet metals. The process uses two shaped copper alloy electrodes to concentrate a welding current and force between the materials to be welded. The result is a small 'spot' that's quickly heated to the melting point, this forms a nugget of welded metal after the current is removed.

Perhaps the most common application of spot welding is in automobile manufacturing, where it is used almost universally to weld the sheet metal to form a car.

This is a single phase and portable, electric spot welder that can be used with mild, galvanized or stainless steel. It features electric control of the spot welding time and an applied spot welding thickness of 1.0 + 1.0 mm.

IMPORT



ITEM#:

DESCRIPTION:

AE135

115 VOLT PORTABLE SPOT WELDER

## CLASS # 19

### 3" x 21" BELT SANDER WITH BAG

These are compact, heavy duty belt sanders that are right at home in a production wood shop. They're 760 Watt, 110 volt, electric sanders that have the attached bag, so the shop or worksite stays clean.

The motor is double insulated, all ball bearing with a heavy duty, locking trigger switch. You get a belt speed of 1,378 feet per minute and a quick belt adjustment that makes belt change easy and lets you get right down to work. It has a UL listed, flexible 8' grounded cord. **IMPORTED**



**ITEM#:**

**DESCRIPTION:**

**AE121**

**3" x 21" BELT SANDER WITH BAG**

***DON'T FORGET EXTRA SANDING BELTS:***



## CLASS # 19



# **BOSCH 11 AMP RECIPROCATING SAW**

The Bosch reciprocating saw makes cutting easy with its lightweight feel and comfort grip and the dual LED light illuminates cutting areas. 11 amps make this saw the most powerful tool in its class.

It has a tool-less blade change system for fast and effortless blade change and removal and the saw hook allows convenient storage between cuts. The variable speed trigger improves cutting control in various materials and the cutting capacity is 1-1/8". These saws are new, not reconditioned.



### Specifications:

- 11 Amp
- 120 V
- 1-1/8" capacity
- Length: 19"
- Weight: 8.5 lbs.
- Adjustable foot push button design
- 0-2,700 SPM no load speed
- Cord length: 8'
- Carrying case & saw blade included



### ITEM#:

### DESCRIPTION:

**BRS7**

**BOSCH 11 AMP RECIPROCATING SAW**

## CLASS # 19

# **BOSCH FINECUT POWER HANDSAW**

This is the ideal tool for flush cutting doorjambs, window jams, shims, PVC drainpipe, flooring and more with its versatile, flush-cutting ability. It features a 3.5 Amp, 2,000 to 2,800 RPM motor, an innovative anti-vibration system for low vibration and smooth cutting, and a variable speed dial to match the speed to the workplace and task.

This tool is light and compact for better maneuverability in different job applications and is easy to use even in tight spaces. The blades mount on left or right side for excellent versatility and visibility and blade changes are tool free, quick and easy. Reconditioned. One year warranty.



### Specifications:

- Amperage: 3.5
- RPM: 2,000 - 2,800
- Stroke Length: 5/8"
- Length: 12"
- Voltage: 120V
- Max. Capacity - Wood: 2-1/2"
- Max. Capacity - Plastic: 3/4"
- Max Capacity - Non Ferrous Metals: 1/8"
- Dual LED Lights
- Weight: 3.5 Lbs.
- Reconditioned - One Year Warranty

### ITEM#:

**B1640VS**

### DESCRIPTION:

**BOSCH FINECUT POWER HANDSAW**

## CLASS # 19

# 12 VOLT CORDLESS GREASE GUN

Here's the answer to a messy problem. These cordless grease guns are 12 Volt, which is plenty of power to deliver a runoff capacity of up to one and a half ounces per minute at 6,500 PSI so you don't need to drag around an air hose, or extension cord, or crank on a manual gun. Greasing bearings or zirc fittings is now fast and fun again...with no mess.

They have a 14 1/2 oz. reservoir tube and a 30" flexible hose and can be easily loaded with standard grease cartridges, from a bulk container or using a filler pump. They have a hard ABS shell and a steel cartridge tube with an air bleeder valve at the top.

Comes with a one hour, quick charger and two battery packs in a rugged, hard shell carrying case. **IMPORTED**



**ITEM#:**

**N12VCG**

**DESCRIPTION:**

**NEIKO 12V CORDLESS GREASE GUN**



## CLASS # 19

# 18 VOLT CORDLESS GREASE GUN

This 18 Volt, cordless grease gun will deliver fast and easy fleet service out in the field, and now, with the added feature of a 12 Volt thermal warmer the grease will keep flowing even under the coldest weather conditions. You simply wrap the warmer around the grease cartridge and plug it in to any 12 Volt cigarette lighter receptacle until desired temperature is reached.

The gun has a 10,000 PSI working pressure and comes complete with a 1 hour, 18 Volt quick charger and two 18 Volt rechargeable, DC batteries, so you're always ready for quick and easy lube applications on any job site.

This professional model grease gun comes complete with an extra long 42" flexible hose with dual spring guards, long enough for even those hard to reach grease points. Also includes a nylon carrying strap and a heavy duty molded carrying case. IMPORT



### Specifications:

- 10, 000 PSI Working Pressure
- 18 Volt Cordless/Rechargeable
- 14 Oz. Grease Reservoir
- 42" Flexible Grease Hose
- Battery Charge Time: 1 Hour

### Includes:

- Two 18v Rechargeable Batteries
- 18v UL Quick Charger
- Nylon Carrying Strap
- Blow Mold Storage Case



**ITEM#:**

**DESCRIPTION:**

**N18VCG**

**18V CORDLESS GREASE GUN W/ WARMER**



## CLASS # 19

# 1/2" CORDLESS IMPACT WRENCH

These cordless impact wrenches deliver 280 foot pounds of torque. You can change a flat tire in no-time, or have reserve power for a tough situation like driving big lag bolts, or securing heavy machinery. They can be used on production assembly lines or big shop projects. Instead of using an air power wrench and snaking the hose all around and over your work, you just grab a cordless impact wrench, and you're done!

These Impact Wrenches are 24 volt and reversible. They have an electric brake that quickly stops the variable speed motor and the kit comes with one Ni-Cad battery, one charger and a blow mold carrying case. Imported.

### Specifications:

- 24 Volt / 1/2" Drive anvil
- Variable Speed to 2800 RPM
- 3000 BPM (Blows Per Minute)
- Quick, 1-hour Charger
- One – Hi Output 1300 mAh Battery
- Max. Torque: 280 Nm
- Soft Grip Handle
- Includes 4 sockets:  
11/16", 3/4", 13/16" & 7/8"
- ABS Carrying Case



**ITEM#:**

**DESCRIPTION:**

**AE130**

**1/2" CORDLESS IMPACT WRENCH**

## CLASS # 19

### 3.6 VOLT CORDLESS SCREWDRIVER

This is a handy little tool to have around; a 3.6 volt, quick rechargeable screwdriver with an assortment of 29 screwdriver bits, (Philips, flat, hex bit, torx, and star), and 8 sockets, (1/4" to 1/2"). The palm-grip driver can also be configured either straight or at an angle for any spot you need to get into.

This, of course, is a **cordless** screwdriver so you can take it anywhere for any application, and with the various bits that are included you'll have about everything you need right in the palm of your hand.

The torque rating on this cordless screwdriver is 1.5 Nm, ('Nm' stands for 'Newton-Meter', a unit of torque. One Nm equals 0.74 foot-pound). The driver, the bits, the 8 sockets, the socket adapter, and the charger all come stored neatly in a heavy duty carrying case, and the bits and sockets are in their own holders so they're not loose and rattling around inside the case. The battery on this unit is internal, so there is no battery pack to get in the way. IMPORTED



ITEM#:

DESCRIPTION:

AE125

3.6 VOLT CORDLESS SCREWDRIVER

## CLASS # 19

### 4.8 VOLT CORDLESS SCREWDRIVER KIT

Use this handy, little cordless screwdriver for mounting shelves, changing hardware, assembling furniture and a thousand other jobs. It features a 4.8v, 180 rpm motor that charges in 3 to 5 hours and an LED work light.

It has a rubberized grip, an LED battery indicator and comes with eleven 1" screwdriver bits, a 2" magnetic bit holder and one UL approved charger. Imported.



ITEM#:

DESCRIPTION:

AE145

4.8 VOLT CORDLESS SCREWDRIVER KIT

**\*\* This item has replaced the McCulloch Cordless Screwdriver Kit\*\***

## CLASS # 19

# ELECTRIC CHAIN SAW SHARPENER

These new sharpeners can be mounted to your bench or the wall. The clamping vise adjusts to all chain designs and pitches, and gives you the precise angle adjustments to keep your chain in top condition. It's easy to get the proper height and scale positioning, so you get double the chain life and much smoother cuts. **IMPORTED**



### Specifications:

- 120 Volt / 60 Hz
- 0.75 Amps
- 85 Watt
- 4200 RPM grinding free speed.
- 7/8" Arbor
- Includes 4 1/4" x 1/8" grinding wheel.

### ITEM#:

### DESCRIPTION:

AE132

ELECTRIC CHAIN SAW SHARPENER

## CLASS # 19

### 14" HEMI GAS CUT-OFF SAW

This powerful 14" gas cut-off saw features a 4.8 horsepower 'HEMI' engine and state of the art technology. The steel alloy ring has been coated with PCVD while the cylinder has a hard, ceramic coating. Together they reduce friction and form a clean burning system that generates more power and ensures longer life.



#### Specifications:

- Digital ignition
- Easy startup decompression system
- Environmentally friendly: Gas tank vapors are burned, not released into the air
- Easily adjustable blade guard
- Precision cold forged steel shaft
- PVCD coated piston ring for less friction
- Ceramic coated cylinder protects against heat
- Lightweight: Just 22 lbs.
- Includes water kit



#### ITEM#:

#### DESCRIPTION:

343

14" GAS HEMI POWERED CUT-OFF SAW





## CLASS # 19

# 18" WALK BEHIND CONCRETE SAW

Engineered for compactness, maneuverability and reliability. One-piece box construction chassis made from 3/16" hot-rolled steel that will not flex during operation and has a powder-coated chassis that resists peeling and corrosion.

The 18" blade capacity with 18" blade guard provides for a depth of cut of 6-5/8" and the heavy-duty 1" dual blade shaft assembly with self-aligning pillow block bearings ensure accurate cutting on either left or right side.

It has durable 8" x 2-1/4" non-slip rubber wheels with maintenance-free hubs and roller bearings and machined depth control shaft provides smooth, controlled blade insertion with positive-locking depth control.

The two-piece cast-aluminum blade guard assembly with built-in water distribution system will not rust or bend. Pivoting blade guard permits cuts within 1" of walls and curbs. Includes built-in depth gauge, tachometer/hour meter, lifting bale and one 14" dry cutting concrete blade. One-year limited warranty.



### Specifications:

- Honda Gas Engine
- GX200 Cyclone Power
- RPM: 2,600
- 13 Horsepower
- 18" Blade Capacity
- 6-5/8" Depth of Cut
- Weight: 223 lbs.
- LxWxH: 42" x 25" x 39"
- 14" Dry Cutting Blade Included



### ITEM#:

### DESCRIPTION:

WBCS1	14"-18" WALK BEHIND CONCRETE SAW
-------	----------------------------------





## CLASS # 19

# 14" WALK BEHIND CONCRETE SAW

(W/ HONDA ENGINE)

This is a compact, lightweight, walk-behind concrete saw with 6-1/2 hp gas powered Honda® motor. The 14" blade capacity provides a 5-1/2" depth of cut. It features an adjustable depth control, left and right cutting capability and throttle control on the console.

This saw can be used for both wet and dry applications and has built-in water distribution system that supplies water to both sides of the blade. Cast aluminum hinged blade guard mounts on either side of saw and lets you cut within 1" from curb or wall. Comes with a 12" dry cutting diamond blade. One year warranty.

### Specifications:

- Honda Gas Engine
- GX200 Cyclone Power
- RPM: 3,600
- 6.5 Horsepower
- 14" Blade Capacity
- 5-1/2" Depth of Cut
- Weight: 119 lbs.
- LxWxH: 32" x 19" x 42"
- 12" Dry Cutting Blade Included



**ITEM#:**

**DESCRIPTION:**

**WBCS2**

**12"-14" WALK BEHIND CONCRETE SAW**



## CLASS # 19

# 14" WALK BEHIND CONCRETE SAW

(W/ ROBIN ENGINE)

This is a compact, lightweight, walk-behind concrete saw with 6 hp gas powered Robin® motor. The 14" blade capacity provides a 5-1/2" depth of cut. It features an adjustable depth control, left and right cutting capability and throttle control on the console.

This saw can be used for both wet and dry applications and has built-in water distribution system that supplies water to both sides of the blade. Cast aluminum hinged blade guard mounts on either side of saw and lets you cut within 1" from curb or wall. Comes with a 12" dry cutting diamond blade. One year warranty.

### Specifications:

- Robin Gas Engine
- EX170 Power
- RPM: 3,600
- 6 Horsepower
- 14" Blade Capacity
- 5-1/2" Depth of Cut
- Weight: 117 lbs.
- LxWxH: 32" x 19" x 42"
- 12" Dry Cutting Blade Included



**ITEM#:**

**DESCRIPTION:**

**WBCS3**

**12"-14" WALK BEHIND CONCRETE SAW**

## CLASS # 19

# **SKIL** 4 1/2" ELECTRIC GRINDER

This is the powerhouse 4 1/2" hand grinder made by **SKIL**, and used by professionals all over the World. These right angled grinders are heavy duty and super versatile. They have a powerful 6 amp motor and an 11,000 RPM (no load speed). They grind, sand, sharpen, and cut various stone, brick, metal, and wood materials.

It has an all metal gear housing, and a heavy duty, quick release, wheel guard, with a "lock-on" trigger switch to cut fatigue. There is an easy locator spindle lock for quick wheel changes, and a two-way side assist handle.

This is the right grinder for the demanding professional and they have all ball and needle bearing construction, and precisely cut, beveled gearing. Two Year Guarantee. **IMPORTED.**



**ITEM#:**

**DESCRIPTION:**

**HAWAII**

**SKIL 4 1/2" ANGLE GRINDER**

## CLASS # 19

# 135 AMP FLUX/MIG WELDER

This heavy duty, portable, 135 Amp, 'Tweco Style' Flux/Mig welder is a compact 115 volt unit that will breeze through Mig welds on a wide range of materials including mild steel, stainless steel, and aluminum. It also handles flux-cored welds on mild steel with ease, so you'll get through any repair or project in no time!

The large, easy to set, easy to read knobs provide adjustable tap voltage control and a continuous full-range control of wire feed speed. The attached wire feed driving wheel has two types of wire groove; one for 0.6 mm solid core welding wire, the other for 0.8 mm solid core welding wire or 0.9 mm flux-cored wire.

Comes with torch, air pipe, work clamp, adjustable mixed-gas regulator, (CO<sub>2</sub> or mixed gas CO<sub>2</sub> combined to Ar), 1Kgs Spool of 0.6 mm MAG Wire, 0.8mm , 0.9mm contact tip, wire brush/hammer, and operator's manual.

### Specifications:

- ✓ Gas / No Gas, Tweco compatible torch
- ✓ Dual Gauge Regulator
- ✓ Extra long 8' Torch Cable & 4.5' Gas Nose
- ✓ Auto Temperature Protection
- ✓ For Flux Core Wire & Solid Wire
- ✓ 115V ~ 60HZ
- ✓ Range of current: 25 – 135 Amp
- ✓ Input Capacity: 3KVA
- ✓ Fuse: 25A
- ✓ Imported



ITEM#:

DESCRIPTION:

MIG

135 Amp FLUX / MIG WELDER



## CLASS # 19

# 8,000 WATT 13 HP GENERATOR

Power outages can happen anytime. You just can't fight Mother Nature. Well, you can't fight her but you can sure be prepared when she does get a bit angry.

This 8,000 Watt, 13 HP generator has plenty of power to get you out of the dark in case of an outage. It has a large 5.5 gallon fuel tank that will keep the four-stroke, OHV engine running for up to 9 full hours with 6,500 watts of continuous power and 8,000 watts peak power, enough to run your heater, freezer, refrigerator, air conditioner, or other appliances.

It has 120 Volt and 240 Volt UL approved grounded outlets with built in circuit breakers and voltmeters. The engine rests inside a sturdy steel welded cage with vibration absorbing engine mounts, two 8" pneumatic wheels and an easy lift handle. It has an electric start motor and is EPA (Environmental Protection Agency) approved. Weighs 167 Lbs. IMPORTED.



**ITEM#:**

**DESCRIPTION:**

**N139**

**8,000 WATT 13 HP NEIKO GENERATOR**

## CLASS # 19

# 3,000 PSI GAS PRESSURE WASHER

This is a true professional quality, full-featured power washer with all the bells and whistles that professionals demand. It has a smooth, powerful 5.5 HP, low emission, overhead valve engine that powers 2,200 PSI of working pressure with a maximum PSI of 3,000.

It includes a 16' non-marring rubber, high pressure hose, a stainless steel spray gun with 4 interchangeable nozzles for a variety of spray patterns, and intensity quick-connect/disconnect hose couplers.

This unit is in a sturdy, steel frame cart with 10" easy roll pneumatic tires and a storage rack for the hose and gun. The 3.6 liter gas engine is approved by the EPA (Environmental Protection Agency). Imported.

### Specifications:

- 5.5 Horsepower/4,000 RPM
- 3,000 PSI Max Pressure
- 2,200 PSI Working Pressure
- Flow Rate: 2.7 GPM
- Hose and Wand Included
- EPA Approved
- Weight: 62 lbs.
- Imported.



ITEM#:

DESCRIPTION:

N140

3,000 PSI GAS POWERED PRESSURE WASHER



## CLASS # 19

# 6 GALLON WET & DRY SHOP VAC

Clean up your shop or garage with this industrial strength wet and dry vacuum cleaner. This 6 gallon capacity shop vacuum can easily pick up wet or dry messes in no time at all and is great for any task.

It features a powerful 2.25 hp motor to siphon messes directly into its large tank. The Koblenz<sup>®</sup> vac also includes an air blower that works great for moving massive amounts of debris and the 6' hose features a positive lock system designed to maintain suction power.

Includes a floor squeegee for sucking up large amounts of water and the pickup tool is perfect for bigger messes. This vacuum has a spill proof security system that protects the motor in the event of a liquid spill.



### Specifications:

- 2.25 HP Motor
- Cord length: 12'
- Tank capacity: 6 gal.
- Blower port
- Hose length: 6'
- Weight: 12.98 lbs.
- 4 casters
- Tool caddy
- 2 extension wands
- 1 floor tool w/ squeegee insert
- 1 pickup tool



ITEM#:	DESCRIPTION:
AE151	6 GALLON WET & DRY SHOP VACUUM

## CLASS # 19

# 14" CUT-OFF SAW

This 14" Cut-Off saw from 'Neiko Tools USA' is designed for the fastest no-stall cutting in all professional applications. It features a 15 Amp., 2.5 HP long life motor with a free speed of 3,800 RPM.

It has a quick-adjust vise, a sturdy steel base with non-slip rubber feet and a more natural, straight on ergonomic handle. The guide plate adjusts 45° to the left or right and the spindle lock allows for quick wheel changes. Takes a 14" abrasive wheel with a 1" arbor. UL/CUL Approved. Imported.



*Don't forget cut-off wheels*

*...and safety glasses!*



**ITEM#:**

**N154**

**DESCRIPTION:**


**14" ELECTRIC CUT-OFF SAW**

## CLASS # 19

### BUFFER/GRINDERS - 10" & 6"

These are industrial rated, bench type buffer/grinders that feature a cast iron base for very low vibration as well as a shielded, permanently lubricated ball bearing motor.

They are 120 Volt, 60 Hz. and come with two buffing wheels. Can be used as a grinder with an optional grinding stone, (not included.) Imported



10" GRINDER / BUFFER

6" GRINDER / BUFFER

- ⚡ 1,720 - 3,450 RPM
- ⚡ 1/2 - 3/4 HP
- ⚡ 3 - 4.5 Amp
- ⚡ 3/4" Arbor
- ⚡ 60 Lbs.



- ⚡ 3,450 RPM
- ⚡ 1/3 HP
- ⚡ 2.35 Amp
- ⚡ 1/2" Arbor
- ⚡ 23 Lbs.



ITEM#:

DESCRIPTION:

N167	6" GRINDER / BUFFER
N168	10" GRINDER / BUFFER

## CLASS # 19

# 10" COMPOUND MITER SAW W/ LASER

This 10" retractable compound miter saw comes complete with one 10" carbide blade and has a powerful, 15 amp motor that delivers 5,300 RPM. It cuts angles from 0° to 45° and has capabilities for cross cuts, miter cuts, and bevel cuts all in one.

The base is equipped with built-in clamps to hold down any material to be cut and the electrical cord is in a harness on the saw so it won't get in the way. It also features a built in laser guide for perfect cuts.

There is an automatically retracting, clear blade guard for unobstructed vision and a die cast aluminum table which makes it lightweight and easy to move from job to job.

Also included with saw is a dust port and bag for dust collection and a table extension for longer cuts. They also thought about safety with a blade brake and spindle lock so when you release the trigger it stops immediately. Imported.



### Specifications:

- 120V ~ 60 Hz ~ 15 Amp
- No load speed: 5300 RPM
- Max cutting capacity at 90°: 3 1/2"
- Max cutting capacity at 45°: 2" x 8 1/2"
- Table tilt: 45° left - 45° right
- Saw body tilt range: 0° - 45°
- 2 HP Motor
- 5/8" or 1" arbor w/ extra adapter
- 10' cord
- Includes: 10" x 60 tooth carbide blade, dust bag, extension wings, wrench and spare brush.

ITEM#:

DESCRIPTION:

AE127

10" COMPOUND MITER SAW WITH LASER

## CLASS # 19



# COMPOUND MITER SAW

This factory reconditioned Skil® 10" compound miter saw features the Safe-Cut system, designed for safe operations. A horizontal clamping system holds wood securely against the fence during cutting and the table extension with the extension rail supports long, large work pieces.

There are 9 positive stops for setting common miter angles and the die cast aluminum fence has ruler markings for accurate cutting. There is also a dust bag to help keep work area clean.

This saw is very transportable with its integrated carrying handles and the lock off switch is both left and right handed user friendly.

### Specifications:

- 15 Amp / 2 HP Motor
- Voltage: 120V
- Arbor size: 5/8"
- Bevel: 0° - 47°
- Bevel Stops: 0° - 47°
- Miter angle range: 0° - 47°
- Miter positive stops: 0°, 15°, 22.5°, 31.6°, 45° both left and right
- Factory reconditioned
- One year warranty

### Includes:

- Extension table
- Extension rail
- Dust bag
- Horizontal clamp
- Blade wrench



**ITEM#:**

**DESCRIPTION:**

**SB3315**

**SKIL® 10" COMPOUND MITER SAW**




## CLASS # 19

# 12" COMPOUND MITER SAW W/ LASER

This 12" retractable, Compound Miter Saw from 'Neiko USA' features a gear driven arm assembly for smooth blade guard retraction, and sliding dual rails with 3 linear ball bearings which provides for a super wide cut up to 12" in width.

It has an easy to read miter scale with 9 detent lock stop left and right for stability and accuracy, a die cast aluminum table and back fence, and a very durable base for improved stability and reduced vibration. The base is also pre-drilled for bench mounting.

It has a powerful 15 Amp, all ball bearing motor which provides smooth, consistent cutting power, and positive bevel stops at 0° and 45° as well as a laser guide for accuracy, an arbor lock for easy blade changes and an electric brake which safely stops the blade after the cut is finished. IMPORTED



### Specifications:

- 15 Amp Motor
- 4100 RPM No Load Speed
- 120 Volt ~ 60 Hz ~ Single phase
- 12" Blade with 1" arbor
- Laser Guide
- Miter cuts 45° Left or Right
- Bevel cuts 45° to the left
- Cuts 12 3/4" x 4" at 90°
- Cuts 12 3/4" x 1 15/16" at 45°
- Electric Brake

**INCLUDES:**

✓ 12" x 60 Tooth Carbide blade	✓ Material Hold Down Clamp
✓ 2 Material Hold Down Clamps	✓ Batteries for Laser System
✓ 1 Pair of Extension Wings	✓ Lug Style Arbor Wrench
✓ Spare Carbon Motor Brushes	✓ Dust Bag



**ITEM#:**

**DESCRIPTION:**

**N150**

**12" COMPOUND MITER SAW WITH LASER**



## CLASS # 19

# NEIKO 10" TILE SAW WITH STAND

This professional grade tile saw cuts tile up to a depth of 3", 24" square and 16" diagonally. You get an installer's grade 10" tile saw, 10" standard continuous rim wet diamond blade, a folding stand with rear wheels and brakes, high volume water pump, front and side cutting table extensions, miter block and rip guide. **IMPORTED**



### Specifications:

- 2 1/2 HP / UL Approved
- 120 Volt~60 Hz~1Ph
- 10" Blade with 5/8" arbor (Included)
- 3,450 RPM motor speed
- 2,700 RPM no load speed
- Length of cut: 24"
- Diagonal Cut: 16"
- Depth Cut: 3"
- Table Dimensions: 16" x 11"
- Overall Dimensions (saw only): 43"L x 21"W x 20" H
- Water Tray: 37 1/2" x 18 1/2" x 3"D



**ITEM#:**

**DESCRIPTION:**

<b>N109</b>	<b>NEIKO 10" TILE SAW WITH STAND &amp; BLADE</b>
-------------	--

## CLASS # 19

# 6.5 HP 3500 WATT GENERATOR

These are overhead valve, 4 stroke, and forced air cooled engines in a square-tube roll cage. They have a four gallon extended run fuel tank and gauge, and operate at only 68 decibels. These make great emergency stand-by units for the home or vacation home and are very popular for boating, camping, and RV's.

They surge to 3,500 watts, and run continuously at 3,000 watts and has two 120 Volt receptacles. You can run tools, computers, and many other common small appliances in any remote location. Imported.

### Specifications:

- 6.5 OHV Engine
- 3500 Watt Surge/3000 Cont.
- 27.5 Amps @ 120 Volts
- Fuel: Unleaded Gasoline
- Operating Noise: 68 DB
- Two AC 120 Volt outlets
- EPA Approved
- Spark arrestor



### ITEM#:

### DESCRIPTION:

N126

6.5HP 3500 WATT GENERATOR

## CLASS # 19

# ENCLOSED DIESEL GENERATOR

This diesel powered generator features a single cylinder, 4 cycle engine that produces 6,000 watts of maximum output power. Because the engine is enclosed, this generator runs quieter and is protected from outside elements such as dirt, debris and weather conditions.

It has (3) 120 volt outlets; (2) 20 amp and (1) 30 amp with a twist lock, as well as a 120/240 receptacle rated at 30 amp. It's also equipped with a DC overload switch, circuit breaker and electric start. Includes 12 volt industrial battery, rubber wheels and blow mold accessory case.



Engine:	Diesel 186FE
Cylinders:	Single Cylinder, 4 Cycle
Displacement:	24.88 Cubic Inches
Ignition:	Electric / Recoil Manual
Cooling:	Air Cooled
Fuel Tank:	3.3 Gal
Block Pre Heat:	Glow Plug
Generator:	Electric Brushless
Phase:	Single
Voltage:	120/240 AC, 12V DC
Amps:	46 @ 120V, 23 @ 240V
Freq./Rpm:	60Hz/3600Rpm
Cont. Output:	5.5 KW
Max Output:	6.0 KW
Weight:	352 lbs. dry / 368 lbs. gross
(L x W x H):	36.2" x 20.9" x 27.8"

**ITEM#:**

**DESCRIPTION:**

**DG6NRK**

**ENCLOSED DIESEL GENERATOR**

## CLASS # 19

# DIESEL WELDER & GENERATOR

This diesel powered generator –welder combo features a 4 stroke injection diesel engine that powers at a continuous output of 3000 watts. It has a 3.04 gal fuel tank and an automatic shutdown for low oil pressure.

It will run for 12 hours at 50% load and is equipped with an electric starter, and a forced air cooling system. The welding current range is 80 – 200 amps and noise level is just 82db. Battery is not included.

### Specifications:

- Engine Type: 4 stroke direct inject
- Engine Displacement: 418 cc
- Fuel Tank Capacity: 3.04Gallon
- Fuel Consumption: 12hrs @ 50%
- Continuous Output: 3000 Watt
- Surge: 2000 Watt
- (2) 120V 20 Amp Outlet
- (1) 120V/240V Amp Twist Lock
- (1) 120V 30 Amp Twist Lock
- Amperage Selector Knob
- Noise Level: 82 dB @ 7 m
- Welder Rated Current: 180 Amp
- Welder Rated Voltage: 25-32 VDC
- Welding Current Range: 80-200 Amps
- Dimensions: 29.90" x 19.7" x 24.8"
- Weight: 282 Lb.
- Electric Start (Battery Not Included)



ITEM#:

DESCRIPTION:

DWG6

3000 WATT DIESEL WELDER/GENERATOR

## CLASS # 19

# NEIKO 4 1/2" ANGLE GRINDER

These 4 1/2" grinders by Neiko have double insulated 5.8 Amp motors and turn 11,000 RPM (no load speed). They have the 7/8" arbors, the 'lock-on' trigger button, safety guard, and the two position, long back side handle.

They feature all aluminum gear housings and tough ABS molded bodies. These grinders are simple to use, they'll take the abuse, and they'll just keep on running. One 4-1/2" abrasive wheel is included. Imported



**ITEM#:**

**DESCRIPTION:**

**N079**

**NEIKO 4 1/2" ELECTRIC ANGLE GRINDER**



## CLASS # 19

# NEIKO DRILL BIT SHARPENER

This is a quick, easy, and accurate sharpener for your everyday drill bits. It has a 0.5 Amp motor that spins the grinding wheel at 1,420 RPM. and it's thermally protected in a high-impact plastic housing. It's equipped with a 6' cord and a heavy duty rear mounted on/off switch.

This unit has two sharpening heads and two extra grinding stones. The first head will sharpen bits from 1/8" to 3/8" (3.5mm – 10mm). The second head will sharpen from 5/16" all the way up to 5/8" (8mm – 16 mm). It'll sharpen all your 29 pc. Bits and a couple of the Silver & Deming bits over 1/2". Not recommended for split point drill bits. IMPORTED



**ITEM#:**

**DESCRIPTION:**

**AE128**

**NEIKO ELECTRIC DRILL BIT SHARPENER**



## CLASS # 19

# 7-1/4" CIRCULAR SAW WITH LASER

These new laser guide saws by Neiko® are quickly getting the name for quality and precision. Beveled gearing and all ball bearing, 10 amp motors make these saws quiet and reliable for years.

They run at 4,500 rpm, (no load speed), and will easily cut green or wet material without bogging down. They have a 2-1/2" cutting depth at 90° and a 1-13/16" cutting depth at 45°.

They have a dust extraction port built right into the blade guard as well as a heavy duty trigger with lock down, spindle lock, for one-hand operation, and a laser parallel guide for accurate tracking and maximum precision cuts. One blade Included. Import.



**ITEM #:**

**DESCRIPTION:**

**N7CS**

**7-1/4" CIRCULAR SAW WITH LASER GUIDE**

## CLASS # 19

# ELECTRIC PIPE THREADER

This is a heavy duty, hand held pipe threader with a 110 Volt, 2-1/4 HP motor. They have a bright orange ABS body with heavy duty switch and 6' power cord. The motor housing and handle are cast aircraft aluminum to dissipate the heat quickly.

It turns at 23 RPM and will smoothly and accurately thread pipe from 1/2" to 2" NPT. It has precision cut, alloy steel pipe clamp blades. Includes 6 cast iron threading dies: 1/2", 3/4", 1", 1-1/4", 1-1/2" and 2". Comes with a pipe support clamp, oil can, and extra carbon brushes. Imported.



**ITEM#:**

**DESCRIPTION:**

**NI46**

**ELECTRIC PIPE THREADER W/ 6 DIE**

## CLASS # 19

# NEIKO ORBITAL JIG SAW WITH LASER

These jig saws have 5.5 Amp motors for full power, an orbital stroke that will saw in a number of different materials like wood and steel, as well as various fiber boards and paneling.

It has a variable speed dial with 3 orbital action settings, a bevel cutting facility for 0-45° left to right and a cutting capacity of 60mm in wood and 5mm in steel.

The most awesome feature on this jig saw, however, is the built-in laser light that will guide you through precise clean cuts on any material.

**NOTE:** These saws will only take the universal tang blade. **IMPORTED**



**ITEM#:**

**DESCRIPTION:**

**N137**

**NEIKO ORBITAL JIG SAW W/ LASER**

## CLASS # 19

# NEIKO 3/8" CLOSE QUARTER DRILL

This 3/8" electric drill is a great little unit for getting into tight spaces where a regular drill just won't work. It's a palm held drill with a 55° angle at the key chuck and with the efficient paddle switch you'll also have room for your fingers as well.

It is reversible, lightweight and ergonomically built for comfort. This is the perfect tool if you need to drill a hole between two studs, underneath a set of shelves, inside a kitchen cabinet, or anywhere that space for hand and drill is limited. It's variable speed from 0 to 1,400 RPM, 120 Volt / and 3.8 Amp. double insulated, and weighs just 4 Lbs. IMPORTED



**ITEM#:**

**N086**

**DESCRIPTION:**

**3/8" CLOSE QUARTER DRILL**

## CLASS # 19

# ROTARY TOOL KIT

This Rotary tool kit features an 8,000 to 30,000 RPM variable speed, 1 amp motor, a flexible shaft, a height adjustable stand and a 40piece assorted accessory kit with the more popular items to get you started.

The variable speed dial provides much more control than those other rotary tools with the slide control. Use this tool instead of a dremel because of the remarkable speed control.



### Specifications:

- 120 Volt, 60 Hz. 1 amp motor
- No load speed; 8,000 to 30,000 rpm
- Flexible shaft
- Height adjustable stand
- 40 pcs. assorted accessories
- Blow mold case
- UL / CUL
- Imported



### ITEM #:

### DESCRIPTION:

N236

40 PC. ELECTRIC ROTARY TOOL KIT



# CLASS # 19

## 220 PC. ROTARY TOOL KIT

This kit includes a variable speed, pistol grip rotary tool rated at 1.2 amp and 8,000 - 30,000 RPM. It has a keyless chuck for fast and easy bit changes and has a full assortment of accessories for polishing, grinding, cutting, engraving and more.

The kit comes in a very handy see through organizer carrying case and the tool fits all brands of rotary tool accessories with 3/32" and 1/8" shanks. Includes various sizes of sanding bands, cloth and felt wheels, emery wheels, HSS twist drills, diamond cutters, aluminum oxide grinding wheels, silicon carbide grinding wheels, cutoff wheels and more.



**ITEM#:**

**DESCRIPTION:**

## RTK220

## 220 PC. ROTARY TOOL KIT



## CLASS # 19

# MULTI-FUNCTION POWER TOOL

At 6,000 to 21,000 oscillations per minute, (OPM), this multi-function power tool can handle any tough job. It will cut plastic materials, air ducts, plasterboard, and pipe as well as sanding cement, concrete, stone, plaster, wood, adhesives and paint.

Features a comfortable non-slip grip, a variable speed dial for precise control, and a powerful 2.0 amp motor for a variety of projects. Includes (1) 3/4" end cut blade, (1) 3-1/8" semi circle blade, (1) rigid scraper, (1) hook & loop sandpaper pad, (6) 80 grit sandpaper, (6) 120 grit sandpaper, (1) hex key and (1) heavy duty storage case. Also accepts Dremel® accessories.

### Specifications:

- 120v/60Hz, 2.0 amp motor
- 21,000 OPM no load speed
- Oscillation angle: 3° Left/Right
- Optional use vacuum hose port
- Sanding pad dimensions: 3" triangular
- Accessories available (sold separately)



ITEM#:

DESCRIPTION:

AE148

MULTI-FUNCTION OSCILLATING TOOL KIT

# CLASS # 19

## ACCESSORIES FOR MULTI-TOOL

These accessories are for the multi-function oscillating tool, item# AE148.



### 21 PC. SANDPAPER SET

Includes:

- (7) 80 grit
- (7) 100 grit
- (7) 120 grit
- For universal sanding applications

ITEM#: AE148S1

---

### 3 PC. SAW & SCRAPER SET

Includes:

- 3-1/8" HSS semi-circle saw blade.
- 3/4" end cut blade for plunge cuts up to 1-1/2" in drywall, wood, plastic and non-ferrous metal
- 2" rigid scraper blade for removing paint, vinyl, caulking & floor covering



ITEM#: AE148S2

---

### 2 PC. CARBIDE GRIT SET

Includes:

- 2-1/2" semi-circle blade for removing & cutting grout, plaster and masonry
- Triangular rasp for coarse grinding and aggressive material removal



ITEM#: AE148S3

## CLASS # 19

# 1,000 WATT POWER INVERTER

A power inverter, quite simply explained, converts DC (Direct Current) power into conventional AC (Alternating Current) power allowing you to use your favorite electric devices when an AC outlet (household plug) is not available. You simply connect an inverter to a battery source, e.g., car or truck battery, plug in your device and you're all set.

This inverter, by 'Neiko Tools USA', features 1,000 watts of continuous power with a peak load of 2,000 watts. The included cable clamps bite right onto the positive and negative terminals of a 12 Volt DC battery just like standard booster cables.

There are two 110 Volt AC 3 Prong receptacles to plug in any electrical device such as a television, computer, hand tools, small appliances etc. It has overload and short circuit protection, and an overload indicator. ***This is not a generator.*** It relies on a constant battery source to convert from DC to AC. It has pre drilled mounting holes so the unit can be attached to a car, truck, boat, RV or any other place where it will be near your DC power source.



### Specifications:

- ⚡ Maximum Continuous Power: 1,000 Watts
- ⚡ Peak Load Power: 2,000 Watts
- ⚡ 3pc. 40 Amp Fuse Replacement
- ⚡ No Load Current Draw: Up to 0.9 Amps
- ⚡ DC 10Volt – 15Volt
- ⚡ Overload Indicator
- ⚡ Overload and Short Circuit Protection
- ⚡ 8 AWG 60cm Cigarette plug cable



ITEM#:

DESCRIPTION:

NP1000

NEIKO 1,000 WATT POWER INVERTER

# PROLINE PROGRAM

## CLASS # 60



## 14" GAS CUTOFF SAW


Partner® was the first on the market with hand held cutters in 1958. After extensive usage and updates, this 14" portable cutoff saw is the one used by emergency crews and masonry contractors all over the world. Now merged with Husqvarna®, this is the best demolition saw on the market.

This saw features a 4.8 HP air cooled, 2 cycle 71 cc engine and it weighs just 20 lbs. A patented air filtration system gives it 3 to 5 times the filter life and works in combination with the carburetor to ensure power stability even as the filter starts to fill with dust.

It has a 5" depth of cut and an easily adjustable blade guard. The sealed starter, special cord, and reduced starter compression guarantee 50% easier starting. It has a self lubricating clutch for long life, and you can reverse the cutting arm so you can get closer to walls and the ground. The water kit is standard and you can adjust the flow during operation. Made in Sweden.

### Features:

- Active air filtration system
- SmartCarb™
- Easy start Dura Starter
- Automatically lubricated clutch bearing
- Reversible cutting arm
- Wet cutting kit with easy adjust water flow
- Enclosed transmission
- Fuel indicator
- Fuel filter with increased filtration capacity



ITEM#:

DESCRIPTION:

PPK700

HUSQVARNA® 14" GAS CUTOFF SAW



## CLASS # 19

# 36 AMP PLASMA CUTTER

Plasma cutters are fast, clean, and can cut intricate patterns that torches cannot and, there is little de-burring required. They swiftly cut steel, carbon steel, and aluminum. It uses shop air (only 3.5cfm at 65 PSI) and no special gases are required.

Science lesson: If you boost a gas to extremely high temperatures, you get plasma. The energy begins to break apart the gas molecules, and atoms begin to split. In plasma, the electrons separate from the nucleus. Then the electrons are negatively charged, and leave behind their positively charged nuclei. These positively charged nuclei are known as ions. When the fast-moving electrons collide with other electrons and ions, they release vast amounts of energy. This energy is what gives plasma its unique status and unbelievable cutting power.

### Specifications:



- 36 amp at full power
- Cuts through steel up to 3/8" thick
- Voltage: 230V
- No-Load Voltage: 200V
- Current Range: 15-30A
- 60% Duty Cycle
- Arc Pilot Feature with 2 second delay
- 10 ft Ground lead
- 16 ft Torch lead
- Includes: torch assembly, grounding clamp, inlet regular, brush/hammer, protective mask
- Single phase
- Air requirement: 3.5 CFM @ 65psi
- Shipping Weight: 45 lbs



Tip Kit contains:  
2 Ceramic and 10 Copper

### ITEM#:

### DESCRIPTION:

N085	NEIKO 36 AMP PLASMA CUTTER
N085KIT	12 PC. PLASMA CUTTER TIP KIT



## CLASS # 19

# 60 AMP PLASMA CUTTER

Plasma cutters are fast, clean, and can cut intricate patterns that torches cannot and, there is little de-burring required. They swiftly cut steel, carbon steel, stainless steel, aluminum and even copper. It uses shop air (only 4cfm at 70psi) and no special gases are required.

This powerful 60 amp plasma cutter will easily cut through steel up to 1-1/4" thick. Includes torch assembly, grounding clamp, 3 electrodes, 3 tips and air hose.



### Specifications:

- 60 amp cut draws 31 amps
- Cuts through steel up to 1-1/4" thick
- 220 Volt Single Phase
- 100% duty cycle @ 40 amp
- Air requirement: 5 CFM @ 55psi
- Dimensions: 20"L x 12"H x 7"W
- Includes: torch assembly, grounding clamp, air pressure regulator with bracket, 3 electrodes, 3 tips & air hose
- Weight: 55 lbs.
- Import



### ITEM#:

### DESCRIPTION:

N185	60 AMP PLASMA CUTTER – 1-1/4" CAPACITY
30KIT	30 PC. ACCESSORY KIT FOR N185

(Accessory kit includes: 13 tips, 13 electrodes & 4 shield cups)

## CLASS # 19

# 50 AMP MULTIPURPOSE WELDER

This multipurpose welding machine features industrial technology in a 200Amp DC Tig Welder and a 50Amp continuous arc plasma cutter, which means the arc can be ignited in the air and will not go out when you have to go through metal. It has the most powerful torch available without needing a water cooler unit. (Caution: torch gets extremely hot on long welds).

The high frequency DC plasma cuts thicker materials than standard DC plasma cutters and cuts faster with less distortion in your metal. It will make a severance on 1" steel at 3" per minute and a quality cut on 1/2" steel at 17" per minute. The internal, high speed cooling fan regulates temperature and it has built in thermal and overload protection.



### Specifications:

- 50 amp cut draws 25 amps
- No-Load voltage: 230V, 100-115V
- Working Range
- Dual Voltage: 110/120 Single Phase, 208/220 Single Phase

### Plasma Cutting Specs:

- 100% duty cycle @ 40 amp, 60% @ 50amp
- Air requirement: 4cfm @ 65psi
- Cutting Capacity: 1" Steel (severance cut), 1/2" (quality cut)
- Duty Cycle: 60% @ 50amp

### Welder Specs (Tig and Arc):

- 200 amps DC Tig Welder
- Duty Cycle: 60% @ 200 amp
- ARC and 100% @ 95 amps ARC
- Gas Flow: 2-5 L/Minute
- Duty Cycle: 60% @ 160 amp/ 100% @ 110 amps
- Can weld all stainless steel
- Does not weld aluminum

ITEM#:

DESCRIPTION:

N186

MULTIPURPOSE WELDER/PLASMA CUTTER

## CLASS # 19



## **BOSCH** PALM ROUTER

The Bosch® Colt is a compact, yet spirited performer. This 1.0 HP palm router is a very versatile tool and not just a laminate trimmer, but is ideal for trimming deck planks, hinge mortising, edge forming, slot cutting, window cutouts, dovetailing, and decorative inlays.

Features a palm grip design with Soft Grip and finger support pockets to make it the most comfortable router in its class. Constant response circuitry monitors and maintains speed under load for consistent performance as well as overload protection.

The Soft Start feature reduces start up torque and kick back and it has a variable speed dial for matching speed to the workpiece and task. Includes straight edge guide and carrying case.



**ITEM#:**

**DESCRIPTION:**

**PR20EVSK**

**BOSCH COLT 1.0 HP PALM ROUTER**

## CLASS # 19

# 2,850 PSI ELECTRIC POWER WASHER

This high pressure power washer features a maximum pressure of 2,850 PSI with a rated working pressure of 1,500 PSI. The water flows at 1.6 GPM and operates on standard 120 Volt household current. Import.



### Specifications:

- 120V / 60Hz / 13A
- Rated Pressure: 1,500 PSI
- Maximum Pressure: 2,850 PSI
- Water Flow: 1.6 GPM
- 35' Power Cord
- TTS Auto-Stop Function
- HPC Connector
- Dimensions: 36"H x 10" W

### Includes:

- 20' High Pressure Hose
- Spray Gun
- Detergent Bottle



ITEM#:

PW2850

DESCRIPTION:

2,850 PSI ELECTRIC PRESSURE WASHER

## CLASS # 19



## SPIRAL SAW

This is the original framing and drywall cutting tool by Bosch®, a leader in the manufacture of industrial cutting and drilling tools. RotoZip's Spiral saw is capable of making precise cuts in a large variety of difficult materials.

The dust sealed switch keeps debris from the power mechanism and the foot is completely adjustable for cutting up to 1" thick. It has a 5/32" collet system for use with XBIT accessories a 'Walkman' style, padded handle.

Includes three collets; 1/8", 1/4" and 5/32", a collet wrench, a sabrecut spiral bit and a guidepoint bit. Factory reconditioned. One year warranty.

### Specifications:



- 5.0 Amp / 120 Volt
- 30,000 RPM
- 10' cord with cord guard
- Improved shaft lock
- Stronger housing
- Factory reconditioned
- One Year warranty

Bits Sold Separately.



1/8" Guidepoint bits have no cutting edge for the first 1/4" of the bit and a guide point avoids accidental cutting through electrical wires.



1/8" Standard point bits for RotoZip saw.

### ITEM#:

### DESCRIPTION:

<b>RZIP</b>	<b>BOSCH® ROTOZIP SPIRAL SAW SYSTEM</b>
<b>AEBIT</b>	<b>BOSCH® ROTOZIP BIT – INDIVIDUAL</b>
<b>GPB</b>	<b>GUIDEPOINT ROTOZIP BIT – INDIVIDUAL</b>



**CLASS # 19**

***SKIL*® RECIPROCATING SAW**



Specifications:

- ⚡ 8.5 Amp motor
- ⚡ Variable speed RPM
- ⚡ Adjustable pivoting shoe
- ⚡ Comfort grip
- ⚡ On-tool blade storage
- ⚡ Tow finger trigger for less user fatigue
- ⚡ Vibration control gearing
- ⚡ One year warranty
- ⚡ Blade not included

The Skil® reciprocating saw features a big 8.5 Amp motor which delivers enough power for any construction and demolition job, and with the variable speed control, can be adjusted for clean, fast cuts on any material.

**ITEM#:**

**SBN9205**

**DESCRIPTION:**

**SKIL® RECIPROCATING SAW**

## CLASS # 19

# **SKIL® 3" x 18" BELT SANDER**

This Skil® belt sander has 33% more power than the earlier model Skil belt sanders and will sand any type of wood surface. The belt measures 3" wide x 18" circumference and the sander features the patented auto track alignment which keeps the belt centered and it will not slip off.

The micro filter dust canister keeps the work area clean and free from fine wood dust particles and flush edge sanding provides sanding right up to the edge. A trigger 'lock-on' makes demanding jobs much easier and a soft grip design provides better comfort during operation.

Sander is 6.0 amps of power and features a wet/dry vacuum attachment for dust collection management and includes one 3" x 18" sanding belt and dust collection canister. This is a factory reconditioned unit and has been brought up to 'like new' condition by Skil.



### Specifications:

- ⚡ Volts: 120
- ⚡ Max. Motor HP: 3/4
- ⚡ Amperage: 6
- ⚡ No Load FPM: 1,050
- ⚡ Cord Length: 6'
- ⚡ Weight: 8.2 Lbs

### ITEM#:

### DESCRIPTION:

**SB7500RT**

**SKIL 3" x 18" ELECTRIC BELT SANDER**

## CLASS # 19

# 1 HP SUBMERSIBLE PUMP

The 'Little John' submersible pump is designed to transfer standing water, and other liquid from one location to another, in a quick and efficient manner. They are commonly used to clear standing water from rain or flooding on a job site, basement, pool, or any other area where water has accumulated.

They have a pump rate of 3,434 gallons per hour and are easy to use. Just hook up a discharge hose, submerge the unit in the section to be cleared, and plug it in. Features automatic shutoff activated by the included float. The 'Little John' name is exclusive to Ace Industrial Supply and not available online or in stores. Imported.



### Specifications:

- 750 Watt
- Horsepower: 1 HP
- Maximum pump rate: 3,434 G/PH (13,000 L/PH)
- Maximum particle size: 1.38"

# LITTLE JOHN

ITEM#:

DESCRIPTION:


931

LITTLE JOHN 1 HP SUBMERSIBLE PUMP

## CLASS # 19

# TRASH WATER PUMP

This 2", 6.5hp trash water pump is suitable for all industrial, agricultural, emergency flooding or daily home usage. Features a light weight, portable size, powerful smooth running engine and easy maintenance.



### Specifications:

- Power: 6.5HP 4 Stroke OHV Engine
- Inlet/ Outlet Diameter: 2"
- Suction Height: 8m
- Pump Lift: 26m
- Max Flow: 550L/Min
- Fuel Tank: 3.6L
- EPA Approved

### Features:

- Exterior Steel Framing
- Vibration Mount
- All Aluminum Die Cast Pump Housing
- Carbon/Ceramic Mechanical Seal
- Cast Iron Impeller and Volute



### ITEM#:

N111

### DESCRIPTION:

2" 6.5 GAL. TRASH/WATER PUMP

## CLASS # 19

# **BOSCH** JOBSITE CD/MP3 PLAYER

This factory reconditioned Bosch® integrated jobsite CD player features MP3 compatibility, 40 second skip-free protection, an AM/FM stereo tuner with 30 station presets and a remote control.

It has separate bass and treble controls, 4 preset equalizer settings and enhanced 'Bosch sound' for great listening even on the busiest jobsite. It is all protected by an aluminum roll cage with rubber elbows on each corner which allow it to withstand a 10' jobsite drop.

The buttons, speakers and battery chamber are sealed to protect it from dust and weather and the remote control stores on the top handle or on a key ring. Will also charge any Bosch battery packs, (12V - 24V) and has an MP3 input for advanced versatility.

### Specifications:

- Weight: 21 Lbs.
- Voltage: 120V AC / 12V DC
- Charger: 12V & 24V Bosch Batteries
- 3.5 watt radio amplifier
- Unit Size: 14"x14"x14"
- Power: 4 way GFCI outlet, 12V DC outlet and Bosch battery charger.
- Cord length: 6' grounded
- 20 FM presets 10 AM presets
- Factory reconditioned
- One year warranty



**ITEM#:**

**DESCRIPTION:**

**BPB10**

**BOSCH® JOBSITE CD/MP3 PLAYER**



## CLASS # 19

# PORTABLE SPACE HEATER

The Airmaster™ portable heater features a heat circulating fan, two comfort heat settings and overheat and tip-over protection with automatic shutoff. At 750-1,500 watts and 5,120 BTUs, it's powerful enough to warm an average sized room. It is compact, completely portable and UL listed.



### Specifications:

- Motor: 120 V, 1 phase
- Dimensions: 7.9"W x 11.4"H x 5.9"D
- Weight: 4 lbs.
- BTU: 5,120 max
- Watts: 750/1,500
- Power indicator lamp
- Heat circulating fan
- Overheat and tip-over shutoff
- Durable all metal construction
- 3-prong grounded plug
- UL Listed

**ITEM#:**

**891**

**DESCRIPTION:**

**PORTABLE SPACE HEATER**