

CLASS # 22 TRAILER HITCH BALLS

These trailer hitch balls, and the attached bolt are constructed of solid steel and heat treated for hardness. They are triple chrome plated against the weather and any kind of corrosion.



- A) The first dimension is the ball diameter.
- B) The second dimension is the bolt diameter.
- C) The third dimension is the bolt length.
- D) The capacity is the weight they can safely tow.

ITEM#:	DIMENSIONS:	DESCRIPTION:	CAPACITY:
296	2-5/16" x 1" x 2"	TRAILER HITCH BALL	5,000 Lbs.
297	1-7/8" x 3/4" x 2"	TRAILER HITCH BALL	2,000 Lbs.
298	2" x 3/4" x 2"	TRAILER HITCH BALL	3,500 Lbs.

CLASS # 22

ALL STEEL BENCH VISES

These are the drop forged, black steel vises that you see in professional shops. They are heavy, unbreakable, all steel construction with the machined and polished jaws. They are available in 6", 8", and the monstrous 10". The jaws are machined and fully replaceable with a massive anvil area that can really take the abuse.

Besides the quality of the steel, the best part is that these vises will pull straight and you won't bend the screw or "offset" the jaws under heavy load. They also swivel 360° and lock down in any position. They have a jet black finish with large chrome handles. The 6" has a 6" opening and it weighs 34 lbs. The 8" has an 8" opening and weighs 48 pounds, and the big 10" opens to 10" and weighs 57.2 lbs. IMPORTED




ITEM#:	DESCRIPTION:
307	6" ALL STEEL BENCH VISE
308	8" ALL STEEL BENCH VISE
346	10" ALL STEEL BENCH VISE

CLASS # 22

MULTI-PURPOSE BENCH VISES

These Pro-Grade bench vises feature a 360° locking swivel base. The 5" vise has a 360° rotating head and pipe jaws. The jaws on both the 5" and 7" are fully hardened steel and replaceable. They both have a chrome plated handle, spindle and screws.

There are four bolt holes at the base so the vise can be securely fastened to a work bench or truck and the shaping horn is fully polished. Both vises come with a lifetime warranty.



ITEM#: 309 - 5" Vise with 360° rotating head

ITEM#: 349 - 7" Vise



ITEM#:

DESCRIPTION:

309	5" MULTI-PURPOSE BENCH VISE
349	7" MULTI-PURPOSE BENCH VISE

CLASS # 22

DRILL PRESS VISES

Everyone who works a drill press has, at least one time, tried to hold, by hand, the material to be drilled. That ‘one time’ was probably the ‘last time’. Just a little too close for comfort when that sharp, spinning bit gets close to the skin.

Here’s the perfect and safest solution. These drill press vises are made of heavy duty cast iron with flat ground steel jaws. The cross slide vise swivels on its base and the handles adjust both forward and sideways for a versatile clamping and precise drilling capabilities. IMPORTED



CROSS SLIDE DRILL PRESS VISE

Specifications:

- 4CSV: Jaw Opening: 4"**
- Cross Travel: 5"**
- Weight: 22 Lbs.**
- 5CSV: Jaw Opening: 5"**
- Cross Travel: 6"**
- Weight: 29 Lbs.**



FLAT DRILL PRESS VISE

Specifications:

- 4FV: Jaw Opening: 4"**
- Weight: 7 Lbs.**
- 5FV: Jaw Opening: 5"**
- Weight: 13 Lbs.**

ITEM#:

DESCRIPTION:

4CSV	4" CROSS SLIDE MACHINEST DRILL PRESS VISE
5CSV	5" CROSS SLIDE MACHINEST DRILL PRESS VISE
4FV	4" FLAT DRILL PRESS VISE
5FV	5" FLAT DRILL PRESS VISE

CLASS # 22

LOW BOY BOTTLE JACKS

These jacks are basically the same as our regular hydraulic bottle jacks, except that they have a shorter closed height to fit under tighter spaces. They are all heavy duty steel construction and have precision machined hydraulic assemblies and tough seals that allow you to use them upright or at a slanted position without leaking or failing however, using these jacks horizontally is not recommended.

They are both equipped with 3" screw extensions and welded carrying handles on the jack itself. They have three piece operating handles and the baked on enamel to prevent rust. Both jacks meet or exceed A.N.S.I. safety standards. IMPORTED



Specifications:

	12 TON	20 TON
▪ Min. Height:	6-3/4"	7-1/4"
▪ Max. Height:	13-3/8"	12-1/2"
▪ Ram:	3-3/4"	3"
▪ Handle:	23"	24"
▪ Weight:	15 Lbs.	21 Lbs.

ITEM#:	DESCRIPTION:
314	12 TON LOW BOY HYDRAULIC JACK
315	20 TON LOW BOY HYDRAULIC JACK


CLASS # 22

WOODWORKING BENCH VISE

These are durable cast iron and chrome plated, cold rolled steel vises that have precision machined castings with perfectly aligned guide bars.

Both the 6" and the 8" vise have large capacity jaws. The 6" has a 5 3/4" throat capacity, the 8" has an 8" throat capacity. They have four bolt holes in the drop base so that the vise mounts under the side of the work bench.

IMPORTED



ITEM#:

DESCRIPTION:

337	6" WOODWORKING BENCH VISE
338	8" WOODWORKING BENCH VISE

CLASS # 22

HYDRAULIC BOTTLE JACKS

These hydraulic bottle jacks are all heavy duty steel construction and have precision machined hydraulic assemblies. They have rugged seals that allow you to use them upright or slanted without leaking or failing however, using these jacks horizontally is not recommended.

They are all equipped with an adjustable screw type saddle extension and come with a welded carrying handle on the jack itself. They have three piece operating handles and baked on enamel to prevent rust. All the jacks meet or exceed A.N.S.I. safety standards. **IMPORTED**

Specifications:

TON:	CLOSED HEIGHT:	RAM:	MAX. HEIGHT:	HANDLE:	WEIGHT:
6	7-5/8"	5-1/4"	15-5/8"	19-1/2"	11 LBS
12	9-1/2"	5-7/8"	18-5/8"	21"	20 LBS
20	10-1/2"	6-1/8"	16-5/8"	21"	34 LBS
32	11-1/2"	6-1/2"	17-11/16"	28"	43 LBS
50	12"	8-1/2"	20-1/2"	28"	72 LBS



ITEM#:	TON:	DESCRIPTION:
300	6 TON	HYDRAULIC BOTTLE JACK
301	12 TON	HYDRAULIC BOTTLE JACK
302	20 TON	HYDRAULIC BOTTLE JACK
32T	32 TON	HYDRAULIC BOTTLE JACK
50T	50 TON	HYDRAULIC BOTTLE JACK

CLASS # 22

AIR ASSISTED BOTTLE JACKS

These bottle jacks can be operated either manually with the 3 pc. handle or you can simply attach an air hose for quick and precise lifting using your air compressor. There's an air motor unit, next to the hydraulic cylinder on the base, that has a 4 foot, spring guarded, air whip attached.

You get 'hands free' lifting operation by squeezing the lift control lever at the end of this whip when your air line is attached. The quick disconnects for your air line are included. They're available in both the 12 ton and 20 ton capacity, and both have the 3" screw extension. IMPORTED



12 Ton - Specifications:

- **Min. Height: 8-1/2"**
- **Max. Height: 17"**
- **Lift: 5-1/2"**
- **Extension: 3"**
- **Weight: 26 Lbs.**
- **Air Consumption: 6 CFM**



20 Ton - Specifications:

- **Min. Height: 9-1/2"**
- **Max. Height: 17"**
- **Lift: 4"**
- **Extension: 3-1/2"**
- **Weight: 37 Lbs.**
- **Air Consumption: 8 CFM**

ITEM#:	DESCRIPTION:
328	12 TON AIR ASSISTED BOTTLE JACK
329	20 TON AIR ASSISTED BOTTLE JACK

CLASS # 22

8 TON LONG RAM JACK

A long ram jack is just the thing if you need a higher reach and a longer stroke. These jacks are very popular for use on tall farm equipment, mobile floor cranes, engine hoists, trailer jacking, etc.

They are heavy duty, steel constructed and measure 24 1/2" at their low height and 45" at their maximum height. They have a 20 3/4" lift and weigh 35 Lbs. IMPORTED



ITEM#:

DESCRIPTION:

310	8 TON LONG RAM HYDRAULIC JACK
------------	--------------------------------------

CLASS # 22

22 TON AIR OVER HYDRAULIC JACK

This is one of the best quality air over hydraulic floor jacks available today. It will handle 44,000 Lbs. with no effort at all. The maximum saddle height is 17", and it will go down as low as 9" so you can get it under those low frame vehicles.

This unit weighs 84 Lbs. and is not an air hog. It requires 7 CFM of air consumption unlike most jacks that require 10 to 22 CFM. It works great on just 90 to 145 PSI and sits on 8" rubber wheels that can handle all various surfaces including snow, mud, gravel, etc.

An important convenience of using an air over hydraulic jack is that both your hands are free and there is no manual heavy lifting. It is 22" long, 13" wide, and 57" in height to the top of the handle. It is equipped with an air valve and an integrated filter which protects the motor. IMPORTED



ITEM#:

DESCRIPTION:

316

22 TON AIR OVER HYDRAULIC JACK

CLASS # 22

3 TON FLOOR JACK

This is a heavy duty, roll around, 3 ton capacity hydraulic floor jack that is constructed of all 1/4" thick solid steel plate. It has a solid steel axle with heavy duty rubber wheels on the front and rugged, swivel caster wheels on the rear. There is also a convenient carrying handle on the top.

The heavy duty, tubular steel handle has a rubber grip and is removable for easy storage out of the way. The hydraulics are rated at 3 tons and it has a safety overload valve to prevent lifting of something beyond capacity. The lifting range is 5" to 15". Weight 63 Lbs. IMPORTED



ITEM#:	DESCRIPTION:
305	3 TON HYDRAULIC FLOOR JACK

CLASS # 22

10 TON AIR HYDRAULIC FOOT PUMP

This is an air powered hydraulic pump designed for use with single action cylinders and tools. The simple design makes it easy to use and the rugged construction gives it a long life and reliability.

The automatic overload valve protects your hydraulic system components regardless of air pressure and a swivel connection simplifies operation of the pump and hydraulic connection. The pump treadle can be operated by foot or by hand for greater versatility. For use with the 10 Ton Porta Power.



Specifications:

- **Air Pressure: 70 – 170 PSI**
- **Max Pressure: 10,000 PSI**
- **Air Consumption: 10 CFM**
- **Air Inlet: 1/4" NPT**
- **Stroke Length: 1" oil flow at 100 PSI**
- **Useable Oil Capacity: 42 cu. In. (690 c.c.)**
- **Operation by hand or foot**
- **IMPORTED**

ITEM#:

DESCRIPTION:

304PUMP

10 TON AIR HYDRAULIC FOOT PUMP

CLASS # 22

TELESCOPING 1/2 TON TRANSMISSION JACK

These jacks feature 3" welded steel channel legs for stability, heavy duty swivel wheels for ease of mobility, and the foot operated pump and release leaves both the operators' hands free to position and align the saddle with the transmission.

The flash chromed ram inhibits rust from entering the hydraulic system, and it has a safety overload system to prevent lifting beyond rated capacity. It is a double piston construction and has a fully adjustable universal saddle with corner brackets and safety chain for alignment of bolt patterns which is perfect for adjusting to all transmissions.



Specifications:

- **Weight Capacity: 1,000 Lbs.**
- **Min. Saddle Height: 34"**
- **Max. Saddle Height: 70 1/2"**
- **Hydraulic Lift: 36"**
- **Overall Length: 38"**
- **Overall Width: 25"**
- **Saddle Size: 18" x 14.3"**
- **Saddle Tilt Forward: 15°**
- **Saddle Tilt Left and Right: 15°**
- **Screw Extension: 26"**
- **Weight: 154 Lbs**

ITEM#:

DESCRIPTION:

322

1/2 TON TELESCOPING TRANSMISSION JACK

CLASS # 22

HYDRAULIC TRANSMISSION JACKS

These heavy duty, floor model transmission jacks will fit front wheel drive transaxels and many of the air cooled V.W. engines. Smooth hydraulic operation permits precise raising and lowering and the four adjustable load support arms adjust to fit most transmission pan flanges.

The double pump handle allows jack to be operated from either side. The four full swivel casters allow easy maneuverability and the wide support base provides stability even under load. The versatile saddle design allows for total adjustments in every direction.



Specifications:

1/2 TON

- Lifting Range: 10 1/2" to 31"
- Base Length: 33"
- Base Width: 20"
- Base Height: 5 1/2"
- Weight: 90 Lbs.

1 TON

- Lifting Range: 10 1/2" to 31"
- Base Length: 50"
- Base Width: 29"
- Base Height: 7 1/2"
- Weight: 155 Lbs.

ITEM#:

DESCRIPTION:

299	1/2 TON TRANSMISSION JACK
321	1 TON TRANSMISSION JACK

CLASS # 22

TRANSMISSION JACK ADAPTOR

Turn any standard garage jack with a removable saddle and 1-1/4" hole into a transmission cradle for cars and trucks. This adaptor is constructed of rugged alloy steel. (Jack not included). 35 Lbs. IMPORT



ITEM#:

DESCRIPTION:

311

TRANSMISSION JACK ADAPTOR

CLASS # 22 JACK STANDS

These jack stands have a rugged steel construction, and a structural leg design that combines integral bracing and welded corner supports for added stability. They are extra heavy duty with a ductile steel center post and pawl for extra strength. Sold by the pair. IMPORT

Specifications:

Capacity:	Min. Height:	Max. Height:	Saddle Size:	Weight:
3 Ton	11-13/16"	17-5/8"	1-3/16" x 4-5/16"	24 Lbs.
6 Ton	15-5/8"	24-1/8"	1-3/8" x 5-3/4"	36 Lbs.
12 Ton	19-1/4"	31"	1-3/8" x 6-5/8"	75 Lbs.



ITEM#:	DESCRIPTION:
3063T	3 TON JACK STANDS (PAIR)
306	6 TON JACK STANDS (PAIR)
30612T	12 TON JACK STANDS (PAIR)

CLASS # 22

4 TON PORTA-POWER

This is the 'Porta Power' type body and frame repair kit used by repair shops for straightening, spreading, bending, and any other type of repair that requires hydraulic power.

The kit includes: a 'push only' hydraulic pump unit with a 6' hose, all of the threaded connectors for the hydraulics, and five extension rods: 3", 5", 10", 18" and 21". The stroke on the ram is 5 1/3" and the kit also includes a duck bill spreader, the rubber ball foot, a 4 1/2" and a 2 1/2" rubber padded foot, the couplings with safety pins, and it all comes in a blow mold case.

IMPORTED



ITEM#:	DESCRIPTION:
303	4 TON PORTA POWER

CLASS # 22

10 TON PORTA POWER

This is the 'Porta Power' type body and frame repair kit used by repair shops for straightening, spreading, bending, and any other type of repair that requires hydraulic power.

The kit includes: a 'push only' hydraulic pump unit with a 6' hose, all of the threaded connectors for the hydraulics, and five extension rods: 3", 6", 10", 18" and 30". The stroke on the ram is 6" and 1 3/8" diameter and the kit also includes the duck bill spreader, a rubber ball foot, a 4 1/2" and a 2 1/2" rubber padded foot, the couplings with safety pins, and it all comes in a blow mold carry case. IMPORTED



ITEM#:

DESCRIPTION:

304

10 TON PORTA POWER

CLASS # 22

10 TON PULL BACK RAM

This is an all steel constructed pull back ram that is used to convert your 'push only' 10-ton Porta Power into a 'pull' unit to give you the full function that you need when doing frame and body work.

These have heavy duty steel swivel hooks on both ends and they operate at 9,792 PSI. They weigh 12 Lbs. are 26" long and have a 5" pull distance.



ITEM#:

DESCRIPTION:

PBR10

10 TON PULL BACK RAM

CLASS # 22

12 TON HYDRAULIC PIPE BENDER

This is a heavy duty pipe bending kit for pipe from 1/2" to 2" diameter. Simply slide your material through the adjustable roller guides and over the appropriate sized bending die that sits on top of a spring plate and the 12 ton hydraulic jack. When you pump the long ram jack, it easily bends the pipe to any angle up to 180°.

There are six bending dies in the kit that includes 1/2", 3/4", 1", 1 1/4", 1 1/2", and 2". 21-1/2"H x 23-3/4"W x 4-1/2"D. Constructed of heavy duty steel with baked enamel finish. IMPORTED



ITEM#:

DESCRIPTION:

326

12 TON HYDRAULIC PIPE BENDER

CLASS # 22

2,000 LB. ENGINE STAND

These are heavy-duty, 2,000 Lb. engine stands! You won't overload this one! It is constructed of heavy gauge square tubing steel, and is an 'a-frame' with the brace across the two legs. It also has the heavy diagonal braces from the engine base plate to the rear wheels.

It also includes the rugged handle to rotate the mounted engine 360° and lock it in place. The front casters and rear wheels are 3-1/2" iron and all ball bearing construction. The base measures 39" x 34" , and the unit is 34" high. The base plate for mounting the engine is 6" x 10" and the whole stand is 90 Lbs. total



ITEM#:

327

DESCRIPTION:

2,000 LB ENGINE STAND

CLASS # 22

2 TON CHERRY PICKER

This two ton, roll around, shop hoist is commonly known as a 'cherry picker'. It has a four position telescoping boom that adjusts from a half ton capacity lift to a two ton capacity lift.

The front and rear legs adjust outward for stability and versatility and feature big, 3 1/2" all ball bearing, swivel casters that are sealed for life and maintenance free.

It is equipped with a dependable 8 ton, long ram jack and the framing is made of thick wall, 3" square steel tubing. This engine hoist is designed to take the weight and will easily roll around your shop for convenience.

IMPORTED



ITEM#:

DESCRIPTION:

331

2 TON CHERRY PICKER

CLASS # 22

PNEUMATIC SHOP SEAT WITH TOOL TRAY

This is the professional mechanics version of the 'Executive Chair'. The pressurized pneumatic piston raises and lowers the cushioned, tear and stain resistant vinyl seat a full 8 inches for the most efficient height.

It has 5 durable 2 1/2" swivel casters for easy maneuverability, a handy round, divider tray underneath for keeping your tools and parts in reach and off the floor.

The seat swivels 360° and adjusts from 15" to 23" in height, and weighs just 18 lbs. This is a handy accessory for any shop. IMPORTED.



ITEM#:

DESCRIPTION:

20653

PNEUMATIC SHOP SEAT WITH TOOL TRAY

CLASS # 22

10 TON HYDRAULIC GEAR PULLER

This is a very handy shop tool. It's used to pull bearings, pulleys and gears that are press fit onto shafts and axles. The unit is completely self contained, and no external pumps or hoses are needed, so it is perfect for hard to reach, tight places.

It applies a massive 10 tons of hydraulic force, which is enough to remove most pulleys, bearings and gears. The hydraulic ram is a full 1 1/2" diameter and there are 2 extension rods, 2" and 4", that allow the user full adjustment for any application.

The unit is adjustable and will configure to 4", 6" and 8" reach through the use of different size arms. This is the most popular three arm puller type unit and the kit comes in a blow mold case for storing all the pieces. Weight is 39 Lbs. IMPORTED



ITEM#:

DESCRIPTION:

317

10 TON HYDRAULIC GEAR PULLER

CLASS # 22

12 TON HYDRAULIC PRESS

This 12 ton shop press is the 'H' frame type and performs a lot of shop functions, like bearing work, engine rebuilding, and bending and shaping all kinds of metals.

This is all welded, steel channel construction and the heavy duty 12 ton hydraulic jack is included. Working range is 8-1/2" to 39" and overall height is 70". The base measures 18-1/4" x 20", and it weighs 100 lbs. Imported.



ITEM#:

12THP

DESCRIPTION:

12 TON HYDRAULIC PRESS

CLASS # 22

10 & 20 GALLON SANDBLASTERS

These are not small hobby shop units. They are big, heavy duty, roll around sandblasters in 10 and 20 gallon capacities.

This is the best piece of equipment of its kind! Ideal for removing all rust, carbon, paint, chrome, and corrosion from anything. From bumpers to manifolds to old furniture, this unit strips and cleans with ease. It's powerful enough to strip the paint from your house.

All the accessories you need are included; four nozzle tips, water and air filters, and a blasting hood for safety. They're not air hogs either, as they will run on as little as 65 PSI for light duty use and up to as high as 125 PSI for the really tough jobs.

Unlike the cheaper models, it will accept all types of sand, as well as silica, aluminum bead, and even plain old beach sand. Replacement tips are also available. IMPORT



ITEM#:	DESCRIPTION:
319	10 GALLON SANDBLASTER
320	20 GALLON SANDBLASTER
TIPS	4 PC. SAND BLASTER TIPS (2.4mm, 2.7mm, 3.2mm, 3.6mm)

CLASS # 22

TORIN™ BIG RED CREEPER SEAT

These creeper seats are tough, durable, and will be around your shop for a long time. They're very handy when doing any kind of mechanical repairs, because you can roll right up to your work at the right level for working.

These seats are made by Torin® the same company that makes the 'Big Red' jacks. They have 4 heavy duty, steel casters and a thick, padded, vinyl covered cushion.

The best part is the large, hard vinyl tool tray inserted in the full base of the creeper. Your tools won't rattle around and make a lot of noise and they are always close at hand. IMPORTED



ITEM#:

DESCRIPTION:

318

TORIN™ BIG RED CREEPER SEAT

CLASS # 22

20 GAL. PORTABLE OIL LIFT DRAIN

These are the roll around oil drain reserve systems used in most shops and garages. They are sturdy, easily moved around on 6" rubber wheels, and lift up to 6' high. You can easily position these under automobiles, trucks, or whatever you have on your hydraulic lift.

The upper pan is 14" wide and 5" deep and has a rugged safety screen that will catch drain plugs and tools. It'll raise and lower easily and lock into any height with a twist of the heavy duty set knob.

It has an 8' extraction hose that's 1" in diameter, so when you hook up your air hose to the tank pressure valve, the air pressure immediately pumps the oil out of the reserve and into your recycling center. IMPORTED



ITEM#:

339

DESCRIPTION:

20 GAL. PORTABLE OIL LIFT DRAIN

CLASS # 22

1,000 LB. LIFTING CRANE

These portable truck cranes assemble easily and will lift up to 1,000 lbs. (500 lb capacity when fully extended). They are the perfect answer for a lot of help either at work or for just having fun when you're not.

Now you can lift large, heavy items like engines, large appliances, A/C units and other heavy service components. But, when you're not at work and want to play on the weekend, you can quickly load snowmobiles, personal watercraft, ATV's, or dirt bikes and be on the road in minutes.

The arm will extend to 5 feet and can be pinned in four separate places (increasing the load capacity as the arm is shortened). They are bolted down through the truck bed and come complete with the under carriage mounting brackets, the hydraulic pump and the lift chain. IMPORTED



ITEM#:

DESCRIPTION:

334

1,000 LB. PICK-UP TRUCK LIFTING CRANE

CLASS # 22

11 PC. HYDRAULIC ACCESSORY KIT

A must have accessory kit that works in concert with both the 10 ton and 4 ton porta powers. Includes 5 hydraulic cylinders, 2 pullback rams, 2 hooks for the 5 ton ram and 2 hooks for the 2 ton ram. Comes complete in a metal storage box. Weighs 50 Lbs. Import.

Includes:

Hydraulic Cylinders:

- 2 Ton - 76mm stroke, min. height: 139mm
- 4 Ton - 16mm stroke, min. height: 42mm
- 4 Ton - 132mm stroke, min. height: 276mm
- 10 Ton - 60mm stroke, min. height: 118mm
- 10 Ton - 150mm stroke, min. height: 350mm

Pullback Rams:

- 2 Ton - 128mm stroke, min. height: 409mm
- 5 Ton - 130mm stroke, min. height: 483mm

Hooks:

- 2 - 2 ton hooks
- 2 - 5 ton hooks



ITEM#:

DESCRIPTION:

325

11 PC. PORTABLE HYDRAULIC KIT

CLASS # 22

20 TON LOW PROFILE AIR BOTTLE JACK

These 20 Ton bottle jacks have a minimum height of 8" a maximum of 17" and a 5 1/2" ram travel with a 3 1/2" screw extension. They have a 3 pc. handle and can be operated manually or you can hook it up to your air hose and compressor for quick and precise lifting.

There's an air motor unit, next to the hydraulic cylinder on the base, that has a 4 foot, spring guarded, air whip attached. You get hands free operation by squeezing the lift control lever at the end of this whip when your air line is attached. Quick disconnects for your air line are included. **IMPORTED.**



ITEM#:

DESCRIPTION:

344

20 TON LOW PROFILE AIR BOTTLE JACK

CLASS # 22

3,000 LB. ALMINUM RACING JACK

These high performance aluminum racing jacks will lift 3,000 lbs. to a maximum height of 18" in a quick 6 pumps and they require only 1/2 turn on the handle to release the saddle for lightning fast pit stops.

They are made of precision machined, high strength, aircraft aluminum billet and constructed for professional racing teams. They feature a specially designed 5-3/8" wide ground hugging, single front roller wheel for quick and accurate placement where you need it.

It has a low profile 3.5" minimum saddle height and the saddle comes with a 360° rotating rubber pad to prevent marring. There are long easy grab handles on the sides so you can easily pass this jack over a retaining wall or any other obstruction.

- ⇒ Minimum saddle height: 3-1/2"
- ⇒ Maximum saddle height: 17-1/2"
- ⇒ Hydraulic lift: 14"
- ⇒ Handle overall length: 47-1/4"
- ⇒ Two piece knurled aluminum handle prevents slipping
- ⇒ Overall dimensions: 23.62" L x 11.81"W x 6.1"H
- ⇒ Weighs 42 lbs.



ITEM#:

DESCRIPTION:

341

3,000 LB. ALUMINUM RACING JACK

CLASS # 22

VEHICLE DOLLIES 1 PAIR

If you've got a 'project' car, a trailered vehicle, or anything to push in and out of a tight space, then these car dollies are just the thing. These are wheel dollies that are rated at 1,000 lbs. each and sold in pairs.

Each dolly has four swivel castors that are 3 1/2" high and all ball bearing. Each dolly is 15 1/4" x 23 1/4" and they weigh 25 lbs. apiece.

Simply jack up any vehicle, slip the dollies under the wheels, and you can easily move the front or rear end around. Use four dollies and you can easily move a heavy car sideways, in, out, forward, & backwards. IMPORTED



ITEM#:

DESCRIPTION:

342

1 PAIR 1,000 LB. VEHICLE DOLLY

CLASS # 22

10 TON FLOOR JACK

This heavy duty floor jack has a 10 ton capacity and a working range of 6.7” to 22.45”. The overload protection system prevents use beyond rated capacity and it is easily operated. The handle is used for heavier loads while lighter loads can be lifted with the foot paddle.

Constructed of heavy gauge steel with rugged steel casters and saddle, and it weighs 374 lbs. Import.



ITEM#:	DESCRIPTION:
N20291B	10 TON ROLLING FLOOR JACK

CLASS # 22
NEIKO PRO 'BLUELINE'
22 TON AIR OVER HYDRAULIC JACK

This is a heavy duty, industrial, 22 ton air-over hydraulic jack from the NEIKO PRO 'BLUELINE' Series. This monster is perfect for super, heavy lifting of cars and big trucks and will stand up to tremendous use and abuse.

It features 4 saddle extensions and a 17 11/16" saddle height. It is also equipped with a labor-saving air pump and a high-speed cylinder piston that increases lifting speeds and efficiency. Carries a full one year warranty.

IMPORTED

Specifications:

- ✓ **Minimum Saddle Height: 9" without adaptor**
- ✓ **1 Handle setting with 4 saddle extensions**
- ✓ **Maximum Saddle Height: 17 11/16"**
- ✓ **4 1/2" Stroke**
- ✓ **Handle Length: 49"; Includes Handle Lock Lever.**
- ✓ **Wheel diameter: 8"**
- ✓ **Weight: 118 lbs.**



ITEM#:	DESCRIPTION:
N31008B	22 TON AIR OVER HYDRAULIC JACK

CLASS # 22

3 TON DOUBLE PLUNGER FLOOR JACK

This double plunger floor jack will lift to full height in just 8 or 9 pumps of the handle and has a working range of 4-1/8" to 21". It has an extra long handle for easy reach under vehicle and overload protection for safety.

This is a low profile floor jack and the frame and casters are constructed of heavy duty steel. Weighs 103 lbs. Imported.



ITEM#:	DESCRIPTION:
N20286B	3 TON 'DOUBLE PLUNGER' FLOOR JACK

CLASS # 22

NEIKO PRO 'BLUELINE' TRANSMISSION JACKS

This is a brand new line of industrial, heavy duty transmission jacks, the 'BLUELINE' series from NEIKO PRO. These are not light duty jacks! They are made to be used and abused and really take the pressure time after time.

Both jacks are heavy duty, industrial quality, with ball bearing casters, a fully adjustable load support arm that will fit all transmission pans, and extra wide bases. They also have the fully adjustable, universal saddle with corner bracket and safety chain for optimum positioning of the load, and they carry a full one year warranty. IMPORTED



1/2 TON TELESCOPING TRANSMISSION JACK

- ✓ **Lifting Range: 34 1/4" – 73 5/8"**
(870 – 1800mm)
- ✓ **4 x 3 swivel Caster**
- ✓ **Capacity: 1,000 lbs.**
- ✓ **Weight: 229 lbs.**

1 1/2 TON TRUCK TRANSMISSION JACK

- ✓ **Lifting Range: 7 1/2" – 34 1/4"**
(190 – 870mm)
- ✓ **Capacity: 3,000 lbs.**
- ✓ **Wide Base**
- ✓ **4 Heavy Duty Ball Bearing Casters**
- ✓ **Fully Adjustable Universal Saddle
with Corner Bracket & Chain**
- ✓ **Weight: 330 lbs.**



ITEM#:	DESCRIPTION:
N20287B	1/2 TON TELESCOPING TRANSMISSION JACK
N20288B	1 1/2 TON TRUCK TRANSMISSION JACK

CLASS # 22

PORTABLE TIRE CHANGER

Change tires in your own shop, lot or garage with no expensive pneumatic lines or power hookups needed. This portable, manual tire changer demounts and mounts a full range of tires from 8" to light trucks (7-1/2" x 16").

Features heavy duty, all steel construction with a 15-3/8" x 18-1/2" base, and 7-1/2" diameter x 3/16" thick wheel rest plate. Approximately 36" high and weighs 31 Lbs. Import.



ITEM#:

DESCRIPTION:

PTC	PORTABLE MANUAL TIRE CHANGER
------------	-------------------------------------