

CLASS # 28

CARPET STRETCH WRAP

This is sometimes called ‘carpet stretch wrap’ because it is very effective and inexpensive to bundle carpeting with. It’s a 3” wide and 1,000’ long roll of transparent film used to wrap parts for storage or shipping.

It will stretch out to 250% of its original length, and has excellent ‘cling’ characteristics, so you can tightly wrap items and it will stick to itself. It has excellent clarity and strength and is safe, economical, and very easy and fast to use.



ITEM#:

DESCRIPTION:

WRAP

CARPET STRETCH WRAP

CLASS # 28

BLACK ELECTRICAL TAPE

This is the 'Thermoflex' black, vinyl electrical tape used by electricians, security and communications installers, auto repair shops, audio installation shops and just about every service industry around.

It's a 7 mil thick tape and rated at 176°, 600 Volts, has an elongation of 100% and, of course, is UL listed 321K. The rolls are fresh and individually wrapped in plastic and then sealed again in sleeves of 10. Packed 36 sleeves per case (360 rolls).

The rolls are 3/4" x 60' and are guaranteed not to bleed, crack, bubble or telescope, (meaning that the tape begins to slip off of itself pushing the core forward like a telescope which means the tape is too old, or too hot and not good for anything but a sticky mess.)

Also available is the black 'Freezer Flex' tape which will withstand cold temperatures and is a great all purpose vinyl tape. These rolls are 2" wide by 60' long and also UL Approved. Imported.



ITEM#:	SIZE:	DESCRIPTION:
460	3/4" x 60'	BLACK THERMOFLEX ELECTRIC TAPE
2460	2" x 60'	BLACK FREEZERFLEX ELECTRIC TAPE

CLASS # 28

PRO GRADE ELECTRICAL TAPE

This pro grade electrical tape is a top of the line, contractor grade PVC insulation tape. It is flame retardant, weather resistant at 10° to 80°C, or 14° to 176°F.

These rolls are 66' long and 3/4" wide, (19mm x 20M), and the tape is 7mil thick. This tape is suitable for use at not more than 600 volts. Each roll is individually wrapped. Import.



ITEM#:

DESCRIPTION:

460PRO

PRO GRADE ELECTRIC TAPE - 3/4" x 66'

CLASS # 28

COLORED ELECTRICAL TAPE

This is a color coded vinyl electrical tape used by electricians, installation contractors, audio video installers and other service companies. It has a very low temperature rating of minus 80°, and will stay flexible and easy to use.

It is available in various colors for marking or labeling wire by security and communications contractors as well as on any application that needs to be easily identified.

This tape is UL approved, and proven in the field under harsh conditions over many years. It is 7 mil thick and has a full 100% elongation to ensure excellent wrapping.



ITEM#:	COLOR:	DESCRIPTION:
 R460	RED	3/4" x 60' ELECTRICAL TAPE
 GY460	GRAY	3/4" x 60' ELECTRICAL TAPE
 B460	BLUE	3/4" x 60' ELECTRICAL TAPE
 W460	WHITE	3/4" x 60' ELECTRICAL TAPE
 Y460	YELLOW	3/4" x 60' ELECTRICAL TAPE
 GN460	GREEN	3/4" x 60' ELECTRICAL TAPE
 BN460	BROWN	3/4" x 60' ELECTRICAL TAPE
 OR460	ORANGE	3/4" x 60' ELECTRICAL TAPE

CLASS # 28

DUCT AND PIPE TAPES



PVC DUCT TAPE

This PVC duct tape is non-corrosive to metal and has strong adhesion in extremely cold weather. It's 100% waterproof and is a general purpose tape, but should not be used on PVC pipe or for wrapping hose. It is 7 mil thick and each roll is individually wrapped. This is not the same as cloth duct tape and should not be used in applications that require cloth duct tape only.

ITEM#:

DESCRIPTION:

465

2" x 50 YD. PVC DUCT TAPE



FOIL DUCT TAPE

This is a tin foil faced tape used by heating and air conditioning contractors. It is 2" wide and 50 yard in length and is commonly used to seal joints of air duct sections. It meets or exceeds all government specifications for air handling spaces.

ITEM#:

DESCRIPTION:

FOIL

2" x 50 YD. FOIL DUCT TAPE



PIPE WRAP TAPE

This is a 2" wide 100' long black vinyl PVC tape that is mostly used by all pipeline contractors to protect iron steel pipe from corrosion due to acidic or hot soils. It can also be used to protect PVC above ground pipe from ultra-violet rays. Commonly used in oilfields to prevent corrosion due to methane and contaminated soils. It is also very popular with mobile home contractors and electricians. 10 mil thickness only.

ITEM#:	DESCRIPTION:
--------	--------------

490	2" x 100' x 10 MIL PIPE WRAP TAPE
-----	-----------------------------------



TEFLON TAPE

This pure virgin Teflon tape is a full 3.5 to 4 mil. thick and it comes in an enclosed plastic spool, which has an unlimited shelf life. Because this tape is completely synthetic and inert it can be used in a multitude of situations including sealing the threads on pipes, sprinklers or plumbing lines and automotive work. This tape does not react to the pipe nor does it get hard, so the fittings will always come apart easily.

ITEM#:	DESCRIPTION:
--------	--------------

461	1/2" x 260" TEFLON THREAD SEAL TAPE
-----	-------------------------------------

462	1/2" x 520" TEFLON THREAD SEAL TAPE
-----	-------------------------------------

463	3/4" x 520" TEFLON THREAD SEAL TAPE
-----	-------------------------------------

458	1" x 520" TEFLON THREAD SEAL TAPE
-----	-----------------------------------

CLASS # 28

Shurtape® CLOTH DUCT TAPE

Our cloth duct tape is the old reliable “100 miles per hour” tape that race car drivers always used. This is a high grade HVAC cloth duct tape, used by air conditioning and heating contractors. There are a lot of various grades of this tape, but few hold up to the aggressive use of contractors.

We get this tape out to the most particular contractors in the country and they love it! It’s 10.5 mil thick, with an adhesive rating to stainless steel of 50 Oz per inch width, a tensile strength of 23 Lbs. per inch width, maximum service temperature is 200° F and it has a long shelf life because the rolls are sealed in plastic.

Unlike the PVC Duct tape, this tape is constructed of woven cloth fibers which give it its strength and it can be torn by hand. The rolls are 2” wide by 60, 50 or 10 yards long and available in red, black and the ever popular gray. The 3” wide tape is available in gray only.



ITEM#:	SIZE:	DESCRIPTION:
464S	2” x 60 YD	GRAY CLOTH DUCT TAPE
4643	3” x 50 YD	GRAY CLOTH DUCT TAPE
RD464	2” x 50 YD	RED CLOTH DUCT TAPE
BK464	2” x 50 YD	BLACK CLOTH DUCT TAPE
46410	2” x 10 YD	GRAY CLOTH DUCT TAPE

CLASS # 28

FILAMENT STRAPPING TAPE

This is one of the very best tapes manufactured for shipping, boxing, and unitizing almost anything from pipes to boxes on a pallet. It is also excellent for 'short trip' closures of boxes and crates, reinforcing fiber board boxes, or short stacking lumber.

It's also known as "burglar proof" tape because the only way to break it is to cut it with a knife. This tape is 7 mil thick, Mylar backed, and has a 300 Lb. tensile strength and a 60 Lb. adhesion per square inch.



ITEM#:	SIZE:	DESCRIPTION:
471	1/2" x 60 YD.	FILAMENT STRAPPING TAPE
472	3/4" x 60 YD.	FILAMENT STRAPPING TAPE
473	1" x 60 YD.	FILAMENT STRAPPING TAPE
479	2" x 60 YD.	FILAMENT STRAPPING TAPE

CLASS # 28

Shurtape® MASKING TAPE

This masking tape is made by Shurtape® and is a general purpose tape used by professionals in almost every industry. It is most commonly used as a mask for paint, both indoor and outdoor, but can be used for marking, and tagging, or a hundred other uses.

This is not an auto body tape and should not be used under heat lamps and in heating booths. It has a two-year shelf life. USA made.



ITEM#:	SIZE:	DESCRIPTION:
469	3/4" x 50 YD.	MASKING TAPE - SHURTAPE
474	1" x 50 YD.	MASKING TAPE - SHURTAPE
475	1-1/2" x 50 YD.	MASKING TAPE - SHURTAPE
470	2" x 50 YD.	MASKING TAPE - SHURTAPE
476	3" x 50 YD.	MASKING TAPE - SHURTAPE

CLASS # 28

Shurtape® CARTON SEALING TAPE

The carton sealing tape we sell is the same tape we use ourselves to ship out thousands of packages a week. Many times our packages are right up to the maximum as far as weight per box, and this tape really delivers!

It is 2" wide and 55 yards long and available in clear or tan in color, the clear is also available in 110 yard rolls. This tape is super fast dispensing off the hand roller machine. It comes off clean and fast with minimal 'drag'. It is self-adhesive and almost tear proof.



ITEM#:	SIZE:	COLOR:	DESCRIPTION:
466	2" x 55 YD	TAN	CARTON SEALING TAPE
467	2" x 55 YD	CLEAR	CARTON SEALING TAPE
459	2" x 110 YD	CLEAR	CARTON SEALING TAPE

ITEM#:	DESCRIPTION:
468	PACKING TAPE DISPENSER WITH ROLLER
PS1000	PACKING SLIP ENCLOSURES (1,000)



CLASS # 28

FLAGGING TAPE

Flagging ribbon or ‘flagging tape’ as it is also called, is commonly used by excavators when marking off a construction site to be bulldozed. It’s also used by anyone laying out a plan in the dirt; landscapers, gardeners, loggers, sprinkler contractors, and many others.

It’s tied around ground stakes for high visibility, or used to mark the end of a load on a truck, and you see it at many other locations when it’s needed to call attention to a particular point of reference.

The rolls measure 1-3/16” wide, 100’ long, they are bright fluorescent in several colors, and they have a very long shelf life.



	ITEM#:	COLOR:	DESCRIPTION:
	FLAGP	FLUORESCENT PINK	FLAGGING TAPE
	FLAGB	FLUORESCENT BLUE	FLAGGING TAPE
	FLAGO	FLUORESCENT ORANGE	FLAGGING TAPE
	FLAGR	FLUORESCENT RED	FLAGGING TAPE
	FLAGY	FLUORESCENT YELLOW	FLAGGING TAPE
	FLAGGN	FLUORESCENT GREEN	FLAGGING TAPE
	FLAGW	WHITE	FLAGGING TAPE

CLASS # 28

Shurtape® BLUE MASKING TAPE

This is a low tack tape that's ideal for painting because you can leave it on a surface for up to seven days without it leaving any kind of glue residue. It's ideal for painting, and can be easily applied to almost any surface such as glass, vinyl, or wood.

This tape can be used indoors or out because it is resistant to UV light. It is certified 'ISO 9000' for quality assurance and USA made by Shurtape®.



ITEM#:	SIZE:	DESCRIPTION:
480	3/4" x 60 YD	BLUE PRO GRADE MASKING TAPE
481	1" x 60 YD	BLUE PRO GRADE MASKING TAPE
482	1-1/2" x 60 YD	BLUE PRO GRADE MASKING TAPE
483	2" x 60 YD	BLUE PRO GRADE MASKING TAPE

CLASS # 28

COLONIAL MASKING TAPE

The Shurtape® brand 'Colonial' masking tape is excellent for all painting applications. It is a premium grade, medium temperature tape, with moderate high tack, rubber based adhesive.

This is the perfect tape for industrial and automotive painting, that does not requiring the use of a bake oven. It also has general purpose applications on wood, metal, plastic, or paper.

The tensile strength is 26 lbs. per inch width, and adhesion strength of 42 lbs. per inch width. It maintains a consistent 6.2 mil thickness throughout the roll and has an elongation factor of 10%. Made in USA



ITEM#:	SIZE:	DESCRIPTION:
477	3/4" x 60 YD.	'COLONIAL' MASKING TAPE
478	1" x 60 YD.	'COLONIAL' MASKING TAPE

CLASS # 28

Shurtape® HIGH PERFORMANCE MASKING TAPE

This low tack tape is ideally suited for demanding masking applications in the high tech transportation, marine and metal fabrication industries.

It is made utilizing a smooth crepe backing with a moderate temperature, rubber adhesive system that exhibits a smooth, consistent unwind which will deliver a user-friendly product during application

This tape has a 20 lb per inch width tensile strength and a 10% elongation with a maximum service temperature of 200° F. Typical applications include metal preparation, painting and coating for autos, trucks, coaches and buses as well as marine and metal fabrication. Removes cleanly with no adhesive residue and has clean, flat edges for sharp paint lines. Solvent and moisture resistant to minimize bleed through. 6.0 mil thick.



ITEM#:	SIZE:	DESCRIPTION:
484	3/4" x 60 yd	HIGH PERFORMANCE MASKING TAPE
485	1" x 60 yd	HIGH PERFORMANCE MASKING TAPE
486	1-1/2" x 60 yd	HIGH PERFORMANCE MASKING TAPE
487	2" x 60 yd	HIGH PERFORMANCE MASKING TAPE

CLASS # 28

NON-SLIP SAFETY TAPE

Everyone has seen a need, now and then, for no-slip tape somewhere on a walkway, on steps that get wet, on ramps, docks, showers, and stairs. Now you can put safety tape anywhere in less time than it takes for an accident to happen!

Safe Step and Flex Step are long lasting, adhesive backed tapes for high traffic areas where slippery or dangerous surfaces may cause an accident to occur. We carry it in 2" wide and 6" wide by 60' rolls.

'Safe Step' tape has an aluminum oxide grit surface that is impervious to water, grease, detergents, oil, and solvents. Use it on stairs, ramps, lifts, truck beds, industrial kitchens, machine shops, and service stations.

'Flex Step' is a highly resilient, non-abrasive, vinyl safety tape that will provide great traction in wet, or dry conditions, and is used in moisture areas like showers, baths, locker rooms, swimming pools, boats, and docks. Just peel and stick on any clean, dry, oil free surface. 'Flex Step' is available in black, Fluorescent Orange, and 'Glow Tread', which absorbs available light and then glows when the lights are out for safety in darkness.



ITEM#:	SIZE:	DESCRIPTION:
NST260	2" x 60'	SAFE STEP NON-SLIP TAPE
NST660	6" x 60'	SAFE STEP NON-SLIP TAPE
NSF260	2" x 60'	FLEX STEP NON-SLIP TAPE
NSF260FO	2" x 60'	FLEX STEP NON-SLIP TAPE - FL. ORANGE
NSF260FY	2" x 60'	FLEX STEP NON-SLIP TAPE - FL. YELLOW
NSF260GT	2" x 60'	FLEX STEP NON-SLIP TAPE - GLOW TREAD
NSF660	6" x 60'	FLEX STEP NON-SLIP TAPE